

PA05/07299

Manufacturer:

iLECSYS Rail Ltd

Issue: 1


Valid From: 18/05/2021

Marshalling Cabinet

Product Description

Marshalling cabinet assemblies for use as interface cabinets for Safe Isolation programme.

Single Door version – up to 4 NSCD Double Door version – up to 8 NSCD



Scope of Acceptance

For use as interface cabinet assemblies, for the management and sub distribution of cabling, for the Safe Isolation programme.

The scope of this acceptance covers the marshalling cabinet assemblies - enclosure, mounting frame and internal components.

All components of the assemblies have existing product approval.

Network Rail Acceptance Panel (NRAP) hereby authorises the product above for use and trial use on railway infrastructure for which Network Rail is the Infrastructure Manager under the ROGS regulations.

Authorised by:

Sam Flint
Product Acceptance Co-Ordinator

Felix Langley
Network Technical Head Power Distribution



PA05/07299

Manufacturer: Issue: 1

iLECSYS Rail Ltd Valid From: 18-05-2021

Specific Conditions

The following Conditions are specific to the approved product/s contained within this Certificate. These conditions must be adhered to in addition to the Network Rail General Conditions contained within the "General Terms and Conditions" section. Failure to adhere to these conditions may result in the withdrawal or suspension of Acceptance of some, or all of the items contained within the accepted configuration.

Manufacturer

 Marshall cabinets – single and double door versions - shall be assembled in accordance with assessed documentation and shall only comprise of product accepted parts as specified.

User

1) Marshall cabinets – single and double door versions - shall be assembled in accordance with assessed documentation and shall only comprise of product accepted parts as specified.

Product Configuration

System or Complete Assembly

Part No.	Description	Catalogue No.
ILS100754-001	1-4 NSCD Marshalling Box 160 x WTR4 Disconnect Terminals in 4 Banks of 40 split over 2 rails Cable Management via Beatduct Trunking Domestics Package including Heater and Lamp with local isolation Enclosure Dimensions: 1000 x 500 x 420mm Mounted on a Frame: 650 x 450 x 420mm	0054/212135
ILS100754-002	5-8 NSCD Marshalling Box 320 x WTR4 Disconnect Terminals in 8 Banks of 40 split over 4 rails Cable Management via Beatduct Trunking Domestics Package including Heater and Lamp with local isolation Enclosure Dimensions: 1000 x 1000 x420mm Mounted on a Frame: 650 x 900 x 420mm	0054/212134

Hardware (Maintenance Spares and Line Replaceable Units)

	Part No.	Issue	Description	PADS No.	PADS Cert	Quan- tities	Applicable to Double or Single Cabinet
İ	01140.0-00	-	KTS1141 Thermostat	Part of 086/034690	PA05/05342	1	Both



PA05/07299

Manufacturer: Issue: 1

iLECSYS Rail Ltd Valid From: 18-05-2021

Part No.	Issue	Description	PADS No.	PADS Cert	Quan- tities	Applicable to Double or Single Cabinet
02541.0-01	-	Stego LED 025 Lamp, 100- 240VAC, Screw Fixing	0092/002120	PA05/06098	2	Both
06000.0-00	-	Enclosure Heater	086/034713	PA05/05342	1	Both
200506-5272	В	Marshalling Box Door LHS	Part of 0092/002107	PA05/06098	1	Double
200506-5272	В	Marshalling Box Door LHS	Part of 0091/013253	PA05/06462	1	Single
200506-5273	Α	Marshalling Box Door RHS	Part of 0092/002107	PA05/06098	1	Double
2CSM200923R1801	-	E91-32 10x38 Fuse Holder	054/213860	PA05/05344	2	Both
NSYRETPLAU	-	Door Stay for PLA Enclosure	Part of 0092/002107	PA05/06098	2	Double
NSYRETPLAU	-	Door Stay for PLA Enclosure	Part of 0091/013253	PA05/06462	1	Single

Software

Part No.	Description	Version No.
N/A		

Assessed Documentation

Reference	rence Title [Date and Applies	
		Rev.	to Cert. issu	ie No.
200312-5109-(PADS version.pdf	Single Door Marshalling Box Assy - Up to 4 NSCD	D	24/06/2020	1
200312-5120-(PADS version.pdf	Double Door Marshalling Box Assy - Up to 8 NSCD	Е	24/06/2020	1
200409-5199.pdf	McNicholas Marshalling Boxes Internal Heater & Light	Α	20/04/2020	1
ILS100754	Design Risk Assessment - CHKD.pdf	-	07/07/2020	1
NSYPLA10104G & NSYPLA1054G	Schneider Electric Product Data Sheet Characteristics NSYPLA10104G & NSYPLA1054G	-	05/08/2019	1
PA05/05342	Class II FSP Switchgear Assemblies	2	29/03/2018	1
PA05/05344	Class II FSP Switchgear Assembly (Type: FSP01 and FSP02)	7	01/11/2019	1
PA05/06087	Power Block Classic Class II FSP Switchgear Assemblies	1	30/06/2015	1
PA05/06098	LC Switchgear Negative Short Circuiting Device	3	07/08/2018	1
PA05/06433	Insulated Flexible Conduits, Mating Glands and Accessories.	1	23/08/2015	1
PA05/06462	HSS Lightning Switchgear NSCD device	6	19/08/2019	1



PA05/07299

Manufacturer:

iLECSYS Rail Ltd

Issue: 1

Valid From: 18-05-2021

Manuals and Training Materials

Reference	Title	Doc. Rev.	Date and Ap	
N/A				

Certificate History

Issue	Date	Issue History
1	18-05-2021	First accepted for use

Contact Details

Manufacturer

iLECSYS Rail Ltd Lewis Westbury lewis@ilecsys.co.uk 07837 506725 **Applicant**

Neil Clegg Neil.Clegg@networkrail.co.uk 07515 626450 **Lead Reviewing Engineer**

Karen Morris
Karen.Morris2@networkrail.co.uk
07850 406839



PA05/07299

Manufacturer:

iLECSYS Rail Ltd

Issue: 1

Valid From: 18-05-2021

General Terms & Conditions

1) Genera

- 1) This certificate can only be amended by Network Rail Product Acceptance, the Professional Head or nominated delegate. Any alterations made by a other persons will invalidate the entire certificate.
- 2) Failure to abide by the requirements in this Certificate of Acceptance may invalidate the certificate, thereby restricting the right to operate the product and / or limiting the future supply and deployment of the product on the infrastructure.
- 3) Upon the review date this certificate and the product it relates to is invalid and not accepted for use. Manufacturers are to make an application for a review prior to the review date via the NR sponsoring applicant.

2) Manufacturer

The Manufacturer shall:

- 1) Ensure that all products supplied comply with the standards defined in the Acceptance Requirements or otherwise documented as part of the assessment, including meeting the reliability requirements included in the Network Rail Design for Reliability Standard(DFR) NR-L2-RSE-0005 and in any deed of warranty for the relevant certificate number.
- 2) Notify Network Rail Product Acceptance:
- a. Within 48 hours, of any deficiencies affecting the quality, functionality or safety integrity of the product (including corrective action undertaken or proposed).
- b. Of any intended change to the accepted product; changes include:
- i. a change to the product configuration (to the actual product or its application);
- ii. a variation to or addition of manufacturing locations or processes;
- iii. a change in the name or ownership of the manufacturing company;
- iv. any changes to the ability or intention to support with technical services, spares or repairs.
- 3) The Manufacturer shall provide Network Rail Product Acceptance or National Supply Chain (NSC) at least 12 (twelve) months notice of its intention to discontinue supply or to provide such notice as is reasonable if such discontinuance is outside its control and will offer the opportunity of a Last Time Buy to Network Rail together with date for last order placement and supply of the parts affected. The introduction of proposed alternative products shall be communicated to Network Rail Product Acceptance.
- 4) Provide further copies of operating and maintenance manuals to purchasers / users of the product as necessary (including certificates of conformance, calibration etc).
- 5) Provide further copies of training manuals and an appropriate level of training to purchasers or users of the product as necessary.
- 6) Where applicable, specialist technical support, repairs and servicing of the product shall be carried out by the Original Equipment Manufacturer (OEM) or authorised agent only.
- 7) Network Rail may request information from the manufacturer to prove product compliance with clauses 1 and 2 above and reserve the right to suspend and/or withdraw any application where information is not forthcoming within a reasonable timeframe.
- 8) In accordance with Network Rail's Quality Assurance Policy Statement, where the specification and/or Product Acceptance Certificates specify quality assurance classifications for the products, the manufacturer shall comply with the specified level of quality assurance for each product and allow Network Rail access to carry out its quality assurance checks.
- 9) The manufacturer shall give Network Rail's representatives access at all reasonable times to its premises and allow them to inspect its quality systems and production methods and, if requested, to inspect, examine and test the products both during and after their manufacture and the materials being used in their manufacture.

3) Conditions of Use

Specifiers, installers, operators, maintainers, etc. using the product shall:

- 1) Comply with the certificate conditions. If a condition is not understood guidance must be sought from Network Rail Product Acceptance.
- 2) Check that the application of use complies with the relevant certificate's scope of acceptance.
- 3) Report any defect if it is a design or manufacturing fault likely to affect performance and/or the safe operation of the railway in writing to Network Rail Product Acceptance.
- 4) Inform Network Rail Product Acceptance in writing of a change to the product configuration (or to the actual product or its application).
- 5) Operate, maintain and service the product in accordance with Network Rail standards and Operation and Maintenance manuals as appropriate.
- 6) Be appropriately trained and authorised for the installation, maintenance and use of the product.
- 7) Only send products for repair or reconditioning to the Original Equipment Manufacturer (OEM) or authorised agent.
- 8) Users are to be aware that Product Acceptance is not a substitute for design approval.



PA05/07299

Manufacturer: Issue: 1

iLECSYS Rail Ltd Valid From: 18-05-2021

4) Compliance

Railways and Other Guided Systems (ROGS) Regulations

- 1) Where the product is to be used in areas where Network Rail is not the Infrastructure Manager (e.g. leased stations), the sponsor shall additionally obtain formal consent from the Infrastructure Manager for the locality where the equipment is to be installed. This may include a requirement for additional safety verification. The decision of that Infrastructure Manager is binding, and cannot be overridden by Network Rail except by the escalation processes established in the ROGS regulations
- 2) As required in Railway Group Standard RIS-8270-RST, at each use of this product the project or group responsible for installation and commissioning shall be required to demonstrate compatibility with:
- a. All rail vehicle types that have access rights over the area affected by the change
- b. Infrastructure managed by others
- c. Neighbours.

Railway Interoperability Regulations

- 3) For interoperable constituents of systems the project or group responsible for installation and commissioning shall be required to demonstrate compliance with the relevant Technical Specifications for Interoperability (TSI) where appropriate.
- 4) An authorisation from the national safety authority (i.e. the Railway Safety Directorate of the Office of Rail and Road) is required before the equipment is to be used in revenue earning service.

5) Supply Chain Arrangements

- 1) Certificates of acceptance do not imply any particular quantity of supply nor any exclusivity of supply.
- 2) Products may be purchased by Network Rail or its agents, suppliers or contractors.
- 3) Manufacturers should note that it is not necessary to enter into any exclusive supply arrangements with resellers or other suppliers.