

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilecsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Electrically Conductive Signalling Interconnects and Leads

Product Description

This certificate covers electrically conductive Signalling Interconnects & Leads. These are manufactured using Signalling Cable that has previously been approved (under separate certification) and have MIL5015 style Couplers factory assembled on the cable.

The Interconnects & Leads may either be supplied coiled in short lengths or as long lengths on a drum. (Both images show Interconnects. Leads have a plug coupler at one end only).

The Interconnects & Leads listed on this certificate cover those items shown on the Plug & Play Module 7 Appendices and the other cable sheath equivalents. They are listed in order shown on the Appendices and because of this may be duplicated.

Product Image



Scope of Acceptance

Full Acceptance

Where the scope is limited to:

- Interconnects & Leads defined in this certificate.

Further restrictions specified in Specific Conditions section of this certificate (overleaf).

Network Rail Acceptance Panel (NRAP) hereby authorises the product above for use and trial use on railway infrastructure for which Network Rail is the Infrastructure Manager under the ROGS regulations.

Reviewed by:

Authorised by:

PP



Stephen Rennolds
Product Acceptance Coordinator



Jerry Morling
Network Technical Head of Signalling

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Specific Conditions

The following Conditions are specific to the approved product/s contained within this Certificate. These conditions must be adhered to in addition to the Network Rail General Conditions contained within the "General Terms and Conditions" section.

Failure to adhere to these conditions may result in the withdrawal or suspension of Acceptance of some, or all of the items contained within the accepted configuration.

Manufacturer

- 1) Shall only manufacture these Interconnects & Leads at their factory in Princes Risborough
- 2) Shall provide copies of unique traceable Certificates of Conformance with each configuration item.

Signalling Contractor

- 1) Shall provide copies of briefing notes and an appropriate level of training to users of the Wired Plugs & Receptacles.
- 2) Shall provide copies of O&M manuals (covering installation, maintenance, testing and tool list) to purchasers & users of the Interconnects and Leads.
- 3) Shall provide copies of unique traceable Certificates of Conformance with each configuration item to the maintainer;
- 4) Ensure that the Interconnects and Leads are installed correctly and tested before the signalling system is commissioned.
- 5) Ensure that Interconnects and Leads are secured in place and positioned to avoid maintenance hazards.

Users: Specifiers, installers, operators, maintainers, etc. using the product shall:

- 1) Ensure that installation and maintenance is only performed by personnel that have completed the appropriate training course;
- 2) Ensure that removal and replacement of equipment is in accordance with the O&M manuals;

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Product Configuration

The Product Configuration Section of this certificate is separated into Tables that reflects the different Appendices of Module 7 of the Plug & Play Handbook. Within each Table there are heavy black horizontal lines that separate the drawing references shown in the Appendices. The equivalent cables with different sheath materials which have different drawing numbers are shown in lighter yellow within the group between the heavy black horizontal lines.

Table No.	Appendix in P&P Guidance Note 7	Description	Page No.
1	B4	Interconnects and Leads – General Use	4
2	D1	Interconnects and Leads – MCB-OD	45
3	E1	Interconnects and Leads – Signals & Indicators	67
4	E2	Interconnects and Leads – Signals & Indicators	94
5	E3	Interconnects and Leads – Signals & Indicators	109
6	F1	Interconnects and Leads – Train Protection & Warning Systems	120
7	G1	Interconnects and Leads – Point Operating Equipment IBCL & HyDrive < 50m from Location Case	130
8	G2	Interconnects and Leads – Point Operating Equipment HyDrive >50m from Location Case	142
9	G3	Interconnects and Leads – Point Operating Equipment	153
10	H1	Interconnects and Leads – Train Detection	167
11	J1	Interconnects and Leads – Lineside Cabling	169
12	J2	Interconnects and Leads – Lineside AzLM and Quad Cabling	194
13	-	Interconnects and Leads – TDEU System	221
14	-	Interconnects and Leads – RCPL Detection	221
15		Interconnects – Unistar HR POE system detection	221

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

**Table 1 Interconnects and Leads
Plug & Play Module 7 Appendix B4 – General Use**

Ref	Network Rail Part No.	TABLE 1 Description	PADS No.	Cert issue
1	SE-SK 0808/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189011	1
2	SE-SK 0808/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189012	1
3	SE-SK 0808/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189013	1
4	SE-SK 0808/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189014	1
5	SE-SK 0808/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189015	1
6	SE-SK 0808/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/191511	1
7	SE-SK 0808/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/191512	1
8	SE-SK 0808/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/191513	1
9	SE-SK 0808/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/191514	1
10	SE-SK 0808/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/191515	1
11	SE-SK 0636/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189312	1
12	SE-SK 0636/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189311	1
13	SE-SK 0636/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189313	1
14	SE-SK 0636/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189314	1
15	SE-SK 0636/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189315	1
16	SE-SK 0636/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189711	1
17	SE-SK 0636/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189712	1
18	SE-SK 0636/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189713	1
19	SE-SK 0636/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189714	1
20	SE-SK 0636/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189715	1
21	SE-SK 0356/01 Rev B or later	NR P&P, Lead, 2m long, C3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Receptacle (F)	006/189612	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 1 Description	PADS No.	Cert issue
22	SE-SK 0356/02 Rev B or later	NR P&P, Lead, 4m long, C3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Receptacle (F)	006/189611	1
23	SE-SK 0356/03 Rev B or later	NR P&P, Lead, 8m long, C3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Receptacle (F)	006/189613	1
24	SE-SK 0356/04 Rev B or later	NR P&P, Lead, 15.5m long, C3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Receptacle (F)	006/189614	1
25	SE-SK 0356/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Receptacle (F)	006/189615	1
26	SE-SK 0356/11 Rev B or later	NR P&P, Lead, 2m long, E3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Receptacle (F)	006/189981	1
27	SE-SK 0356/12 Rev B or later	NR P&P, Lead, 4m long, E3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Receptacle (F)	006/189982	1
28	SE-SK 0356/13 Rev B or later	NR P&P, Lead, 8m long, E3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Receptacle (F)	006/189983	1
29	SE-SK 0356/14 Rev B or later	NR P&P, Lead, 15.5m long, E3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Receptacle (F)	006/189984	1
30	SE-SK 0356/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Receptacle (F)	006/189985	1
31	SE-SK 0824/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189031	1
32	SE-SK 0824/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189032	1
33	SE-SK 0824/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189033	1
34	SE-SK 0824/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189034	1
35	SE-SK 0824/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189035	1
36	SE-SK 0824/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/191531	1
37	SE-SK 0824/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/191532	1
38	SE-SK 0824/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/191533	1
39	SE-SK 0824/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/191534	1
40	SE-SK 0824/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/191535	1
41	SE-SK 0644/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189332	1
42	SE-SK 0644/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189331	1
43	SE-SK 0644/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189333	1
44	SE-SK 0644/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189334	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 1 Description	PADS No.	Cert issue
45	SE-SK 0644/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189335	1
46	SE-SK 0644/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189731	1
47	SE-SK 0644/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189732	1
48	SE-SK 0644/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189733	1
49	SE-SK 0644/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189734	1
50	SE-SK 0644/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189735	1
51	SE-SK 0823/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/189036	1
52	SE-SK 0823/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/189037	1
53	SE-SK 0823/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/189038	1
54	SE-SK 0823/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/189039	1
55	SE-SK 0823/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/189040	1
56	SE-SK 0823/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/191536	1
57	SE-SK 0823/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/191537	1
58	SE-SK 0823/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/191538	1
59	SE-SK 0823/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/191539	1
60	SE-SK 0823/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/191540	1
61	SE-SK 0643/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/189337	1
62	SE-SK 0643/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/189336	1
63	SE-SK 0643/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/189338	1
64	SE-SK 0643/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/189339	1
65	SE-SK 0643/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/189340	1
66	SE-SK 0643/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/189736	1
67	SE-SK 0643/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/189737	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 1 Description	PADS No.	Cert issue
68	SE-SK 0643/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/189738	1
69	SE-SK 0643/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/189739	1
70	SE-SK 0643/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/189740	1
71	SE-SK 0832/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189051	1
72	SE-SK 0832/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189052	1
73	SE-SK 0832/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189053	1
74	SE-SK 0832/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189054	1
75	SE-SK 0832/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189055	1
76	SE-SK 0832/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/191551	1
77	SE-SK 0832/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/191552	1
78	SE-SK 0832/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/191553	1
79	SE-SK 0832/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/191554	1
80	SE-SK 0832/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/191555	1
81	SE-SK 0652/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189367	1
82	SE-SK 0652/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189366	1
83	SE-SK 0652/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189368	1
84	SE-SK 0652/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189369	1
85	SE-SK 0652/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189370	1
86	SE-SK 0652/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189751	1
87	SE-SK 0652/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189752	1
88	SE-SK 0652/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189753	1
89	SE-SK 0652/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189754	1
90	SE-SK 0652/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189755	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 1 Description	PADS No.	Cert issue
91	SE-SK 0840/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 10-core cable, with Free End and MIL5015 Receptacle (F)	006/189071	1
92	SE-SK 0840/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 10-core cable, with Free End and MIL5015 Receptacle (F)	006/189072	1
93	SE-SK 0840/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 10-core cable, with Free End and MIL5015 Receptacle (F)	006/189073	1
94	SE-SK 0840/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 10-core cable, with Free End and MIL5015 Receptacle (F)	006/189074	1
95	SE-SK 0840/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 10-core cable, with Free End and MIL5015 Receptacle (F)	006/189075	1
96	SE-SK 0840/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 10-core cable, with Free End and MIL5015 Receptacle (F)	006/191571	1
97	SE-SK 0840/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 10-core cable, with Free End and MIL5015 Receptacle (F)	006/191572	1
98	SE-SK 0840/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 10-core cable, with Free End and MIL5015 Receptacle (F)	006/191573	1
99	SE-SK 0840/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 10-core cable, with Free End and MIL5015 Receptacle (F)	006/191574	1
100	SE-SK 0840/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 10-core cable, with Free End and MIL5015 Receptacle (F)	006/191575	1
101	SE-SK 0660/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 10-core cable, with Free End and MIL5015 Receptacle (F)	006/189387	1
102	SE-SK 0660/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 10-core cable, with Free End and MIL5015 Receptacle (F)	006/189386	1
103	SE-SK 0660/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 10-core cable, with Free End and MIL5015 Receptacle (F)	006/189388	1
104	SE-SK 0660/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 10-core cable, with Free End and MIL5015 Receptacle (F)	006/189389	1
105	SE-SK 0660/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 10-core cable, with Free End and MIL5015 Receptacle (F)	006/189390	1
106	SE-SK 0660/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 10-core cable, with Free End and MIL5015 Receptacle (F)	006/189771	1
107	SE-SK 0660/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 10-core cable, with Free End and MIL5015 Receptacle (F)	006/189772	1
108	SE-SK 0660/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 10-core cable, with Free End and MIL5015 Receptacle (F)	006/189773	1
109	SE-SK 0660/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 10-core cable, with Free End and MIL5015 Receptacle (F)	006/189774	1
110	SE-SK 0660/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 10-core cable, with Free End and MIL5015 Receptacle (F)	006/189775	1
111	SE-SK 0848/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189091	1
112	SE-SK 0848/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189092	1
113	SE-SK 0848/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189093	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 1 Description	PADS No.	Cert issue
114	SE-SK 0848/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189094	1
115	SE-SK 0848/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189095	1
116	SE-SK 0848/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/191591	1
117	SE-SK 0848/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/191592	1
118	SE-SK 0848/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/191593	1
119	SE-SK 0848/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/191594	1
120	SE-SK 0848/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/191595	1
121	SE-SK 0668/21 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189412	1
122	SE-SK 0668/22 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189411	1
123	SE-SK 0668/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189413	1
124	SE-SK 0668/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189414	1
125	SE-SK 0668/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189415	1
126	SE-SK 0668/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189791	1
127	SE-SK 0668/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189792	1
128	SE-SK 0668/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189793	1
129	SE-SK 0668/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189794	1
130	SE-SK 0668/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189795	1
131	SE-SK 0676/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 16-core cable, with Free End and MIL5015 Receptacle (F)	006/189431	1
132	SE-SK 0676/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 16-core cable, with Free End and MIL5015 Receptacle (F)	006/189432	1
133	SE-SK 0676/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 16-core cable, with Free End and MIL5015 Receptacle (F)	006/189433	1
134	SE-SK 0676/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 16-core cable, with Free End and MIL5015 Receptacle (F)	006/189434	1
135	SE-SK 0676/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 16-core cable, with Free End and MIL5015 Receptacle (F)	006/189435	1
136	SE-SK 0471/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 19-core cable, with Free End and MIL5015 Receptacle (F)	006/189131	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 1 Description	PADS No.	Cert issue
137	SE-SK 0471/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 19-core cable, with Free End and MIL5015 Receptacle (F)	006/189132	1
138	SE-SK 0471/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 19-core cable, with Free End and MIL5015 Receptacle (F)	006/189133	1
139	SE-SK 0471/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 19-core cable, with Free End and MIL5015 Receptacle (F)	006/189134	1
140	SE-SK 0471/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 19-core cable, with Free End and MIL5015 Receptacle (F)	006/189135	1
141	SE-SK 0471/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 19-core cable, with Free End and MIL5015 Receptacle (F)	006/191631	1
142	SE-SK 0471/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 19-core cable, with Free End and MIL5015 Receptacle (F)	006/191632	1
143	SE-SK 0471/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 19-core cable, with Free End and MIL5015 Receptacle (F)	006/191633	1
144	SE-SK 0471/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 19-core cable, with Free End and MIL5015 Receptacle (F)	006/191634	1
145	SE-SK 0471/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 19-core cable, with Free End and MIL5015 Receptacle (F)	006/191635	1
146	SE-SK 0479/01 Rev B or later	NR P&P, Lead, 2m long, B2 1.5sqmm 27-core cable, with Free End and MIL5015 Receptacle (F)	006/189191	1
147	SE-SK 0479/02 Rev B or later	NR P&P, Lead, 4m long, B2 1.5sqmm 27-core cable, with Free End and MIL5015 Receptacle (F)	006/189192	1
148	SE-SK 0479/03 Rev B or later	NR P&P, Lead, 8m long, B2 1.5sqmm 27-core cable, with Free End and MIL5015 Receptacle (F)	006/189193	1
149	SE-SK 0479/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 1.5sqmm 27-core cable, with Free End and MIL5015 Receptacle (F)	006/189194	1
150	SE-SK 0479/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 1.5sqmm 27-core cable, with Free End and MIL5015 Receptacle (F)	006/189195	1
151	SE-SK 0479/11 Rev B or later	NR P&P, Lead, 2m long, D2 1.5sqmm 27-core cable, with Free End and MIL5015 Receptacle (F)	006/189511	1
152	SE-SK 0479/12 Rev B or later	NR P&P, Lead, 4m long, D2 1.5sqmm 27-core cable, with Free End and MIL5015 Receptacle (F)	006/189512	1
153	SE-SK 0479/13 Rev B or later	NR P&P, Lead, 8m long, D2 1.5sqmm 27-core cable, with Free End and MIL5015 Receptacle (F)	006/189513	1
154	SE-SK 0479/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 1.5sqmm 27-core cable, with Free End and MIL5015 Receptacle (F)	006/189514	1
155	SE-SK 0479/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 1.5sqmm 27-core cable, with Free End and MIL5015 Receptacle (F)	006/189515	1
156	SE-SK 0487/01 Rev B or later	NR P&P, Lead, 2m long, B2 1.5sqmm 37-core cable, with Free End and MIL5015 Receptacle (F)	006/189211	1
157	SE-SK 0487/02 Rev B or later	NR P&P, Lead, 4m long, B2 1.5sqmm 37-core cable, with Free End and MIL5015 Receptacle (F)	006/189212	1
158	SE-SK 0487/03 Rev B or later	NR P&P, Lead, 8m long, B2 1.5sqmm 37-core cable, with Free End and MIL5015 Receptacle (F)	006/189213	1
159	SE-SK 0487/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 1.5sqmm 37-core cable, with Free End and MIL5015 Receptacle (F)	006/189214	1

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 1 Description	PADS No.	Cert issue
160	SE-SK 0487/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 1.5sqmm 37-core cable, with Free End and MIL5015 Receptacle (F)	006/189215	1
161	SE-SK 0487/11 Rev B or later	NR P&P, Lead, 2m long, D2 1.5sqmm 37-core cable, with Free End and MIL5015 Receptacle (F)	006/189531	1
162	SE-SK 0487/12 Rev B or later	NR P&P, Lead, 4m long, D2 1.5sqmm 37-core cable, with Free End and MIL5015 Receptacle (F)	006/189532	1
163	SE-SK 0487/13 Rev B or later	NR P&P, Lead, 8m long, D2 1.5sqmm 37-core cable, with Free End and MIL5015 Receptacle (F)	006/189533	1
164	SE-SK 0487/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 1.5sqmm 37-core cable, with Free End and MIL5015 Receptacle (F)	006/189534	1
165	SE-SK 0487/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 1.5sqmm 37-core cable, with Free End and MIL5015 Receptacle (F)	006/189535	1
166	SE-SK 0495/01 Rev B or later	NR P&P, Lead, 2m long, B2 1.5sqmm 48-core cable, with Free End and MIL5015 Receptacle (F)	006/189231	1
167	SE-SK 0495/02 Rev B or later	NR P&P, Lead, 4m long, B2 1.5sqmm 48-core cable, with Free End and MIL5015 Receptacle (F)	006/189232	1
168	SE-SK 0495/03 Rev B or later	NR P&P, Lead, 8m long, B2 1.5sqmm 48-core cable, with Free End and MIL5015 Receptacle (F)	006/189233	1
169	SE-SK 0495/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 1.5sqmm 48-core cable, with Free End and MIL5015 Receptacle (F)	006/189234	1
170	SE-SK 0495/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 1.5sqmm 48-core cable, with Free End and MIL5015 Receptacle (F)	006/189235	1
171	SE-SK 0495/11 Rev B or later	NR P&P, Lead, 2m long, D2 1.5sqmm 48-core cable, with Free End and MIL5015 Receptacle (F)	006/189551	1
172	SE-SK 0495/12 Rev B or later	NR P&P, Lead, 4m long, D2 1.5sqmm 48-core cable, with Free End and MIL5015 Receptacle (F)	006/189552	1
173	SE-SK 0495/13 Rev B or later	NR P&P, Lead, 8m long, D2 1.5sqmm 48-core cable, with Free End and MIL5015 Receptacle (F)	006/189553	1
174	SE-SK 0495/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 1.5sqmm 48-core cable, with Free End and MIL5015 Receptacle (F)	006/189554	1
175	SE-SK 0495/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 1.5sqmm 48-core cable, with Free End and MIL5015 Receptacle (F)	006/189555	1
176	SE-SK 0803/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188011	1
177	SE-SK 0803/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188012	1
178	SE-SK 0803/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188013	1
179	SE-SK 0803/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188014	1
180	SE-SK 0803/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188015	1
181	SE-SK 0803/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190511	1
182	SE-SK 0803/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190512	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 1 Description	PADS No.	Cert issue
183	SE-SK 0803/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190513	1
184	SE-SK 0803/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190514	1
185	SE-SK 0803/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190515	1
186	SE-SK 0631/21 Rev B or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188311	1
187	SE-SK 0631/22 Rev B or later	NR P&P, Interconnect, 7.5m long, C2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188312	1
188	SE-SK 0631/23 Rev B or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188313	1
189	SE-SK 0631/24 Rev B or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188314	1
190	SE-SK 0631/25 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188315	1
191	SE-SK 0631/31 Rev B or later	NR P&P, Interconnect, 4m long, E2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188711	1
192	SE-SK 0631/32 Rev B or later	NR P&P, Interconnect, 7.5m long, E2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188712	1
193	SE-SK 0631/33 Rev B or later	NR P&P, Interconnect, 15m long, E2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188713	1
194	SE-SK 0631/34 Rev B or later	NR P&P, Interconnect, 25m long, E2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188714	1
195	SE-SK 0631/35 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, E2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188715	1
196	SE-SK 0351/01 Rev B or later	NR P&P, Interconnect, 4m long, C3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188611	1
197	SE-SK 0351/02 Rev B or later	NR P&P, Interconnect, 7.5m long, C3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188612	1
198	SE-SK 0351/03 Rev B or later	NR P&P, Interconnect, 15m long, C3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188613	1
199	SE-SK 0351/04 Rev B or later	NR P&P, Interconnect, 25m long, C3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188614	1
200	SE-SK 0351/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188615	1
201	SE-SK 0351/11 Rev B or later	NR P&P, Interconnect, 4m long, E3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188981	1
202	SE-SK 0351/12 Rev B or later	NR P&P, Interconnect, 7.5m long, E3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188982	1
203	SE-SK 0351/13 Rev B or later	NR P&P, Interconnect, 15m long, E3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188983	1
204	SE-SK 0351/14 Rev B or later	NR P&P, Interconnect, 25m long, E3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188984	1

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 1 Description	PADS No.	Cert issue
205	SE-SK 0351/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, E3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188985	1
206	SE-SK 0819/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188031	1
207	SE-SK 0819/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188032	1
208	SE-SK 0819/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188033	1
209	SE-SK 0819/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188034	1
210	SE-SK 0819/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188035	1
211	SE-SK 0819/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190531	1
212	SE-SK 0819/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190532	1
213	SE-SK 0819/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190533	1
214	SE-SK 0819/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190534	1
215	SE-SK 0819/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190535	1
216	SE-SK 0639/21 Rev B or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188331	1
217	SE-SK 0639/22 Rev B or later	NR P&P, Interconnect, 7.5m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188332	1
218	SE-SK 0639/23 Rev B or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188333	1
219	SE-SK 0639/24 Rev B or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188334	1
220	SE-SK 0639/25 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188335	1
221	SE-SK 0639/31 Rev B or later	NR P&P, Interconnect, 4m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188731	1
222	SE-SK 0639/32 Rev B or later	NR P&P, Interconnect, 7.5m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188732	1
223	SE-SK 0639/33 Rev B or later	NR P&P, Interconnect, 15m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188733	1
224	SE-SK 0639/34 Rev B or later	NR P&P, Interconnect, 25m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188734	1
225	SE-SK 0639/35 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, E2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188735	1
226	SE-SK 0818/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188026	1
227	SE-SK 0818/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188027	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 1 Description	PADS No.	Cert issue
228	SE-SK 0818/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188028	1
229	SE-SK 0818/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188029	1
230	SE-SK 0818/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188030	1
231	SE-SK 0818/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/190526	1
232	SE-SK 0818/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/190527	1
233	SE-SK 0818/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/190528	1
234	SE-SK 0818/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/190529	1
235	SE-SK 0818/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/190530	1
236	SE-SK 0638/21 Rev B or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188326	1
237	SE-SK 0638/22 Rev B or later	NR P&P, Interconnect, 7.5m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188327	1
238	SE-SK 0638/23 Rev B or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188328	1
239	SE-SK 0638/24 Rev B or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188329	1
240	SE-SK 0638/25 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188330	1
241	SE-SK 0638/31 Rev B or later	NR P&P, Interconnect, 4m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188726	1
242	SE-SK 0638/32 Rev B or later	NR P&P, Interconnect, 7.5m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188727	1
243	SE-SK 0638/33 Rev B or later	NR P&P, Interconnect, 15m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188728	1
244	SE-SK 0638/34 Rev B or later	NR P&P, Interconnect, 25m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188729	1
245	SE-SK 0638/35 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, E2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188730	1
246	SE-SK 0827/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188051	1
247	SE-SK 0827/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188052	1
248	SE-SK 0827/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188053	1
249	SE-SK 0827/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188054	1
250	SE-SK 0827/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188055	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 1 Description	PADS No.	Cert issue
251	SE-SK 0827/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190551	1
252	SE-SK 0827/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190552	1
253	SE-SK 0827/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190553	1
254	SE-SK 0827/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190554	1
255	SE-SK 0827/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190555	1
256	SE-SK 0647/21 Rev B or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188366	1
257	SE-SK 0647/22 Rev B or later	NR P&P, Interconnect, 7.5m long, C2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188367	1
258	SE-SK 0647/23 Rev B or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188368	1
259	SE-SK 0647/24 Rev B or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188369	1
260	SE-SK 0647/25 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188370	1
261	SE-SK 0647/31 Rev B or later	NR P&P, Interconnect, 4m long, E2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188766	1
262	SE-SK 0647/32 Rev B or later	NR P&P, Interconnect, 7.5m long, E2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188767	1
263	SE-SK 0647/33 Rev B or later	NR P&P, Interconnect, 15m long, E2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188768	1
264	SE-SK 0647/34 Rev B or later	NR P&P, Interconnect, 25m long, E2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188769	1
265	SE-SK 0647/35 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, E2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188770	1
266	SE-SK 0835/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 2.5sqmm 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188071	1
267	SE-SK 0835/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 2.5sqmm 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188072	1
268	SE-SK 0835/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 2.5sqmm 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188073	1
269	SE-SK 0835/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 2.5sqmm 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188074	1
270	SE-SK 0835/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 2.5sqmm 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188075	1
271	SE-SK 0835/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 2.5sqmm 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190571	1
272	SE-SK 0835/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 2.5sqmm 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190572	1
273	SE-SK 0835/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 2.5sqmm 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190573	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 1 Description	PADS No.	Cert issue
274	SE-SK 0835/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 2.5sqmm 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190574	1
275	SE-SK 0835/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 2.5sqmm 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190575	1
276	SE-SK 0655/21 Rev B or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188386	1
277	SE-SK 0655/22 Rev B or later	NR P&P, Interconnect, 7.5m long, C2 2.5sqmm 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188387	1
278	SE-SK 0655/23 Rev B or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188388	1
279	SE-SK 0655/24 Rev B or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188389	1
280	SE-SK 0655/25 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188390	1
281	SE-SK 0655/31 Rev B or later	NR P&P, Interconnect, 4m long, E2 2.5sqmm 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188786	1
282	SE-SK 0655/32 Rev B or later	NR P&P, Interconnect, 7.5m long, E2 2.5sqmm 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188787	1
283	SE-SK 0655/33 Rev B or later	NR P&P, Interconnect, 15m long, E2 2.5sqmm 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188788	1
284	SE-SK 0655/34 Rev B or later	NR P&P, Interconnect, 25m long, E2 2.5sqmm 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188789	1
285	SE-SK 0655/35 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, E2 2.5sqmm 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188790	1
286	SE-SK 0843/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188091	1
287	SE-SK 0843/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188092	1
288	SE-SK 0843/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188093	1
289	SE-SK 0843/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188094	1
290	SE-SK 0843/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188095	1
291	SE-SK 0843/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190591	1
292	SE-SK 0843/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190592	1
293	SE-SK 0843/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190593	1
294	SE-SK 0843/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190594	1
295	SE-SK 0843/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190595	1
296	SE-SK 0663/21 Rev B or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188411	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 1 Description	PADS No.	Cert issue
297	SE-SK 0663/22 Rev B or later	NR P&P, Interconnect, 7.5m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188412	1
298	SE-SK 0663/23 Rev B or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188413	1
299	SE-SK 0663/24 Rev B or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188414	1
300	SE-SK 0663/25 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188415	1
301	SE-SK 0663/31 Rev B or later	NR P&P, Interconnect, 4m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188811	1
302	SE-SK 0663/32 Rev B or later	NR P&P, Interconnect, 7.5m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188812	1
303	SE-SK 0663/33 Rev B or later	NR P&P, Interconnect, 15m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188813	1
304	SE-SK 0663/34 Rev B or later	NR P&P, Interconnect, 25m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188814	1
305	SE-SK 0663/35 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, E2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188815	1
306	SE-SK 0671/21 Rev B or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 16-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188431	1
307	SE-SK 0671/22 Rev B or later	NR P&P, Interconnect, 7.5m long, C2 2.5sqmm 16-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188432	1
308	SE-SK 0671/23 Rev B or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 16-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188433	1
309	SE-SK 0671/24 Rev B or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 16-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188434	1
310	SE-SK 0671/25 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 16-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188435	1
311	SE-SK 0466/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 2.5sqmm 19-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188131	1
312	SE-SK 0466/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 2.5sqmm 19-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188132	1
313	SE-SK 0466/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 2.5sqmm 19-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188133	1
314	SE-SK 0466/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 2.5sqmm 19-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188134	1
315	SE-SK 0466/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 2.5sqmm 19-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188135	1
316	SE-SK 0466/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 2.5sqmm 19-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190631	1
317	SE-SK 0466/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 2.5sqmm 19-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190632	1
318	SE-SK 0466/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 2.5sqmm 19-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190633	1
319	SE-SK 0466/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 2.5sqmm 19-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190634	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilecsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 1 Description	PADS No.	Cert issue
320	SE-SK 0466/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 2.5sqmm 19-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190635	1
321	SE-SK 0474/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 1.5sqmm 27-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188191	1
322	SE-SK 0474/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 1.5sqmm 27-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188192	1
323	SE-SK 0474/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 1.5sqmm 27-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188193	1
324	SE-SK 0474/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 1.5sqmm 27-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188194	1
325	SE-SK 0474/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 1.5sqmm 27-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188195	1
326	SE-SK 0474/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 1.5sqmm 27-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188511	1
327	SE-SK 0474/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 1.5sqmm 27-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188512	1
328	SE-SK 0474/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 1.5sqmm 27-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188513	1
329	SE-SK 0474/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 1.5sqmm 27-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188514	1
330	SE-SK 0474/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 1.5sqmm 27-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188515	1
331	SE-SK 0482/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 1.5sqmm 37-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188211	1
332	SE-SK 0482/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 1.5sqmm 37-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188212	1
333	SE-SK 0482/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 1.5sqmm 37-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188213	1
334	SE-SK 0482/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 1.5sqmm 37-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188214	1
335	SE-SK 0482/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 1.5sqmm 37-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188215	1
336	SE-SK 0482/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 1.5sqmm 37-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188531	1
337	SE-SK 0482/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 1.5sqmm 37-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188532	1
338	SE-SK 0482/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 1.5sqmm 37-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188533	1
339	SE-SK 0482/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 1.5sqmm 37-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188534	1
340	SE-SK 0482/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 1.5sqmm 37-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188535	1
341	SE-SK 0490/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 1.5sqmm 48-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188231	1
342	SE-SK 0490/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 1.5sqmm 48-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188232	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 1 Description	PADS No.	Cert issue
343	SE-SK 0490/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 1.5sqmm 48-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188233	1
344	SE-SK 0490/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 1.5sqmm 48-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188234	1
345	SE-SK 0490/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 1.5sqmm 48-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188235	1
346	SE-SK 0490/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 1.5sqmm 48-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188551	1
347	SE-SK 0490/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 1.5sqmm 48-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188552	1
348	SE-SK 0490/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 1.5sqmm 48-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188553	1
349	SE-SK 0490/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 1.5sqmm 48-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188554	1
350	SE-SK 0490/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 1.5sqmm 48-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188555	1
351	SE-SK 0806/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189006	1
352	SE-SK 0806/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189007	1
353	SE-SK 0806/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189008	1
354	SE-SK 0806/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189009	1
355	SE-SK 0806/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189010	1
356	SE-SK 0806/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/191506	1
357	SE-SK 0806/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/191507	1
358	SE-SK 0806/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/191508	1
359	SE-SK 0806/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/191509	1
360	SE-SK 0806/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/191510	1
361	SE-SK 0634/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189299	1
362	SE-SK 0634/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189306	1
363	SE-SK 0634/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189307	1
364	SE-SK 0634/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189308	1
365	SE-SK 0634/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189310	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 1 Description	PADS No.	Cert issue
366	SE-SK 0634/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189706	1
367	SE-SK 0634/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189707	1
368	SE-SK 0634/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189708	1
369	SE-SK 0634/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189709	1
370	SE-SK 0634/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189710	1
371	SE-SK 0354/01 Rev B or later	NR P&P, Lead, 2m long, C3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Plug (M)	006/189607	1
372	SE-SK 0354/02 Rev B or later	NR P&P, Lead, 4m long, C3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Plug (M)	006/189606	1
373	SE-SK 0354/03 Rev B or later	NR P&P, Lead, 8m long, C3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Plug (M)	006/189608	1
374	SE-SK 0354/04 Rev B or later	NR P&P, Lead, 15.5m long, C3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Plug (M)	006/189609	1
375	SE-SK 0354/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Plug (M)	006/189610	1
376	SE-SK 0354/11 Rev B or later	NR P&P, Lead, 2m long, E3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Plug (M)	006/189976	1
377	SE-SK 0354/12 Rev B or later	NR P&P, Lead, 4m long, E3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Plug (M)	006/189977	1
378	SE-SK 0354/13 Rev B or later	NR P&P, Lead, 8m long, E3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Plug (M)	006/189978	1
379	SE-SK 0354/14 Rev B or later	NR P&P, Lead, 15.5m long, E3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Plug (M)	006/189979	1
380	SE-SK 0354/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Plug (M)	006/189980	1
381	SE-SK 0822/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189026	1
382	SE-SK 0822/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189027	1
383	SE-SK 0822/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189028	1
384	SE-SK 0822/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189029	1
385	SE-SK 0822/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189030	1
386	SE-SK 0822/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/191526	1
387	SE-SK 0822/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/191527	1
388	SE-SK 0822/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/191528	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilecsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 1 Description	PADS No.	Cert issue
389	SE-SK 0822/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/191529	1
390	SE-SK 0822/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/191530	1
391	SE-SK 0642/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189466	1
392	SE-SK 0642/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189326	1
393	SE-SK 0642/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189327	1
394	SE-SK 0642/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189328	1
395	SE-SK 0642/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189330	1
396	SE-SK 0642/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189726	1
397	SE-SK 0642/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189727	1
398	SE-SK 0642/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189728	1
399	SE-SK 0642/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189729	1
400	SE-SK 0642/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189730	1
401	SE-SK 0821/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189021	1
402	SE-SK 0821/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189022	1
403	SE-SK 0821/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189023	1
404	SE-SK 0821/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189024	1
405	SE-SK 0821/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189025	1
406	SE-SK 0821/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/191521	1
407	SE-SK 0821/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/191522	1
408	SE-SK 0821/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/191523	1
409	SE-SK 0821/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/191524	1
410	SE-SK 0821/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/191525	1
411	SE-SK 0641/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189324	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 1 Description	PADS No.	Cert issue
412	SE-SK 0641/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189321	1
413	SE-SK 0641/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189322	1
414	SE-SK 0641/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189323	1
415	SE-SK 0641/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189325	1
416	SE-SK 0641/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189721	1
417	SE-SK 0641/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189722	1
418	SE-SK 0641/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189723	1
419	SE-SK 0641/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189724	1
420	SE-SK 0641/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189725	1
421	SE-SK 0830/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189046	1
422	SE-SK 0830/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189047	1
423	SE-SK 0830/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189048	1
424	SE-SK 0830/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189049	1
425	SE-SK 0830/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189050	1
426	SE-SK 0830/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/191546	1
427	SE-SK 0830/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/191547	1
428	SE-SK 0830/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/191548	1
429	SE-SK 0830/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/191549	1
430	SE-SK 0830/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/191550	1
431	SE-SK 0650/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189465	1
432	SE-SK 0650/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189361	1
433	SE-SK 0650/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189362	1
434	SE-SK 0650/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189363	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 1 Description	PADS No.	Cert issue
435	SE-SK 0650/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189365	1
436	SE-SK 0650/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189746	1
437	SE-SK 0650/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189747	1
438	SE-SK 0650/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189748	1
439	SE-SK 0650/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189749	1
440	SE-SK 0650/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189750	1
441	SE-SK 0838/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189066	1
442	SE-SK 0838/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189067	1
443	SE-SK 0838/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189068	1
444	SE-SK 0838/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189069	1
445	SE-SK 0838/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189070	1
446	SE-SK 0838/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/191566	1
447	SE-SK 0838/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/191567	1
448	SE-SK 0838/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/191568	1
449	SE-SK 0838/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/191569	1
450	SE-SK 0838/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/191570	1
451	SE-SK 0658/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189462	1
452	SE-SK 0658/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189381	1
453	SE-SK 0658/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189382	1
454	SE-SK 0658/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189383	1
455	SE-SK 0658/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189385	1
456	SE-SK 0658/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189766	1
457	SE-SK 0658/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189767	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 1 Description	PADS No.	Cert issue
458	SE-SK 0658/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189768	1
459	SE-SK 0658/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189769	1
460	SE-SK 0658/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189770	1
461	SE-SK 0846/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189086	1
462	SE-SK 0846/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189087	1
463	SE-SK 0846/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189088	1
464	SE-SK 0846/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189089	1
465	SE-SK 0846/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189090	1
466	SE-SK 0846/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/191586	1
467	SE-SK 0846/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/191587	1
468	SE-SK 0846/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/191588	1
469	SE-SK 0846/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/191589	1
470	SE-SK 0846/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/191590	1
471	SE-SK 0666/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189464	1
472	SE-SK 0666/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189406	1
473	SE-SK 0666/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189407	1
474	SE-SK 0666/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189408	1
475	SE-SK 0666/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189410	1
476	SE-SK 0666/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189786	1
477	SE-SK 0666/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189787	1
478	SE-SK 0666/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189788	1
479	SE-SK 0666/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189789	1
480	SE-SK 0666/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189790	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 1 Description	PADS No.	Cert Issue
481	SE-SK 0674/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 16-core cable, with Free End and MIL5015 Plug (M)	006/189426	1
482	SE-SK 0674/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 16-core cable, with Free End and MIL5015 Plug (M)	006/189427	1
483	SE-SK 0674/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 16-core cable, with Free End and MIL5015 Plug (M)	006/189428	1
484	SE-SK 0674/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 16-core cable, with Free End and MIL5015 Plug (M)	006/189429	1
485	SE-SK 0674/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 16-core cable, with Free End and MIL5015 Plug (M)	006/189430	1
486	SE-SK 0469/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 19-core cable, with Free End and MIL5015 Plug (M)	006/189126	1
487	SE-SK 0469/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 19-core cable, with Free End and MIL5015 Plug (M)	006/189127	1
488	SE-SK 0469/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 19-core cable, with Free End and MIL5015 Plug (M)	006/189128	1
489	SE-SK 0469/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 19-core cable, with Free End and MIL5015 Plug (M)	006/189129	1
490	SE-SK 0469/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 19-core cable, with Free End and MIL5015 Plug (M)	006/189130	1
491	SE-SK 0469/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 19-core cable, with Free End and MIL5015 Plug (M)	006/191626	1
492	SE-SK 0469/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 19-core cable, with Free End and MIL5015 Plug (M)	006/191627	1
493	SE-SK 0469/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 19-core cable, with Free End and MIL5015 Plug (M)	006/191628	1
494	SE-SK 0469/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 19-core cable, with Free End and MIL5015 Plug (M)	006/191629	1
495	SE-SK 0469/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 19-core cable, with Free End and MIL5015 Plug (M)	006/191630	1
496	SE-SK 0477/01 Rev B or later	NR P&P, Lead, 2m long, B2 1.5sqmm 27-core cable, with Free End and MIL5015 Plug (M)	006/189186	1
497	SE-SK 0477/02 Rev B or later	NR P&P, Lead, 4m long, B2 1.5sqmm 27-core cable, with Free End and MIL5015 Plug (M)	006/189187	1
498	SE-SK 0477/03 Rev B or later	NR P&P, Lead, 8m long, B2 1.5sqmm 27-core cable, with Free End and MIL5015 Plug (M)	006/189188	1
499	SE-SK 0477/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 1.5sqmm 27-core cable, with Free End and MIL5015 Plug (M)	006/189189	1
500	SE-SK 0477/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 1.5sqmm 27-core cable, with Free End and MIL5015 Plug (M)	006/189190	1
501	SE-SK 0477/11 Rev B or later	NR P&P, Lead, 2m long, D2 1.5sqmm 27-core cable, with Free End and MIL5015 Plug (M)	006/189506	1
502	SE-SK 0477/12 Rev B or later	NR P&P, Lead, 4m long, D2 1.5sqmm 27-core cable, with Free End and MIL5015 Plug (M)	006/189507	1
503	SE-SK 0477/13 Rev B or later	NR P&P, Lead, 8m long, D2 1.5sqmm 27-core cable, with Free End and MIL5015 Plug (M)	006/189508	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 1 Description	PADS No.	Cert issue
504	SE-SK 0477/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 1.5sqmm 27-core cable, with Free End and MIL5015 Plug (M)	006/189509	1
505	SE-SK 0477/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 1.5sqmm 27-core cable, with Free End and MIL5015 Plug (M)	006/189510	1
506	SE-SK 0485/01 Rev B or later	NR P&P, Lead, 2m long, B2 1.5sqmm 37-core cable, with Free End and MIL5015 Plug (M)	006/189206	1
507	SE-SK 0485/02 Rev B or later	NR P&P, Lead, 4m long, B2 1.5sqmm 37-core cable, with Free End and MIL5015 Plug (M)	006/189207	1
508	SE-SK 0485/03 Rev B or later	NR P&P, Lead, 8m long, B2 1.5sqmm 37-core cable, with Free End and MIL5015 Plug (M)	006/189208	1
509	SE-SK 0485/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 1.5sqmm 37-core cable, with Free End and MIL5015 Plug (M)	006/189209	1
510	SE-SK 0485/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 1.5sqmm 37-core cable, with Free End and MIL5015 Plug (M)	006/189210	1
511	SE-SK 0485/11 Rev B or later	NR P&P, Lead, 2m long, D2 1.5sqmm 37-core cable, with Free End and MIL5015 Plug (M)	006/189526	1
512	SE-SK 0485/12 Rev B or later	NR P&P, Lead, 4m long, D2 1.5sqmm 37-core cable, with Free End and MIL5015 Plug (M)	006/189527	1
513	SE-SK 0485/13 Rev B or later	NR P&P, Lead, 8m long, D2 1.5sqmm 37-core cable, with Free End and MIL5015 Plug (M)	006/189528	1
514	SE-SK 0485/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 1.5sqmm 37-core cable, with Free End and MIL5015 Plug (M)	006/189529	1
515	SE-SK 0485/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 1.5sqmm 37-core cable, with Free End and MIL5015 Plug (M)	006/189530	1
516	SE-SK 0493/01 Rev B or later	NR P&P, Lead, 2m long, B2 1.5sqmm 48-core cable, with Free End and MIL5015 Plug (M)	006/189226	1
517	SE-SK 0493/02 Rev B or later	NR P&P, Lead, 4m long, B2 1.5sqmm 48-core cable, with Free End and MIL5015 Plug (M)	006/189227	1
518	SE-SK 0493/03 Rev B or later	NR P&P, Lead, 8m long, B2 1.5sqmm 48-core cable, with Free End and MIL5015 Plug (M)	006/189228	1
519	SE-SK 0493/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 1.5sqmm 48-core cable, with Free End and MIL5015 Plug (M)	006/189229	1
520	SE-SK 0493/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 1.5sqmm 48-core cable, with Free End and MIL5015 Plug (M)	006/189230	1
521	SE-SK 0493/11 Rev B or later	NR P&P, Lead, 2m long, D2 1.5sqmm 48-core cable, with Free End and MIL5015 Plug (M)	006/189546	1
522	SE-SK 0493/12 Rev B or later	NR P&P, Lead, 4m long, D2 1.5sqmm 48-core cable, with Free End and MIL5015 Plug (M)	006/189547	1
523	SE-SK 0493/13 Rev B or later	NR P&P, Lead, 8m long, D2 1.5sqmm 48-core cable, with Free End and MIL5015 Plug (M)	006/189548	1
524	SE-SK 0493/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 1.5sqmm 48-core cable, with Free End and MIL5015 Plug (M)	006/189549	1
525	SE-SK 0493/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 1.5sqmm 48-core cable, with Free End and MIL5015 Plug (M)	006/189550	1
526	SE-SK 0629/21 Rev B or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188301	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 1 Description	PADS No.	Cert issue
527	SE-SK 0629/22 Rev B or later	NR P&P, Interconnect, 7.5m long, C2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188302	1
528	SE-SK 0629/23 Rev B or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188303	1
529	SE-SK 0629/24 Rev B or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188304	1
530	SE-SK 0629/25 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188305	1
531	SE-SK 0629/31 Rev B or later	NR P&P, Interconnect, 4m long, E2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188701	1
532	SE-SK 0629/32 Rev B or later	NR P&P, Interconnect, 7.5m long, E2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188702	1
533	SE-SK 0629/33 Rev B or later	NR P&P, Interconnect, 15m long, E2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188703	1
534	SE-SK 0629/34 Rev B or later	NR P&P, Interconnect, 25m long, E2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188704	1
535	SE-SK 0629/35 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, E2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188705	1
536	SE-SK 0801/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188001	1
537	SE-SK 0801/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188002	1
538	SE-SK 0801/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188003	1
539	SE-SK 0801/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188004	1
540	SE-SK 0801/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188005	1
541	SE-SK 0801/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190501	1
542	SE-SK 0801/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190502	1
543	SE-SK 0801/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190503	1
544	SE-SK 0801/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190504	1
545	SE-SK 0801/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190505	1
546	SE-SK 0349/01 Rev B or later	NR P&P, Interconnect, 4m long, C3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188601	1
547	SE-SK 0349/02 Rev B or later	NR P&P, Interconnect, 7.5m long, C3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188602	1
548	SE-SK 0349/03 Rev B or later	NR P&P, Interconnect, 15m long, C3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188603	1
549	SE-SK 0349/04 Rev B or later	NR P&P, Interconnect, 25m long, C3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188604	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 1 Description	PADS No.	Cert issue
550	SE-SK 0349/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188605	1
551	SE-SK 0349/11 Rev B or later	NR P&P, Interconnect, 4m long, E3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188971	1
552	SE-SK 0349/12 Rev B or later	NR P&P, Interconnect, 7.5m long, E3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188972	1
553	SE-SK 0349/13 Rev B or later	NR P&P, Interconnect, 15m long, E3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188973	1
554	SE-SK 0349/14 Rev B or later	NR P&P, Interconnect, 25m long, E3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188974	1
555	SE-SK 0349/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, E3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188975	1
556	SE-SK 0637/21 Rev B or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188321	1
557	SE-SK 0637/22 Rev B or later	NR P&P, Interconnect, 7.5m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188322	1
558	SE-SK 0637/23 Rev B or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188323	1
559	SE-SK 0637/24 Rev B or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188324	1
560	SE-SK 0637/25 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188325	1
561	SE-SK 0637/31 Rev B or later	NR P&P, Interconnect, 4m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188721	1
562	SE-SK 0637/32 Rev B or later	NR P&P, Interconnect, 7.5m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188722	1
563	SE-SK 0637/33 Rev B or later	NR P&P, Interconnect, 15m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188723	1
564	SE-SK 0637/34 Rev B or later	NR P&P, Interconnect, 25m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188724	1
565	SE-SK 0637/35 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, E2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188725	1
566	SE-SK 0817/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188021	1
567	SE-SK 0817/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188022	1
568	SE-SK 0817/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188023	1
569	SE-SK 0817/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188024	1
570	SE-SK 0817/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188025	1
571	SE-SK 0817/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190521	1
572	SE-SK 0817/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190522	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 1 Description	PADS No.	Cert issue
573	SE-SK 0817/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190523	1
574	SE-SK 0817/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190524	1
575	SE-SK 0817/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190525	1
576	SE-SK 0645/21 Rev B or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188356	1
577	SE-SK 0645/22 Rev B or later	NR P&P, Interconnect, 7.5m long, C2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188357	1
578	SE-SK 0645/23 Rev B or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188358	1
579	SE-SK 0645/24 Rev B or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188359	1
580	SE-SK 0645/25 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188360	1
581	SE-SK 0645/31 Rev B or later	NR P&P, Interconnect, 4m long, E2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188756	1
582	SE-SK 0645/32 Rev B or later	NR P&P, Interconnect, 7.5m long, E2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188757	1
583	SE-SK 0645/33 Rev B or later	NR P&P, Interconnect, 15m long, E2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188758	1
584	SE-SK 0645/34 Rev B or later	NR P&P, Interconnect, 25m long, E2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188759	1
585	SE-SK 0645/35 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, E2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188760	1
586	SE-SK 0825/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188041	1
587	SE-SK 0825/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188042	1
588	SE-SK 0825/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188043	1
589	SE-SK 0825/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188044	1
590	SE-SK 0825/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188045	1
591	SE-SK 0825/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190541	1
592	SE-SK 0825/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190542	1
593	SE-SK 0825/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190543	1
594	SE-SK 0825/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190544	1
595	SE-SK 0825/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190545	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 1 Description	PADS No.	Cert issue
596	SE-SK 0653/21 Rev B or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 10-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188376	1
597	SE-SK 0653/22 Rev B or later	NR P&P, Interconnect, 7.5m long, C2 2.5sqmm 10-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188377	1
598	SE-SK 0653/23 Rev B or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 10-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188378	1
599	SE-SK 0653/24 Rev B or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 10-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188379	1
600	SE-SK 0653/25 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 10-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188380	1
601	SE-SK 0653/31 Rev B or later	NR P&P, Interconnect, 4m long, E2 2.5sqmm 10-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188776	1
602	SE-SK 0653/32 Rev B or later	NR P&P, Interconnect, 7.5m long, E2 2.5sqmm 10-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188777	1
603	SE-SK 0653/33 Rev B or later	NR P&P, Interconnect, 15m long, E2 2.5sqmm 10-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188778	1
604	SE-SK 0653/34 Rev B or later	NR P&P, Interconnect, 25m long, E2 2.5sqmm 10-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188779	1
605	SE-SK 0653/35 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, E2 2.5sqmm 10-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188780	1
606	SE-SK 0833/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 2.5sqmm 10-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188061	1
607	SE-SK 0833/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 2.5sqmm 10-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188062	1
608	SE-SK 0833/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 2.5sqmm 10-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188063	1
609	SE-SK 0833/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 2.5sqmm 10-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188064	1
610	SE-SK 0833/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 2.5sqmm 10-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188065	1
611	SE-SK 0833/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 2.5sqmm 10-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190561	1
612	SE-SK 0833/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 2.5sqmm 10-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190562	1
613	SE-SK 0833/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 2.5sqmm 10-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190563	1
614	SE-SK 0833/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 2.5sqmm 10-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190564	1
615	SE-SK 0833/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 2.5sqmm 10-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190565	1
616	SE-SK 0661/21 Rev B or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188401	1
617	SE-SK 0661/22 Rev B or later	NR P&P, Interconnect, 7.5m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188402	1
618	SE-SK 0661/23 Rev B or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188403	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 1 Description	PADS No.	Cert issue
619	SE-SK 0661/24 Rev B or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188404	1
620	SE-SK 0661/25 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188405	1
621	SE-SK 0661/31 Rev B or later	NR P&P, Interconnect, 4m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188801	1
622	SE-SK 0661/32 Rev B or later	NR P&P, Interconnect, 7.5m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188802	1
623	SE-SK 0661/33 Rev B or later	NR P&P, Interconnect, 15m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188803	1
624	SE-SK 0661/34 Rev B or later	NR P&P, Interconnect, 25m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188804	1
625	SE-SK 0661/35 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, E2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188805	1
626	SE-SK 0841/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188081	1
627	SE-SK 0841/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188082	1
628	SE-SK 0841/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188083	1
629	SE-SK 0841/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188084	1
630	SE-SK 0841/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188085	1
631	SE-SK 0841/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190581	1
632	SE-SK 0841/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190582	1
633	SE-SK 0841/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190583	1
634	SE-SK 0841/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190584	1
635	SE-SK 0841/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190585	1
636	SE-SK 0669/21 Rev B or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 16-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188421	1
637	SE-SK 0669/22 Rev B or later	NR P&P, Interconnect, 7.5m long, C2 2.5sqmm 16-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188422	1
638	SE-SK 0669/23 Rev B or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 16-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188423	1
639	SE-SK 0669/24 Rev B or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 16-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188424	1
640	SE-SK 0669/25 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 16-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188425	1
641	SE-SK 0464/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 2.5sqmm 19-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188121	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 1 Description	PADS No.	Cert issue
642	SE-SK 0464/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 2.5sqmm 19-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188122	1
643	SE-SK 0464/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 2.5sqmm 19-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188123	1
644	SE-SK 0464/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 2.5sqmm 19-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188124	1
645	SE-SK 0464/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 2.5sqmm 19-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188125	1
646	SE-SK 0464/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 2.5sqmm 19-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190621	1
647	SE-SK 0464/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 2.5sqmm 19-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190622	1
648	SE-SK 0464/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 2.5sqmm 19-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190623	1
649	SE-SK 0464/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 2.5sqmm 19-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190624	1
650	SE-SK 0464/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 2.5sqmm 19-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190625	1
651	SE-SK 0472/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 1.5sqmm 27-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188181	1
652	SE-SK 0472/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 1.5sqmm 27-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188182	1
653	SE-SK 0472/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 1.5sqmm 27-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188183	1
654	SE-SK 0472/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 1.5sqmm 27-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188184	1
655	SE-SK 0472/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 1.5sqmm 27-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188185	1
656	SE-SK 0472/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 1.5sqmm 27-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188501	1
657	SE-SK 0472/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 1.5sqmm 27-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188502	1
658	SE-SK 0472/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 1.5sqmm 27-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188503	1
659	SE-SK 0472/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 1.5sqmm 27-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188504	1
660	SE-SK 0472/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 1.5sqmm 27-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188505	1
661	SE-SK 0480/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 1.5sqmm 37-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188201	1
662	SE-SK 0480/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 1.5sqmm 37-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188202	1
663	SE-SK 0480/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 1.5sqmm 37-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188203	1
664	SE-SK 0480/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 1.5sqmm 37-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188204	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 1 Description	PADS No.	Cert issue
665	SE-SK 0480/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 1.5sqmm 37-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188205	1
666	SE-SK 0480/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 1.5sqmm 37-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188521	1
667	SE-SK 0480/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 1.5sqmm 37-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188522	1
668	SE-SK 0480/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 1.5sqmm 37-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188523	1
669	SE-SK 0480/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 1.5sqmm 37-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188524	1
670	SE-SK 0480/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 1.5sqmm 37-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188525	1
671	SE-SK 0488/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 1.5sqmm 48-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188221	1
672	SE-SK 0488/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 1.5sqmm 48-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188222	1
673	SE-SK 0488/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 1.5sqmm 48-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188223	1
674	SE-SK 0488/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 1.5sqmm 48-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188224	1
675	SE-SK 0488/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 1.5sqmm 48-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188225	1
676	SE-SK 0488/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 1.5sqmm 48-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188541	1
677	SE-SK 0488/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 1.5sqmm 48-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188542	1
678	SE-SK 0488/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 1.5sqmm 48-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188543	1
679	SE-SK 0488/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 1.5sqmm 48-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188544	1
680	SE-SK 0488/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 1.5sqmm 48-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188545	1
681	SE-SK 0633/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189301	1
682	SE-SK 0633/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189302	1
683	SE-SK 0633/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189303	1
684	SE-SK 0633/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189300	1
685	SE-SK 0633/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189305	1
686	SE-SK 0633/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189701	1
687	SE-SK 0633/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189702	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 1 Description	PADS No.	Cert issue
688	SE-SK 0633/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189703	1
689	SE-SK 0633/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189704	1
690	SE-SK 0633/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189705	1
691	SE-SK 0805/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189001	1
692	SE-SK 0805/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189002	1
693	SE-SK 0805/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189003	1
694	SE-SK 0805/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189004	1
695	SE-SK 0805/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189005	1
696	SE-SK 0805/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/191501	1
697	SE-SK 0805/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/191502	1
698	SE-SK 0805/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/191503	1
699	SE-SK 0805/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/191504	1
700	SE-SK 0805/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/191505	1
701	SE-SK 0353/01 Rev B or later	NR P&P, Lead, 2m long, C3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Plug (F)	006/189602	1
702	SE-SK 0353/02 Rev B or later	NR P&P, Lead, 4m long, C3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Plug (F)	006/189601	1
703	SE-SK 0353/03 Rev B or later	NR P&P, Lead, 8m long, C3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Plug (F)	006/189603	1
704	SE-SK 0353/04 Rev B or later	NR P&P, Lead, 15.5m long, C3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Plug (F)	006/189604	1
705	SE-SK 0353/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Plug (F)	006/189605	1
706	SE-SK 0353/11 Rev B or later	NR P&P, Lead, 2m long, E3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Plug (F)	006/189971	1
707	SE-SK 0353/12 Rev B or later	NR P&P, Lead, 4m long, E3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Plug (F)	006/189972	1
708	SE-SK 0353/13 Rev B or later	NR P&P, Lead, 8m long, E3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Plug (F)	006/189973	1
709	SE-SK 0353/14 Rev B or later	NR P&P, Lead, 15.5m long, E3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Plug (F)	006/189974	1
710	SE-SK 0353/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Plug (F)	006/189975	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 1 Description	PADS No.	Cert issue
711	SE-SK 0641/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189324	1
712	SE-SK 0641/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189321	1
713	SE-SK 0641/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189322	1
714	SE-SK 0641/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189323	1
715	SE-SK 0641/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189325	1
716	SE-SK 0641/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189721	1
717	SE-SK 0641/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189722	1
718	SE-SK 0641/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189723	1
719	SE-SK 0641/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189724	1
720	SE-SK 0641/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189725	1
721	SE-SK 0821/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189021	1
722	SE-SK 0821/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189022	1
723	SE-SK 0821/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189023	1
724	SE-SK 0821/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189024	1
725	SE-SK 0821/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189025	1
726	SE-SK 0821/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/191521	1
727	SE-SK 0821/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/191522	1
728	SE-SK 0821/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/191523	1
729	SE-SK 0821/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/191524	1
730	SE-SK 0821/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/191525	1
731	SE-SK 0642/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189466	1
732	SE-SK 0642/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189326	1
733	SE-SK 0642/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189327	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 1 Description	PADS No.	Cert issue
734	SE-SK 0642/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189328	1
735	SE-SK 0642/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189330	1
736	SE-SK 0642/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189726	1
737	SE-SK 0642/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189727	1
738	SE-SK 0642/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189728	1
739	SE-SK 0642/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189729	1
740	SE-SK 0642/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189730	1
741	SE-SK 0822/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189026	1
742	SE-SK 0822/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189027	1
743	SE-SK 0822/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189028	1
744	SE-SK 0822/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189029	1
745	SE-SK 0822/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189030	1
746	SE-SK 0822/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/191526	1
747	SE-SK 0822/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/191527	1
748	SE-SK 0822/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/191528	1
749	SE-SK 0822/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/191529	1
750	SE-SK 0822/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/191530	1
751	SE-SK 0649/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (F)	006/189356	1
752	SE-SK 0649/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (F)	006/189357	1
753	SE-SK 0649/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (F)	006/189358	1
754	SE-SK 0649/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (F)	006/189359	1
755	SE-SK 0649/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (F)	006/189360	1
756	SE-SK 0649/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (F)	006/189741	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 1 Description	PADS No.	Cert issue
757	SE-SK 0649/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (F)	006/189742	1
758	SE-SK 0649/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (F)	006/189743	1
759	SE-SK 0649/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (F)	006/189744	1
760	SE-SK 0649/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (F)	006/189745	1
761	SE-SK 0829/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (F)	006/189041	1
762	SE-SK 0829/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (F)	006/189042	1
763	SE-SK 0829/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (F)	006/189043	1
764	SE-SK 0829/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (F)	006/189044	1
765	SE-SK 0829/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (F)	006/189045	1
766	SE-SK 0829/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (F)	006/191541	1
767	SE-SK 0829/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (F)	006/191542	1
768	SE-SK 0829/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (F)	006/191543	1
769	SE-SK 0829/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (F)	006/191544	1
770	SE-SK 0829/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (F)	006/191545	1
771	SE-SK 0657/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (F)	006/189376	1
772	SE-SK 0657/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (F)	006/189377	1
773	SE-SK 0657/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (F)	006/189378	1
774	SE-SK 0657/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (F)	006/189463	1
775	SE-SK 0657/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (F)	006/189380	1
776	SE-SK 0657/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (F)	006/189761	1
777	SE-SK 0657/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (F)	006/189762	1
778	SE-SK 0657/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (F)	006/189763	1
779	SE-SK 0657/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (F)	006/189764	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 1 Description	PADS No.	Cert issue
780	SE-SK 0657/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (F)	006/189765	1
781	SE-SK 0837/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (F)	006/189061	1
782	SE-SK 0837/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (F)	006/189062	1
783	SE-SK 0837/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (F)	006/189063	1
784	SE-SK 0837/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (F)	006/189064	1
785	SE-SK 0837/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (F)	006/189065	1
786	SE-SK 0837/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (F)	006/191561	1
787	SE-SK 0837/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (F)	006/191562	1
788	SE-SK 0837/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (F)	006/191563	1
789	SE-SK 0837/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (F)	006/191564	1
790	SE-SK 0837/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (F)	006/191565	1
791	SE-SK 0665/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/189401	1
792	SE-SK 0665/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/189402	1
793	SE-SK 0665/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/189403	1
794	SE-SK 0665/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/189400	1
795	SE-SK 0665/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/189405	1
796	SE-SK 0665/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/189781	1
797	SE-SK 0665/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/189782	1
798	SE-SK 0665/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/189783	1
799	SE-SK 0665/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/189784	1
800	SE-SK 0665/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/189785	1
801	SE-SK 0845/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/189081	1
802	SE-SK 0845/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/189082	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 1 Description	PADS No.	Cert issue
803	SE-SK 0845/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/189083	1
804	SE-SK 0845/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/189084	1
805	SE-SK 0845/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/189085	1
806	SE-SK 0845/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/191581	1
807	SE-SK 0845/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/191582	1
808	SE-SK 0845/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/191583	1
809	SE-SK 0845/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/191584	1
810	SE-SK 0845/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/191585	1
811	SE-SK 0673/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 16-core cable, with Free End and MIL5015 Plug (F)	006/189421	1
812	SE-SK 0673/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 16-core cable, with Free End and MIL5015 Plug (F)	006/189422	1
813	SE-SK 0673/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 16-core cable, with Free End and MIL5015 Plug (F)	006/189423	1
814	SE-SK 0673/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 16-core cable, with Free End and MIL5015 Plug (F)	006/189424	1
815	SE-SK 0673/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 16-core cable, with Free End and MIL5015 Plug (F)	006/189425	1
816	SE-SK 0468/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 19-core cable, with Free End and MIL5015 Plug (F)	006/189121	1
817	SE-SK 0468/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 19-core cable, with Free End and MIL5015 Plug (F)	006/189122	1
818	SE-SK 0468/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 19-core cable, with Free End and MIL5015 Plug (F)	006/189123	1
819	SE-SK 0468/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 19-core cable, with Free End and MIL5015 Plug (F)	006/189124	1
820	SE-SK 0468/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 19-core cable, with Free End and MIL5015 Plug (F)	006/189125	1
821	SE-SK 0468/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 19-core cable, with Free End and MIL5015 Plug (F)	006/191621	1
822	SE-SK 0468/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 19-core cable, with Free End and MIL5015 Plug (F)	006/191622	1
823	SE-SK 0468/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 19-core cable, with Free End and MIL5015 Plug (F)	006/191623	1
824	SE-SK 0468/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 19-core cable, with Free End and MIL5015 Plug (F)	006/191624	1
825	SE-SK 0468/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 19-core cable, with Free End and MIL5015 Plug (F)	006/191625	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 1 Description	PADS No.	Cert issue
826	SE-SK 0476/01 Rev B or later	NR P&P, Lead, 2m long, B2 1.5sqmm 27-core cable, with Free End and MIL5015 Plug (F)	006/189181	1
827	SE-SK 0476/02 Rev B or later	NR P&P, Lead, 4m long, B2 1.5sqmm 27-core cable, with Free End and MIL5015 Plug (F)	006/189182	1
828	SE-SK 0476/03 Rev B or later	NR P&P, Lead, 8m long, B2 1.5sqmm 27-core cable, with Free End and MIL5015 Plug (F)	006/189183	1
829	SE-SK 0476/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 1.5sqmm 27-core cable, with Free End and MIL5015 Plug (F)	006/189184	1
830	SE-SK 0476/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 1.5sqmm 27-core cable, with Free End and MIL5015 Plug (F)	006/189185	1
831	SE-SK 0476/11 Rev B or later	NR P&P, Lead, 2m long, D2 1.5sqmm 27-core cable, with Free End and MIL5015 Plug (F)	006/189501	1
832	SE-SK 0476/12 Rev B or later	NR P&P, Lead, 4m long, D2 1.5sqmm 27-core cable, with Free End and MIL5015 Plug (F)	006/189502	1
833	SE-SK 0476/13 Rev B or later	NR P&P, Lead, 8m long, D2 1.5sqmm 27-core cable, with Free End and MIL5015 Plug (F)	006/189503	1
834	SE-SK 0476/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 1.5sqmm 27-core cable, with Free End and MIL5015 Plug (F)	006/189504	1
835	SE-SK 0476/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 1.5sqmm 27-core cable, with Free End and MIL5015 Plug (F)	006/189505	1
836	SE-SK 0484/01 Rev B or later	NR P&P, Lead, 2m long, B2 1.5sqmm 37-core cable, with Free End and MIL5015 Plug (F)	006/189201	1
837	SE-SK 0484/02 Rev B or later	NR P&P, Lead, 4m long, B2 1.5sqmm 37-core cable, with Free End and MIL5015 Plug (F)	006/189202	1
838	SE-SK 0484/03 Rev B or later	NR P&P, Lead, 8m long, B2 1.5sqmm 37-core cable, with Free End and MIL5015 Plug (F)	006/189203	1
839	SE-SK 0484/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 1.5sqmm 37-core cable, with Free End and MIL5015 Plug (F)	006/189204	1
840	SE-SK 0484/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 1.5sqmm 37-core cable, with Free End and MIL5015 Plug (F)	006/189205	1
841	SE-SK 0484/11 Rev B or later	NR P&P, Lead, 2m long, D2 1.5sqmm 37-core cable, with Free End and MIL5015 Plug (F)	006/189521	1
842	SE-SK 0484/12 Rev B or later	NR P&P, Lead, 4m long, D2 1.5sqmm 37-core cable, with Free End and MIL5015 Plug (F)	006/189522	1
843	SE-SK 0484/13 Rev B or later	NR P&P, Lead, 8m long, D2 1.5sqmm 37-core cable, with Free End and MIL5015 Plug (F)	006/189523	1
844	SE-SK 0484/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 1.5sqmm 37-core cable, with Free End and MIL5015 Plug (F)	006/189524	1
845	SE-SK 0484/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 1.5sqmm 37-core cable, with Free End and MIL5015 Plug (F)	006/189525	1
846	SE-SK 0492/01 Rev B or later	NR P&P, Lead, 2m long, B2 1.5sqmm 48-core cable, with Free End and MIL5015 Plug (F)	006/189221	1
847	SE-SK 0492/02 Rev B or later	NR P&P, Lead, 4m long, B2 1.5sqmm 48-core cable, with Free End and MIL5015 Plug (F)	006/189222	1
848	SE-SK 0492/03 Rev B or later	NR P&P, Lead, 8m long, B2 1.5sqmm 48-core cable, with Free End and MIL5015 Plug (F)	006/189223	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 1 Description	PADS No.	Cert issue
849	SE-SK 0492/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 1.5sqmm 48-core cable, with Free End and MIL5015 Plug (F)	006/189224	1
850	SE-SK 0492/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 1.5sqmm 48-core cable, with Free End and MIL5015 Plug (F)	006/189225	1
851	SE-SK 0492/11 Rev B or later	NR P&P, Lead, 2m long, D2 1.5sqmm 48-core cable, with Free End and MIL5015 Plug (F)	006/189541	1
852	SE-SK 0492/12 Rev B or later	NR P&P, Lead, 4m long, D2 1.5sqmm 48-core cable, with Free End and MIL5015 Plug (F)	006/189542	1
853	SE-SK 0492/13 Rev B or later	NR P&P, Lead, 8m long, D2 1.5sqmm 48-core cable, with Free End and MIL5015 Plug (F)	006/189543	1
854	SE-SK 0492/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 1.5sqmm 48-core cable, with Free End and MIL5015 Plug (F)	006/189544	1
855	SE-SK 0492/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 1.5sqmm 48-core cable, with Free End and MIL5015 Plug (F)	006/189545	1
856	SE-SK 0634/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189299	1
857	SE-SK 0634/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189306	1
858	SE-SK 0634/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189307	1
859	SE-SK 0634/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189308	1
860	SE-SK 0634/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189310	1
861	SE-SK 0634/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189706	1
862	SE-SK 0634/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189707	1
863	SE-SK 0634/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189708	1
864	SE-SK 0634/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189709	1
865	SE-SK 0634/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189710	1
866	SE-SK 0806/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189006	1
867	SE-SK 0806/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189007	1
868	SE-SK 0806/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189008	1
869	SE-SK 0806/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189009	1
870	SE-SK 0806/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189010	1
871	SE-SK 0806/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/191506	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 1 Description	PADS No.	Cert issue
872	SE-SK 0806/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/191507	1
873	SE-SK 0806/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/191508	1
874	SE-SK 0806/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/191509	1
875	SE-SK 0806/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/191510	1
876	SE-SK 0650/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189465	1
877	SE-SK 0650/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189361	1
878	SE-SK 0650/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189362	1
879	SE-SK 0650/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189363	1
880	SE-SK 0650/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189365	1
881	SE-SK 0650/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189746	1
882	SE-SK 0650/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189747	1
883	SE-SK 0650/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189748	1
884	SE-SK 0650/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189749	1
885	SE-SK 0650/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189750	1
886	SE-SK 0830/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189046	1
887	SE-SK 0830/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189047	1
888	SE-SK 0830/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189048	1
889	SE-SK 0830/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189049	1
890	SE-SK 0830/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189050	1
891	SE-SK 0830/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/191546	1
892	SE-SK 0830/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/191547	1
893	SE-SK 0830/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/191548	1
894	SE-SK 0830/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/191549	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 1 Description	PADS No.	Cert issue
895	SE-SK 0830/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/191550	1
896	SE-SK 0658/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189462	1
897	SE-SK 0658/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189381	1
898	SE-SK 0658/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189382	1
899	SE-SK 0658/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189383	1
900	SE-SK 0658/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189385	1
901	SE-SK 0658/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189766	1
902	SE-SK 0658/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189767	1
903	SE-SK 0658/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189768	1
904	SE-SK 0658/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189769	1
905	SE-SK 0658/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189770	1
906	SE-SK 0838/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189066	1
907	SE-SK 0838/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189067	1
908	SE-SK 0838/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189068	1
909	SE-SK 0838/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189069	1
910	SE-SK 0838/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189070	1
911	SE-SK 0838/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/191566	1
912	SE-SK 0838/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/191567	1
913	SE-SK 0838/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/191568	1
914	SE-SK 0838/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/191569	1
915	SE-SK 0838/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/191570	1
916	SE-SK 0666/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189464	1
917	SE-SK 0666/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189406	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 1 Description	PADS No.	Cert issue
918	SE-SK 0666/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189407	1
919	SE-SK 0666/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189408	1
920	SE-SK 0666/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189410	1
921	SE-SK 0666/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189786	1
922	SE-SK 0666/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189787	1
923	SE-SK 0666/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189788	1
924	SE-SK 0666/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189789	1
925	SE-SK 0666/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189790	1
926	SE-SK 0846/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189086	1
927	SE-SK 0846/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189087	1
928	SE-SK 0846/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189088	1
929	SE-SK 0846/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189089	1
930	SE-SK 0846/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189090	1
931	SE-SK 0846/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/191586	1
932	SE-SK 0846/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/191587	1
933	SE-SK 0846/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/191588	1
934	SE-SK 0846/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/191589	1
935	SE-SK 0846/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/191590	1

**Table 2 Interconnects and Leads
Plug & Play Module 7
Appendix D1 – MCB-OD**

Ref	Network Rail Part No.	TABLE 2 Description	PADS No.	Cert issue
1	SE-SK 0676/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 16-core cable, with Free End and MIL5015 Receptacle (F)	006/189431	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABE 2 Description	PADS No.	Cert issue
2	SE-SK 0676/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 16-core cable, with Free End and MIL5015 Receptacle (F)	006/189432	1
3	SE-SK 0676/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 16-core cable, with Free End and MIL5015 Receptacle (F)	006/189433	1
4	SE-SK 0676/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 16-core cable, with Free End and MIL5015 Receptacle (F)	006/189434	1
5	SE-SK 0676/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 16-core cable, with Free End and MIL5015 Receptacle (F)	006/189435	1
6	SE-SK 0824/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189031	1
7	SE-SK 0824/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189032	1
8	SE-SK 0824/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189033	1
9	SE-SK 0824/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189034	1
10	SE-SK 0824/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189035	1
11	SE-SK 0824/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/191531	1
12	SE-SK 0824/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/191532	1
13	SE-SK 0824/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/191533	1
14	SE-SK 0824/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/191534	1
15	SE-SK 0824/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/191535	1
16	SE-SK 0644/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189332	1
17	SE-SK 0644/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189331	1
18	SE-SK 0644/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189333	1
19	SE-SK 0644/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189334	1
20	SE-SK 0644/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189335	1
21	SE-SK 0644/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189731	1
22	SE-SK 0644/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189732	1
23	SE-SK 0644/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189733	1
24	SE-SK 0644/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189734	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABE 2 Description	PADS No.	Cert issue
25	SE-SK 0644/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189735	1
26	SE-SK 0795/01 Rev B or later	NR P&P, Lead, 2m long, 0.9mm 2 Twisted Pair Telecoms Cable, with Free End and MIL5015 Receptacle (M)	006/191811	1
27	SE-SK 0795/02 Rev B or later	NR P&P, Lead, 4m long, 0.9mm 2 Twisted Pair Telecoms Cable, with Free End and MIL5015 Receptacle (M)	006/191812	1
28	SE-SK 0795/03 Rev B or later	NR P&P, Lead, 8m long, 0.9mm 2 Twisted Pair Telecoms Cable, with Free End and MIL5015 Receptacle (M)	006/191813	1
29	SE-SK 0795/04 Rev B or later	NR P&P, Lead, 15.5m long, 0.9mm 2 Twisted Pair Telecoms Cable, with Free End and MIL5015 Receptacle (M)	006/191814	1
30	SE-SK 0795/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 0.9mm 2 Twisted Pair Telecoms Cable, with Free End and MIL5015 Receptacle (M)	006/191815	1
31	SE-SK 0832/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189051	1
32	SE-SK 0832/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189052	1
33	SE-SK 0832/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189053	1
34	SE-SK 0832/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189054	1
35	SE-SK 0832/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189055	1
36	SE-SK 0832/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/191551	1
37	SE-SK 0832/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/191552	1
38	SE-SK 0832/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/191553	1
39	SE-SK 0832/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/191554	1
40	SE-SK 0832/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/191555	1
41	SE-SK 0652/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189367	1
42	SE-SK 0652/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189366	1
43	SE-SK 0652/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189368	1
44	SE-SK 0652/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189369	1
45	SE-SK 0652/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189370	1
46	SE-SK 0652/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189751	1
47	SE-SK 0652/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189752	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABE 2 Description	PADS No.	Cert issue
48	SE-SK 0652/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189753	1
49	SE-SK 0652/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189754	1
50	SE-SK 0652/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189755	1
51	SE-SK 0356/01 Rev B or later	NR P&P, Lead, 2m long, C3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Receptacle (F)	006/189612	1
52	SE-SK 0356/02 Rev B or later	NR P&P, Lead, 4m long, C3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Receptacle (F)	006/189611	1
53	SE-SK 0356/03 Rev B or later	NR P&P, Lead, 8m long, C3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Receptacle (F)	006/189613	1
54	SE-SK 0356/04 Rev B or later	NR P&P, Lead, 15.5m long, C3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Receptacle (F)	006/189614	1
55	SE-SK 0356/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Receptacle (F)	006/189615	1
56	SE-SK 0356/11 Rev B or later	NR P&P, Lead, 2m long, E3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Receptacle (F)	006/189981	1
57	SE-SK 0356/12 Rev B or later	NR P&P, Lead, 4m long, E3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Receptacle (F)	006/189982	1
58	SE-SK 0356/13 Rev B or later	NR P&P, Lead, 8m long, E3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Receptacle (F)	006/189983	1
59	SE-SK 0356/14 Rev B or later	NR P&P, Lead, 15.5m long, E3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Receptacle (F)	006/189984	1
60	SE-SK 0356/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Receptacle (F)	006/189985	1
61	SE-SK 0808/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189011	1
62	SE-SK 0808/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189012	1
63	SE-SK 0808/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189013	1
64	SE-SK 0808/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189014	1
65	SE-SK 0808/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189015	1
66	SE-SK 0808/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/191511	1
67	SE-SK 0808/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/191512	1
68	SE-SK 0808/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/191513	1
69	SE-SK 0808/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/191514	1
70	SE-SK 0808/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/191515	1

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABE 2 Description	PADS No.	Cert issue
71	SE-SK 0636/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189312	1
72	SE-SK 0636/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189311	1
73	SE-SK 0636/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189313	1
74	SE-SK 0636/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189314	1
75	SE-SK 0636/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189315	1
76	SE-SK 0636/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189711	1
77	SE-SK 0636/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189712	1
78	SE-SK 0636/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189713	1
79	SE-SK 0636/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189714	1
80	SE-SK 0636/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189715	1
81	SE-SK 0848/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189091	1
82	SE-SK 0848/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189092	1
83	SE-SK 0848/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189093	1
84	SE-SK 0848/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189094	1
85	SE-SK 0848/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189095	1
86	SE-SK 0848/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/191591	1
87	SE-SK 0848/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/191592	1
88	SE-SK 0848/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/191593	1
89	SE-SK 0848/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/191594	1
90	SE-SK 0848/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/191595	1
91	SE-SK 0668/21 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189412	1
92	SE-SK 0668/22 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189411	1
93	SE-SK 0668/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189413	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABE 2 Description	PADS No.	Cert issue
94	SE-SK 0668/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189414	1
95	SE-SK 0668/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189415	1
96	SE-SK 0668/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189791	1
97	SE-SK 0668/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189792	1
98	SE-SK 0668/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189793	1
99	SE-SK 0668/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189794	1
100	SE-SK 0668/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189795	1
101	SE-SK 0671/21 Rev B or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 16-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188431	1
102	SE-SK 0671/22 Rev B or later	NR P&P, Interconnect, 7.5m long, C2 2.5sqmm 16-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188432	1
103	SE-SK 0671/23 Rev B or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 16-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188433	1
104	SE-SK 0671/24 Rev B or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 16-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188434	1
105	SE-SK 0671/25 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 16-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188435	1
106	SE-SK 0819/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188031	1
107	SE-SK 0819/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188032	1
108	SE-SK 0819/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188033	1
109	SE-SK 0819/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188034	1
110	SE-SK 0819/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188035	1
111	SE-SK 0819/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190531	1
112	SE-SK 0819/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190532	1
113	SE-SK 0819/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190533	1
114	SE-SK 0819/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190534	1
115	SE-SK 0819/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190535	1
116	SE-SK 0639/21 Rev B or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188331	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABE 2 Description	PADS No.	Cert issue
117	SE-SK 0639/22 Rev B or later	NR P&P, Interconnect, 7.5m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188332	1
118	SE-SK 0639/23 Rev B or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188333	1
119	SE-SK 0639/24 Rev B or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188334	1
120	SE-SK 0639/25 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188335	1
121	SE-SK 0639/31 Rev B or later	NR P&P, Interconnect, 4m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188731	1
122	SE-SK 0639/32 Rev B or later	NR P&P, Interconnect, 7.5m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188732	1
123	SE-SK 0639/33 Rev B or later	NR P&P, Interconnect, 15m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188733	1
124	SE-SK 0639/34 Rev B or later	NR P&P, Interconnect, 25m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188734	1
125	SE-SK 0639/35 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, E2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188735	1
126	SE-SK 0790/01 Rev B or later	NR P&P, Interconnect, 4m long, 0.9mm 2 Twisted Pair Telecoms Cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/191706	1
127	SE-SK 0790/02 Rev B or later	NR P&P, Interconnect, 7.5m long, 0.9mm 2 Twisted Pair Telecoms Cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/191707	1
128	SE-SK 0790/03 Rev B or later	NR P&P, Interconnect, 15m long, 0.9mm 2 Twisted Pair Telecoms Cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/191708	1
129	SE-SK 0790/04 Rev B or later	NR P&P, Interconnect, 25m long, 0.9mm 2 Twisted Pair Telecoms Cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/191709	1
130	SE-SK 0790/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, 0.9mm 2 Twisted Pair Telecoms Cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/191710	1
131	SE-SK 0827/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188051	1
132	SE-SK 0827/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188052	1
133	SE-SK 0827/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188053	1
134	SE-SK 0827/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188054	1
135	SE-SK 0827/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188055	1
136	SE-SK 0827/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190551	1
137	SE-SK 0827/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190552	1
138	SE-SK 0827/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190553	1
139	SE-SK 0827/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190554	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABE 2 Description	PADS No.	Cert issue
140	SE-SK 0827/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190555	1
141	SE-SK 0647/21 Rev B or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188366	1
142	SE-SK 0647/22 Rev B or later	NR P&P, Interconnect, 7.5m long, C2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188367	1
143	SE-SK 0647/23 Rev B or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188368	1
144	SE-SK 0647/24 Rev B or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188369	1
145	SE-SK 0647/25 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188370	1
146	SE-SK 0647/31 Rev B or later	NR P&P, Interconnect, 4m long, E2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188766	1
147	SE-SK 0647/32 Rev B or later	NR P&P, Interconnect, 7.5m long, E2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188767	1
148	SE-SK 0647/33 Rev B or later	NR P&P, Interconnect, 15m long, E2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188768	1
149	SE-SK 0647/34 Rev B or later	NR P&P, Interconnect, 25m long, E2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188769	1
150	SE-SK 0647/35 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, E2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188770	1
151	SE-SK 0803/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188011	1
152	SE-SK 0803/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188012	1
153	SE-SK 0803/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188013	1
154	SE-SK 0803/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188014	1
155	SE-SK 0803/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188015	1
156	SE-SK 0803/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190511	1
157	SE-SK 0803/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190512	1
158	SE-SK 0803/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190513	1
159	SE-SK 0803/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190514	1
160	SE-SK 0803/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190515	1
161	SE-SK 0631/21 Rev B or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188311	1
162	SE-SK 0631/22 Rev B or later	NR P&P, Interconnect, 7.5m long, C2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188312	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABE 2 Description	PADS No.	Cert issue
163	SE-SK 0631/23 Rev B or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188313	1
164	SE-SK 0631/24 Rev B or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188314	1
165	SE-SK 0631/25 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188315	1
166	SE-SK 0631/31 Rev B or later	NR P&P, Interconnect, 4m long, E2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188711	1
167	SE-SK 0631/32 Rev B or later	NR P&P, Interconnect, 7.5m long, E2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188712	1
168	SE-SK 0631/33 Rev B or later	NR P&P, Interconnect, 15m long, E2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188713	1
169	SE-SK 0631/34 Rev B or later	NR P&P, Interconnect, 25m long, E2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188714	1
170	SE-SK 0631/35 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, E2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188715	1
171	SE-SK 0351/01 Rev B or later	NR P&P, Interconnect, 4m long, C3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188611	1
172	SE-SK 0351/02 Rev B or later	NR P&P, Interconnect, 7.5m long, C3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188612	1
173	SE-SK 0351/03 Rev B or later	NR P&P, Interconnect, 15m long, C3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188613	1
174	SE-SK 0351/04 Rev B or later	NR P&P, Interconnect, 25m long, C3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188614	1
175	SE-SK 0351/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188615	1
176	SE-SK 0351/11 Rev B or later	NR P&P, Interconnect, 4m long, E3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188981	1
177	SE-SK 0351/12 Rev B or later	NR P&P, Interconnect, 7.5m long, E3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188982	1
178	SE-SK 0351/13 Rev B or later	NR P&P, Interconnect, 15m long, E3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188983	1
179	SE-SK 0351/14 Rev B or later	NR P&P, Interconnect, 25m long, E3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188984	1
180	SE-SK 0351/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, E3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188985	1
181	SE-SK 0843/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188091	1
182	SE-SK 0843/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188092	1
183	SE-SK 0843/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188093	1
184	SE-SK 0843/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188094	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABE 2 Description	PADS No.	Cert issue
185	SE-SK 0843/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188095	1
186	SE-SK 0843/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190591	1
187	SE-SK 0843/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190592	1
188	SE-SK 0843/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190593	1
189	SE-SK 0843/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190594	1
190	SE-SK 0843/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190595	1
191	SE-SK 0663/21 Rev B or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188411	1
192	SE-SK 0663/22 Rev B or later	NR P&P, Interconnect, 7.5m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188412	1
193	SE-SK 0663/23 Rev B or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188413	1
194	SE-SK 0663/24 Rev B or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188414	1
195	SE-SK 0663/25 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188415	1
196	SE-SK 0663/31 Rev B or later	NR P&P, Interconnect, 4m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188811	1
197	SE-SK 0663/32 Rev B or later	NR P&P, Interconnect, 7.5m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188812	1
198	SE-SK 0663/33 Rev B or later	NR P&P, Interconnect, 15m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188813	1
199	SE-SK 0663/34 Rev B or later	NR P&P, Interconnect, 25m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188814	1
200	SE-SK 0663/35 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, E2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188815	1
201	SE-SK 0674/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 16-core cable, with Free End and MIL5015 Plug (M)	006/189426	1
202	SE-SK 0674/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 16-core cable, with Free End and MIL5015 Plug (M)	006/189427	1
203	SE-SK 0674/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 16-core cable, with Free End and MIL5015 Plug (M)	006/189428	1
204	SE-SK 0674/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 16-core cable, with Free End and MIL5015 Plug (M)	006/189429	1
205	SE-SK 0674/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 16-core cable, with Free End and MIL5015 Plug (M)	006/189430	1
206	SE-SK 0822/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189026	1
207	SE-SK 0822/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189027	1

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABE 2 Description	PADS No.	Cert issue
208	SE-SK 0822/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189028	1
209	SE-SK 0822/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189029	1
210	SE-SK 0822/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189030	1
211	SE-SK 0822/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/191526	1
212	SE-SK 0822/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/191527	1
213	SE-SK 0822/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/191528	1
214	SE-SK 0822/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/191529	1
215	SE-SK 0822/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/191530	1
216	SE-SK 0642/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189466	1
217	SE-SK 0642/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189326	1
218	SE-SK 0642/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189327	1
219	SE-SK 0642/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189328	1
220	SE-SK 0642/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189330	1
221	SE-SK 0642/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189726	1
222	SE-SK 0642/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189727	1
223	SE-SK 0642/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189728	1
224	SE-SK 0642/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189729	1
225	SE-SK 0642/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189730	1
226	SE-SK 0794/01 Rev B or later	NR P&P, Lead, 2m long, 0.9mm 2 Twisted Pair Telecoms Cable, with Free End and MIL5015 Plug (M)	006/191806	1
227	SE-SK 0794/02 Rev B or later	NR P&P, Lead, 4m long, 0.9mm 2 Twisted Pair Telecoms Cable, with Free End and MIL5015 Plug (M)	006/191807	1
228	SE-SK 0794/03 Rev B or later	NR P&P, Lead, 8m long, 0.9mm 2 Twisted Pair Telecoms Cable, with Free End and MIL5015 Plug (M)	006/191808	1
229	SE-SK 0794/04 Rev B or later	NR P&P, Lead, 15.5m long, 0.9mm 2 Twisted Pair Telecoms Cable, with Free End and MIL5015 Plug (M)	006/191809	1
230	SE-SK 0794/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 0.9mm 2 Twisted Pair Telecoms Cable, with Free End and MIL5015 Plug (M)	006/191810	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABE 2 Description	PADS No.	Cert issue
231	SE-SK 0830/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189046	1
232	SE-SK 0830/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189047	1
233	SE-SK 0830/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189048	1
234	SE-SK 0830/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189049	1
235	SE-SK 0830/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189050	1
236	SE-SK 0830/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/191546	1
237	SE-SK 0830/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/191547	1
238	SE-SK 0830/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/191548	1
239	SE-SK 0830/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/191549	1
240	SE-SK 0830/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/191550	1
241	SE-SK 0650/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189465	1
242	SE-SK 0650/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189361	1
243	SE-SK 0650/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189362	1
244	SE-SK 0650/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189363	1
245	SE-SK 0650/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189365	1
246	SE-SK 0650/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189746	1
247	SE-SK 0650/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189747	1
248	SE-SK 0650/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189748	1
249	SE-SK 0650/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189749	1
250	SE-SK 0650/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189750	1
251	SE-SK 0806/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189006	1
252	SE-SK 0806/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189007	1
253	SE-SK 0806/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189008	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABE 2 Description	PADS No.	Cert issue
254	SE-SK 0806/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189009	1
255	SE-SK 0806/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189010	1
256	SE-SK 0806/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/191506	1
257	SE-SK 0806/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/191507	1
258	SE-SK 0806/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/191508	1
259	SE-SK 0806/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/191509	1
260	SE-SK 0806/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/191510	1
261	SE-SK 0634/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189299	1
262	SE-SK 0634/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189306	1
263	SE-SK 0634/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189307	1
264	SE-SK 0634/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189308	1
265	SE-SK 0634/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189310	1
266	SE-SK 0634/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189706	1
267	SE-SK 0634/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189707	1
268	SE-SK 0634/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189708	1
269	SE-SK 0634/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189709	1
270	SE-SK 0634/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189710	1
271	SE-SK 0354/01 Rev B or later	NR P&P, Lead, 2m long, C3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Plug (M)	006/189607	1
272	SE-SK 0354/02 Rev B or later	NR P&P, Lead, 4m long, C3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Plug (M)	006/189606	1
273	SE-SK 0354/03 Rev B or later	NR P&P, Lead, 8m long, C3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Plug (M)	006/189608	1
274	SE-SK 0354/04 Rev B or later	NR P&P, Lead, 15.5m long, C3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Plug (M)	006/189609	1
275	SE-SK 0354/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Plug (M)	006/189610	1
276	SE-SK 0354/11 Rev B or later	NR P&P, Lead, 2m long, E3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Plug (M)	006/189976	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABE 2 Description	PADS No.	Cert issue
277	SE-SK 0354/12 Rev B or later	NR P&P, Lead, 4m long, E3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Plug (M)	006/189977	1
278	SE-SK 0354/13 Rev B or later	NR P&P, Lead, 8m long, E3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Plug (M)	006/189978	1
279	SE-SK 0354/14 Rev B or later	NR P&P, Lead, 15.5m long, E3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Plug (M)	006/189979	1
280	SE-SK 0354/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Plug (M)	006/189980	1
281	SE-SK 0846/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189086	1
282	SE-SK 0846/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189087	1
283	SE-SK 0846/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189088	1
284	SE-SK 0846/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189089	1
285	SE-SK 0846/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189090	1
286	SE-SK 0846/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/191586	1
287	SE-SK 0846/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/191587	1
288	SE-SK 0846/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/191588	1
289	SE-SK 0846/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/191589	1
290	SE-SK 0846/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/191590	1
291	SE-SK 0666/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189464	1
292	SE-SK 0666/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189406	1
293	SE-SK 0666/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189407	1
294	SE-SK 0666/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189408	1
295	SE-SK 0666/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189410	1
296	SE-SK 0666/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189786	1
297	SE-SK 0666/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189787	1
298	SE-SK 0666/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189788	1
299	SE-SK 0666/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189789	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABE 2 Description	PADS No.	Cert issue
300	SE-SK 0666/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189790	1
301	SE-SK 0639/21 Rev B or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188331	1
302	SE-SK 0639/22 Rev B or later	NR P&P, Interconnect, 7.5m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188332	1
303	SE-SK 0639/23 Rev B or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188333	1
304	SE-SK 0639/24 Rev B or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188334	1
305	SE-SK 0639/25 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188335	1
306	SE-SK 0639/31 Rev B or later	NR P&P, Interconnect, 4m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188731	1
307	SE-SK 0639/32 Rev B or later	NR P&P, Interconnect, 7.5m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188732	1
308	SE-SK 0639/33 Rev B or later	NR P&P, Interconnect, 15m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188733	1
309	SE-SK 0639/34 Rev B or later	NR P&P, Interconnect, 25m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188734	1
310	SE-SK 0639/35 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, E2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188735	1
311	SE-SK 0819/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188031	1
312	SE-SK 0819/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188032	1
313	SE-SK 0819/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188033	1
314	SE-SK 0819/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188034	1
315	SE-SK 0819/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188035	1
316	SE-SK 0819/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190531	1
317	SE-SK 0819/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190532	1
318	SE-SK 0819/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190533	1
319	SE-SK 0819/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190534	1
320	SE-SK 0819/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190535	1
321	SE-SK 0645/21 Rev B or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188356	1
322	SE-SK 0645/22 Rev B or later	NR P&P, Interconnect, 7.5m long, C2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188357	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABE 2 Description	PADS No.	Cert issue
323	SE-SK 0645/23 Rev B or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188358	1
324	SE-SK 0645/24 Rev B or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188359	1
325	SE-SK 0645/25 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188360	1
326	SE-SK 0645/31 Rev B or later	NR P&P, Interconnect, 4m long, E2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188756	1
327	SE-SK 0645/32 Rev B or later	NR P&P, Interconnect, 7.5m long, E2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188757	1
328	SE-SK 0645/33 Rev B or later	NR P&P, Interconnect, 15m long, E2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188758	1
329	SE-SK 0645/34 Rev B or later	NR P&P, Interconnect, 25m long, E2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188759	1
330	SE-SK 0645/35 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, E2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188760	1
331	SE-SK 0825/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188041	1
332	SE-SK 0825/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188042	1
333	SE-SK 0825/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188043	1
334	SE-SK 0825/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188044	1
335	SE-SK 0825/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188045	1
336	SE-SK 0825/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190541	1
337	SE-SK 0825/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190542	1
338	SE-SK 0825/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190543	1
339	SE-SK 0825/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190544	1
340	SE-SK 0825/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190545	1
341	SE-SK 0629/21 Rev B or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188301	1
342	SE-SK 0629/22 Rev B or later	NR P&P, Interconnect, 7.5m long, C2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188302	1
343	SE-SK 0629/23 Rev B or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188303	1
344	SE-SK 0629/24 Rev B or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188304	1
345	SE-SK 0629/25 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188305	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABE 2 Description	PADS No.	Cert issue
346	SE-SK 0629/31 Rev B or later	NR P&P, Interconnect, 4m long, E2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188701	1
347	SE-SK 0629/32 Rev B or later	NR P&P, Interconnect, 7.5m long, E2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188702	1
348	SE-SK 0629/33 Rev B or later	NR P&P, Interconnect, 15m long, E2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188703	1
349	SE-SK 0629/34 Rev B or later	NR P&P, Interconnect, 25m long, E2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188704	1
350	SE-SK 0629/35 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, E2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188705	1
351	SE-SK 0801/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188001	1
352	SE-SK 0801/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188002	1
353	SE-SK 0801/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188003	1
354	SE-SK 0801/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188004	1
355	SE-SK 0801/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188005	1
356	SE-SK 0801/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190501	1
357	SE-SK 0801/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190502	1
358	SE-SK 0801/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190503	1
359	SE-SK 0801/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190504	1
360	SE-SK 0801/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190505	1
361	SE-SK 0349/01 Rev B or later	NR P&P, Interconnect, 4m long, C3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188601	1
362	SE-SK 0349/02 Rev B or later	NR P&P, Interconnect, 7.5m long, C3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188602	1
363	SE-SK 0349/03 Rev B or later	NR P&P, Interconnect, 15m long, C3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188603	1
364	SE-SK 0349/04 Rev B or later	NR P&P, Interconnect, 25m long, C3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188604	1
365	SE-SK 0349/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188605	1
366	SE-SK 0349/11 Rev B or later	NR P&P, Interconnect, 4m long, E3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188971	1
367	SE-SK 0349/12 Rev B or later	NR P&P, Interconnect, 7.5m long, E3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188972	1
368	SE-SK 0349/13 Rev B or later	NR P&P, Interconnect, 15m long, E3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188973	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABE 2 Description	PADS No.	Cert issue
369	SE-SK 0349/14 Rev B or later	NR P&P, Interconnect, 25m long, E3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188974	1
370	SE-SK 0349/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, E3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188975	1
371	SE-SK 0661/21 Rev B or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188401	1
372	SE-SK 0661/22 Rev B or later	NR P&P, Interconnect, 7.5m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188402	1
373	SE-SK 0661/23 Rev B or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188403	1
374	SE-SK 0661/24 Rev B or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188404	1
375	SE-SK 0661/25 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188405	1
376	SE-SK 0661/31 Rev B or later	NR P&P, Interconnect, 4m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188801	1
377	SE-SK 0661/32 Rev B or later	NR P&P, Interconnect, 7.5m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188802	1
378	SE-SK 0661/33 Rev B or later	NR P&P, Interconnect, 15m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188803	1
379	SE-SK 0661/34 Rev B or later	NR P&P, Interconnect, 25m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188804	1
380	SE-SK 0661/35 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, E2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188805	1
381	SE-SK 0841/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188081	1
382	SE-SK 0841/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188082	1
383	SE-SK 0841/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188083	1
384	SE-SK 0841/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188084	1
385	SE-SK 0841/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188085	1
386	SE-SK 0841/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190581	1
387	SE-SK 0841/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190582	1
388	SE-SK 0841/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190583	1
389	SE-SK 0841/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190584	1
390	SE-SK 0841/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190585	1
391	SE-SK 0669/21 Rev B or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 16-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188421	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABE 2 Description	PADS No.	Cert issue
392	SE-SK 0669/22 Rev B or later	NR P&P, Interconnect, 7.5m long, C2 2.5sqmm 16-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188422	1
393	SE-SK 0669/23 Rev B or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 16-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188423	1
394	SE-SK 0669/24 Rev B or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 16-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188424	1
395	SE-SK 0669/25 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 16-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188425	1
396	SE-SK 0644/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189332	1
397	SE-SK 0644/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189331	1
398	SE-SK 0644/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189333	1
399	SE-SK 0644/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189334	1
400	SE-SK 0644/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189335	1
401	SE-SK 0644/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189731	1
402	SE-SK 0644/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189732	1
403	SE-SK 0644/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189733	1
404	SE-SK 0644/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189734	1
405	SE-SK 0644/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189735	1
406	SE-SK 0824/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189031	1
407	SE-SK 0824/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189032	1
408	SE-SK 0824/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189033	1
409	SE-SK 0824/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189034	1
410	SE-SK 0824/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189035	1
411	SE-SK 0824/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/191531	1
412	SE-SK 0824/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/191532	1
413	SE-SK 0824/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/191533	1
414	SE-SK 0824/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/191534	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABE 2 Description	PADS No.	Cert issue
415	SE-SK 0824/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/191535	1
416	SE-SK 0649/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (F)	006/189356	1
417	SE-SK 0649/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (F)	006/189357	1
418	SE-SK 0649/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (F)	006/189358	1
419	SE-SK 0649/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (F)	006/189359	1
420	SE-SK 0649/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (F)	006/189360	1
421	SE-SK 0649/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (F)	006/189741	1
422	SE-SK 0649/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (F)	006/189742	1
423	SE-SK 0649/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (F)	006/189743	1
424	SE-SK 0649/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (F)	006/189744	1
425	SE-SK 0649/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (F)	006/189745	1
426	SE-SK 0829/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (F)	006/189041	1
427	SE-SK 0829/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (F)	006/189042	1
428	SE-SK 0829/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (F)	006/189043	1
429	SE-SK 0829/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (F)	006/189044	1
430	SE-SK 0829/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (F)	006/189045	1
431	SE-SK 0829/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (F)	006/191541	1
432	SE-SK 0829/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (F)	006/191542	1
433	SE-SK 0829/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (F)	006/191543	1
434	SE-SK 0829/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (F)	006/191544	1
435	SE-SK 0829/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (F)	006/191545	1
436	SE-SK 0633/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189301	1
437	SE-SK 0633/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189302	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABE 2 Description	PADS No.	Cert issue
438	SE-SK 0633/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189303	1
439	SE-SK 0633/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189300	1
440	SE-SK 0633/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189305	1
441	SE-SK 0633/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189701	1
442	SE-SK 0633/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189702	1
443	SE-SK 0633/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189703	1
444	SE-SK 0633/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189704	1
445	SE-SK 0633/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189705	1
446	SE-SK 0805/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189001	1
447	SE-SK 0805/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189002	1
448	SE-SK 0805/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189003	1
449	SE-SK 0805/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189004	1
450	SE-SK 0805/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189005	1
451	SE-SK 0805/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/191501	1
452	SE-SK 0805/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/191502	1
453	SE-SK 0805/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/191503	1
454	SE-SK 0805/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/191504	1
455	SE-SK 0805/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/191505	1
456	SE-SK 0353/01 Rev B or later	NR P&P, Lead, 2m long, C3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Plug (F)	006/189602	1
457	SE-SK 0353/02 Rev B or later	NR P&P, Lead, 4m long, C3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Plug (F)	006/189601	1
458	SE-SK 0353/03 Rev B or later	NR P&P, Lead, 8m long, C3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Plug (F)	006/189603	1
459	SE-SK 0353/04 Rev B or later	NR P&P, Lead, 15.5m long, C3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Plug (F)	006/189604	1
460	SE-SK 0353/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Plug (F)	006/189605	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABE 2 Description	PADS No.	Cert issue
461	SE-SK 0353/11 Rev B or later	NR P&P, Lead, 2m long, E3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Plug (F)	006/189971	1
462	SE-SK 0353/12 Rev B or later	NR P&P, Lead, 4m long, E3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Plug (F)	006/189972	1
463	SE-SK 0353/13 Rev B or later	NR P&P, Lead, 8m long, E3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Plug (F)	006/189973	1
464	SE-SK 0353/14 Rev B or later	NR P&P, Lead, 15.5m long, E3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Plug (F)	006/189974	1
465	SE-SK 0353/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Plug (F)	006/189975	1
466	SE-SK 0665/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/189401	1
467	SE-SK 0665/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/189402	1
468	SE-SK 0665/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/189403	1
469	SE-SK 0665/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/189400	1
470	SE-SK 0665/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/189405	1
471	SE-SK 0665/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/189781	1
472	SE-SK 0665/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/189782	1
473	SE-SK 0665/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/189783	1
474	SE-SK 0665/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/189784	1
475	SE-SK 0665/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/189785	1
476	SE-SK 0845/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/189081	1
477	SE-SK 0845/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/189082	1
478	SE-SK 0845/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/189083	1
479	SE-SK 0845/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/189084	1
480	SE-SK 0845/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/189085	1
481	SE-SK 0845/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/191581	1
482	SE-SK 0845/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/191582	1
483	SE-SK 0845/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/191583	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilecsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 2 Description	PADS No.	Cert issue
484	SE-SK 0845/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/191584	1
485	SE-SK 0845/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/191585	1
486	SE-SK 0673/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 16-core cable, with Free End and MIL5015 Plug (F)	006/189421	1
487	SE-SK 0673/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 16-core cable, with Free End and MIL5015 Plug (F)	006/189422	1
488	SE-SK 0673/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 16-core cable, with Free End and MIL5015 Plug (F)	006/189423	1
489	SE-SK 0673/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 16-core cable, with Free End and MIL5015 Plug (F)	006/189424	1
490	SE-SK 0673/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 16-core cable, with Free End and MIL5015 Plug (F)	006/189425	1

**Table 3 Interconnects and Leads
Plug & Play Module 7
Appendix E1 – Signals & Indicators**

Ref	Network Rail Part No.	TABLE 3 Description	PADS No.	Cert issue
1	SE-SK 0848/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189091	1
2	SE-SK 0848/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189092	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 3 Description	PADS No.	Cert issue
3	SE-SK 0848/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189093	1
4	SE-SK 0848/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189094	1
5	SE-SK 0848/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189095	1
6	SE-SK 0848/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/191591	1
7	SE-SK 0848/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/191592	1
8	SE-SK 0848/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/191593	1
9	SE-SK 0848/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/191594	1
10	SE-SK 0848/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/191595	1
11	SE-SK 0668/21 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189412	1
12	SE-SK 0668/22 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189411	1
13	SE-SK 0668/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189413	1
14	SE-SK 0668/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189414	1
15	SE-SK 0668/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189415	1
16	SE-SK 0668/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189791	1
17	SE-SK 0668/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189792	1
18	SE-SK 0668/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189793	1
19	SE-SK 0668/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189794	1
20	SE-SK 0668/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189795	1
21	SE-SK 0840/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 10-core cable, with Free End and MIL5015 Receptacle (F)	006/189071	1
22	SE-SK 0840/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 10-core cable, with Free End and MIL5015 Receptacle (F)	006/189072	1
23	SE-SK 0840/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 10-core cable, with Free End and MIL5015 Receptacle (F)	006/189073	1
24	SE-SK 0840/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 10-core cable, with Free End and MIL5015 Receptacle (F)	006/189074	1
25	SE-SK 0840/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 10-core cable, with Free End and MIL5015 Receptacle (F)	006/189075	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 3 Description	PADS No.	Cert issue
26	SE-SK 0840/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 10-core cable, with Free End and MIL5015 Receptacle (F)	006/191571	1
27	SE-SK 0840/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 10-core cable, with Free End and MIL5015 Receptacle (F)	006/191572	1
28	SE-SK 0840/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 10-core cable, with Free End and MIL5015 Receptacle (F)	006/191573	1
29	SE-SK 0840/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 10-core cable, with Free End and MIL5015 Receptacle (F)	006/191574	1
30	SE-SK 0840/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 10-core cable, with Free End and MIL5015 Receptacle (F)	006/191575	1
31	SE-SK 0660/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 10-core cable, with Free End and MIL5015 Receptacle (F)	006/189387	1
32	SE-SK 0660/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 10-core cable, with Free End and MIL5015 Receptacle (F)	006/189386	1
33	SE-SK 0660/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 10-core cable, with Free End and MIL5015 Receptacle (F)	006/189388	1
34	SE-SK 0660/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 10-core cable, with Free End and MIL5015 Receptacle (F)	006/189389	1
35	SE-SK 0660/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 10-core cable, with Free End and MIL5015 Receptacle (F)	006/189390	1
36	SE-SK 0660/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 10-core cable, with Free End and MIL5015 Receptacle (F)	006/189771	1
37	SE-SK 0660/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 10-core cable, with Free End and MIL5015 Receptacle (F)	006/189772	1
38	SE-SK 0660/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 10-core cable, with Free End and MIL5015 Receptacle (F)	006/189773	1
39	SE-SK 0660/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 10-core cable, with Free End and MIL5015 Receptacle (F)	006/189774	1
40	SE-SK 0660/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 10-core cable, with Free End and MIL5015 Receptacle (F)	006/189775	1
41	SE-SK 0832/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189051	1
42	SE-SK 0832/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189052	1
43	SE-SK 0832/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189053	1
44	SE-SK 0832/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189054	1
45	SE-SK 0832/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189055	1
46	SE-SK 0832/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/191551	1
47	SE-SK 0832/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/191552	1
48	SE-SK 0832/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/191553	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 3 Description	PADS No.	Cert issue
49	SE-SK 0832/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/191554	1
50	SE-SK 0832/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/191555	1
51	SE-SK 0652/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189367	1
52	SE-SK 0652/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189366	1
53	SE-SK 0652/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189368	1
54	SE-SK 0652/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189369	1
55	SE-SK 0652/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189370	1
56	SE-SK 0652/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189751	1
57	SE-SK 0652/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189752	1
58	SE-SK 0652/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189753	1
59	SE-SK 0652/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189754	1
60	SE-SK 0652/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189755	1
61	SE-SK 0824/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189031	1
62	SE-SK 0824/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189032	1
63	SE-SK 0824/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189033	1
64	SE-SK 0824/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189034	1
65	SE-SK 0824/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189035	1
66	SE-SK 0824/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/191531	1
67	SE-SK 0824/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/191532	1
68	SE-SK 0824/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/191533	1
69	SE-SK 0824/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/191534	1
70	SE-SK 0824/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/191535	1
71	SE-SK 0644/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189332	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 3 Description	PADS No.	Cert issue
72	SE-SK 0644/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189331	1
73	SE-SK 0644/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189333	1
74	SE-SK 0644/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189334	1
75	SE-SK 0644/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189335	1
76	SE-SK 0644/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189731	1
77	SE-SK 0644/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189732	1
78	SE-SK 0644/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189733	1
79	SE-SK 0644/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189734	1
80	SE-SK 0644/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189735	1
81	SE-SK 0808/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189011	1
82	SE-SK 0808/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189012	1
83	SE-SK 0808/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189013	1
84	SE-SK 0808/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189014	1
85	SE-SK 0808/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189015	1
86	SE-SK 0808/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/191511	1
87	SE-SK 0808/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/191512	1
88	SE-SK 0808/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/191513	1
89	SE-SK 0808/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/191514	1
90	SE-SK 0808/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/191515	1
91	SE-SK 0636/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189312	1
92	SE-SK 0636/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189311	1
93	SE-SK 0636/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189313	1
94	SE-SK 0636/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189314	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 3 Description	PADS No.	Cert issue
95	SE-SK 0636/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189315	1
96	SE-SK 0636/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189711	1
97	SE-SK 0636/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189712	1
98	SE-SK 0636/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189713	1
99	SE-SK 0636/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189714	1
100	SE-SK 0636/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189715	1
101	SE-SK 0843/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188091	1
102	SE-SK 0843/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188092	1
103	SE-SK 0843/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188093	1
104	SE-SK 0843/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188094	1
105	SE-SK 0843/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188095	1
106	SE-SK 0843/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190591	1
107	SE-SK 0843/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190592	1
108	SE-SK 0843/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190593	1
109	SE-SK 0843/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190594	1
110	SE-SK 0843/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190595	1
111	SE-SK 0663/21 Rev B or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188411	1
112	SE-SK 0663/22 Rev B or later	NR P&P, Interconnect, 7.5m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188412	1
113	SE-SK 0663/23 Rev B or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188413	1
114	SE-SK 0663/24 Rev B or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188414	1
115	SE-SK 0663/25 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188415	1
116	SE-SK 0663/31 Rev B or later	NR P&P, Interconnect, 4m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188811	1
117	SE-SK 0663/32 Rev B or later	NR P&P, Interconnect, 7.5m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188812	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 3 Description	PADS No.	Cert issue
118	SE-SK 0663/33 Rev B or later	NR P&P, Interconnect, 15m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188813	1
119	SE-SK 0663/34 Rev B or later	NR P&P, Interconnect, 25m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188814	1
120	SE-SK 0663/35 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, E2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188815	1
121	SE-SK 0835/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 2.5sqmm 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188071	1
122	SE-SK 0835/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 2.5sqmm 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188072	1
123	SE-SK 0835/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 2.5sqmm 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188073	1
124	SE-SK 0835/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 2.5sqmm 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188074	1
125	SE-SK 0835/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 2.5sqmm 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188075	1
126	SE-SK 0835/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 2.5sqmm 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190571	1
127	SE-SK 0835/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 2.5sqmm 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190572	1
128	SE-SK 0835/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 2.5sqmm 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190573	1
129	SE-SK 0835/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 2.5sqmm 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190574	1
130	SE-SK 0835/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 2.5sqmm 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190575	1
131	SE-SK 0655/21 Rev B or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188386	1
132	SE-SK 0655/22 Rev B or later	NR P&P, Interconnect, 7.5m long, C2 2.5sqmm 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188387	1
133	SE-SK 0655/23 Rev B or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188388	1
134	SE-SK 0655/24 Rev B or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188389	1
135	SE-SK 0655/25 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188390	1
136	SE-SK 0655/31 Rev B or later	NR P&P, Interconnect, 4m long, E2 2.5sqmm 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188786	1
137	SE-SK 0655/32 Rev B or later	NR P&P, Interconnect, 7.5m long, E2 2.5sqmm 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188787	1
138	SE-SK 0655/33 Rev B or later	NR P&P, Interconnect, 15m long, E2 2.5sqmm 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188788	1
139	SE-SK 0655/34 Rev B or later	NR P&P, Interconnect, 25m long, E2 2.5sqmm 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188789	1
140	SE-SK 0655/35 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, E2 2.5sqmm 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188790	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilecsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 3 Description	PADS No.	Cert issue
141	SE-SK 0827/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188051	1
142	SE-SK 0827/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188052	1
143	SE-SK 0827/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188053	1
144	SE-SK 0827/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188054	1
145	SE-SK 0827/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188055	1
146	SE-SK 0827/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190551	1
147	SE-SK 0827/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190552	1
148	SE-SK 0827/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190553	1
149	SE-SK 0827/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190554	1
150	SE-SK 0827/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190555	1
151	SE-SK 0647/21 Rev B or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188366	1
152	SE-SK 0647/22 Rev B or later	NR P&P, Interconnect, 7.5m long, C2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188367	1
153	SE-SK 0647/23 Rev B or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188368	1
154	SE-SK 0647/24 Rev B or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188369	1
155	SE-SK 0647/25 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188370	1
156	SE-SK 0647/31 Rev B or later	NR P&P, Interconnect, 4m long, E2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188766	1
157	SE-SK 0647/32 Rev B or later	NR P&P, Interconnect, 7.5m long, E2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188767	1
158	SE-SK 0647/33 Rev B or later	NR P&P, Interconnect, 15m long, E2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188768	1
159	SE-SK 0647/34 Rev B or later	NR P&P, Interconnect, 25m long, E2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188769	1
160	SE-SK 0647/35 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, E2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188770	1
161	SE-SK 0819/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188031	1
162	SE-SK 0819/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188032	1
163	SE-SK 0819/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188033	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 3 Description	PADS No.	Cert issue
164	SE-SK 0819/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188034	1
165	SE-SK 0819/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188035	1
166	SE-SK 0819/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190531	1
167	SE-SK 0819/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190532	1
168	SE-SK 0819/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190533	1
169	SE-SK 0819/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190534	1
170	SE-SK 0819/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190535	1
171	SE-SK 0639/21 Rev B or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188331	1
172	SE-SK 0639/22 Rev B or later	NR P&P, Interconnect, 7.5m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188332	1
173	SE-SK 0639/23 Rev B or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188333	1
174	SE-SK 0639/24 Rev B or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188334	1
175	SE-SK 0639/25 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188335	1
176	SE-SK 0639/31 Rev B or later	NR P&P, Interconnect, 4m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188731	1
177	SE-SK 0639/32 Rev B or later	NR P&P, Interconnect, 7.5m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188732	1
178	SE-SK 0639/33 Rev B or later	NR P&P, Interconnect, 15m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188733	1
179	SE-SK 0639/34 Rev B or later	NR P&P, Interconnect, 25m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188734	1
180	SE-SK 0639/35 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, E2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188735	1
181	SE-SK 0803/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188011	1
182	SE-SK 0803/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188012	1
183	SE-SK 0803/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188013	1
184	SE-SK 0803/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188014	1
185	SE-SK 0803/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188015	1
186	SE-SK 0803/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190511	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 3 Description	PADS No.	Cert issue
187	SE-SK 0803/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190512	1
188	SE-SK 0803/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190513	1
189	SE-SK 0803/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190514	1
190	SE-SK 0803/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190515	1
191	SE-SK 0631/21 Rev B or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188311	1
192	SE-SK 0631/22 Rev B or later	NR P&P, Interconnect, 7.5m long, C2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188312	1
193	SE-SK 0631/23 Rev B or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188313	1
194	SE-SK 0631/24 Rev B or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188314	1
195	SE-SK 0631/25 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188315	1
196	SE-SK 0631/31 Rev B or later	NR P&P, Interconnect, 4m long, E2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188711	1
197	SE-SK 0631/32 Rev B or later	NR P&P, Interconnect, 7.5m long, E2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188712	1
198	SE-SK 0631/33 Rev B or later	NR P&P, Interconnect, 15m long, E2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188713	1
199	SE-SK 0631/34 Rev B or later	NR P&P, Interconnect, 25m long, E2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188714	1
200	SE-SK 0631/35 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, E2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188715	1
201	SE-SK 0846/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189086	1
202	SE-SK 0846/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189087	1
203	SE-SK 0846/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189088	1
204	SE-SK 0846/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189089	1
205	SE-SK 0846/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189090	1
206	SE-SK 0846/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/191586	1
207	SE-SK 0846/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/191587	1
208	SE-SK 0846/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/191588	1
209	SE-SK 0846/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/191589	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 3 Description	PADS No.	Cert issue
210	SE-SK 0846/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/191590	1
211	SE-SK 0666/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189464	1
212	SE-SK 0666/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189406	1
213	SE-SK 0666/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189407	1
214	SE-SK 0666/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189408	1
215	SE-SK 0666/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189410	1
216	SE-SK 0666/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189786	1
217	SE-SK 0666/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189787	1
218	SE-SK 0666/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189788	1
219	SE-SK 0666/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189789	1
220	SE-SK 0666/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189790	1
221	SE-SK 0838/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189066	1
222	SE-SK 0838/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189067	1
223	SE-SK 0838/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189068	1
224	SE-SK 0838/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189069	1
225	SE-SK 0838/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189070	1
226	SE-SK 0838/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/191566	1
227	SE-SK 0838/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/191567	1
228	SE-SK 0838/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/191568	1
229	SE-SK 0838/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/191569	1
230	SE-SK 0838/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/191570	1
231	SE-SK 0658/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189462	1
232	SE-SK 0658/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189381	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 3 Description	PADS No.	Cert issue
233	SE-SK 0658/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189382	1
234	SE-SK 0658/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189383	1
235	SE-SK 0658/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189385	1
236	SE-SK 0658/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189766	1
237	SE-SK 0658/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189767	1
238	SE-SK 0658/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189768	1
239	SE-SK 0658/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189769	1
240	SE-SK 0658/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189770	1
241	SE-SK 0830/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189046	1
242	SE-SK 0830/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189047	1
243	SE-SK 0830/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189048	1
244	SE-SK 0830/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189049	1
245	SE-SK 0830/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189050	1
246	SE-SK 0830/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/191546	1
247	SE-SK 0830/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/191547	1
248	SE-SK 0830/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/191548	1
249	SE-SK 0830/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/191549	1
250	SE-SK 0830/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/191550	1
251	SE-SK 0650/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189465	1
252	SE-SK 0650/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189361	1
253	SE-SK 0650/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189362	1
254	SE-SK 0650/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189363	1
255	SE-SK 0650/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189365	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 3 Description	PADS No.	Cert issue
256	SE-SK 0650/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189746	1
257	SE-SK 0650/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189747	1
258	SE-SK 0650/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189748	1
259	SE-SK 0650/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189749	1
260	SE-SK 0650/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189750	1
261	SE-SK 0822/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189026	1
262	SE-SK 0822/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189027	1
263	SE-SK 0822/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189028	1
264	SE-SK 0822/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189029	1
265	SE-SK 0822/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189030	1
266	SE-SK 0822/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/191526	1
267	SE-SK 0822/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/191527	1
268	SE-SK 0822/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/191528	1
269	SE-SK 0822/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/191529	1
270	SE-SK 0822/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/191530	1
271	SE-SK 0642/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189466	1
272	SE-SK 0642/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189326	1
273	SE-SK 0642/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189327	1
274	SE-SK 0642/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189328	1
275	SE-SK 0642/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189330	1
276	SE-SK 0642/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189726	1
277	SE-SK 0642/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189727	1
278	SE-SK 0642/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189728	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 3 Description	PADS No.	Cert issue
279	SE-SK 0642/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189729	1
280	SE-SK 0642/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189730	1
281	SE-SK 0806/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189006	1
282	SE-SK 0806/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189007	1
283	SE-SK 0806/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189008	1
284	SE-SK 0806/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189009	1
285	SE-SK 0806/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189010	1
286	SE-SK 0806/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/191506	1
287	SE-SK 0806/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/191507	1
288	SE-SK 0806/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/191508	1
289	SE-SK 0806/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/191509	1
290	SE-SK 0806/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/191510	1
291	SE-SK 0634/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189299	1
292	SE-SK 0634/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189306	1
293	SE-SK 0634/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189307	1
294	SE-SK 0634/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189308	1
295	SE-SK 0634/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189310	1
296	SE-SK 0634/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189706	1
297	SE-SK 0634/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189707	1
298	SE-SK 0634/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189708	1
299	SE-SK 0634/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189709	1
300	SE-SK 0634/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189710	1
301	SE-SK 0661/21 Rev B or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188401	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 3 Description	PADS No.	Cert issue
302	SE-SK 0661/22 Rev B or later	NR P&P, Interconnect, 7.5m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188402	1
303	SE-SK 0661/23 Rev B or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188403	1
304	SE-SK 0661/24 Rev B or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188404	1
305	SE-SK 0661/25 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188405	1
306	SE-SK 0661/31 Rev B or later	NR P&P, Interconnect, 4m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188801	1
307	SE-SK 0661/32 Rev B or later	NR P&P, Interconnect, 7.5m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188802	1
308	SE-SK 0661/33 Rev B or later	NR P&P, Interconnect, 15m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188803	1
309	SE-SK 0661/34 Rev B or later	NR P&P, Interconnect, 25m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188804	1
310	SE-SK 0661/35 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, E2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188805	1
311	SE-SK 0841/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188081	1
312	SE-SK 0841/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188082	1
313	SE-SK 0841/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188083	1
314	SE-SK 0841/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188084	1
315	SE-SK 0841/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188085	1
316	SE-SK 0841/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190581	1
317	SE-SK 0841/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190582	1
318	SE-SK 0841/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190583	1
319	SE-SK 0841/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190584	1
320	SE-SK 0841/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190585	1
321	SE-SK 0653/21 Rev B or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 10-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188376	1
322	SE-SK 0653/22 Rev B or later	NR P&P, Interconnect, 7.5m long, C2 2.5sqmm 10-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188377	1
323	SE-SK 0653/23 Rev B or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 10-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188378	1
324	SE-SK 0653/24 Rev B or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 10-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188379	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 3 Description	PADS No.	Cert issue
325	SE-SK 0653/25 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 10-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188380	1
326	SE-SK 0653/31 Rev B or later	NR P&P, Interconnect, 4m long, E2 2.5sqmm 10-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188776	1
327	SE-SK 0653/32 Rev B or later	NR P&P, Interconnect, 7.5m long, E2 2.5sqmm 10-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188777	1
328	SE-SK 0653/33 Rev B or later	NR P&P, Interconnect, 15m long, E2 2.5sqmm 10-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188778	1
329	SE-SK 0653/34 Rev B or later	NR P&P, Interconnect, 25m long, E2 2.5sqmm 10-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188779	1
330	SE-SK 0653/35 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, E2 2.5sqmm 10-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188780	1
331	SE-SK 0833/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 2.5sqmm 10-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188061	1
332	SE-SK 0833/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 2.5sqmm 10-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188062	1
333	SE-SK 0833/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 2.5sqmm 10-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188063	1
334	SE-SK 0833/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 2.5sqmm 10-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188064	1
335	SE-SK 0833/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 2.5sqmm 10-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188065	1
336	SE-SK 0833/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 2.5sqmm 10-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190561	1
337	SE-SK 0833/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 2.5sqmm 10-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190562	1
338	SE-SK 0833/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 2.5sqmm 10-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190563	1
339	SE-SK 0833/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 2.5sqmm 10-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190564	1
340	SE-SK 0833/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 2.5sqmm 10-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190565	1
341	SE-SK 0645/21 Rev B or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188356	1
342	SE-SK 0645/22 Rev B or later	NR P&P, Interconnect, 7.5m long, C2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188357	1
343	SE-SK 0645/23 Rev B or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188358	1
344	SE-SK 0645/24 Rev B or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188359	1
345	SE-SK 0645/25 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188360	1
346	SE-SK 0645/31 Rev B or later	NR P&P, Interconnect, 4m long, E2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188756	1
347	SE-SK 0645/32 Rev B or later	NR P&P, Interconnect, 7.5m long, E2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188757	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 3 Description	PADS No.	Cert issue
348	SE-SK 0645/33 Rev B or later	NR P&P, Interconnect, 15m long, E2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188758	1
349	SE-SK 0645/34 Rev B or later	NR P&P, Interconnect, 25m long, E2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188759	1
350	SE-SK 0645/35 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, E2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188760	1
351	SE-SK 0825/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188041	1
352	SE-SK 0825/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188042	1
353	SE-SK 0825/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188043	1
354	SE-SK 0825/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188044	1
355	SE-SK 0825/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188045	1
356	SE-SK 0825/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190541	1
357	SE-SK 0825/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190542	1
358	SE-SK 0825/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190543	1
359	SE-SK 0825/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190544	1
360	SE-SK 0825/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190545	1
361	SE-SK 0637/21 Rev B or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188321	1
362	SE-SK 0637/22 Rev B or later	NR P&P, Interconnect, 7.5m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188322	1
363	SE-SK 0637/23 Rev B or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188323	1
364	SE-SK 0637/24 Rev B or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188324	1
365	SE-SK 0637/25 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188325	1
366	SE-SK 0637/31 Rev B or later	NR P&P, Interconnect, 4m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188721	1
367	SE-SK 0637/32 Rev B or later	NR P&P, Interconnect, 7.5m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188722	1
368	SE-SK 0637/33 Rev B or later	NR P&P, Interconnect, 15m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188723	1
369	SE-SK 0637/34 Rev B or later	NR P&P, Interconnect, 25m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188724	1
370	SE-SK 0637/35 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, E2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188725	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 3 Description	PADS No.	Cert issue
371	SE-SK 0817/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188021	1
372	SE-SK 0817/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188022	1
373	SE-SK 0817/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188023	1
374	SE-SK 0817/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188024	1
375	SE-SK 0817/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188025	1
376	SE-SK 0817/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190521	1
377	SE-SK 0817/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190522	1
378	SE-SK 0817/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190523	1
379	SE-SK 0817/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190524	1
380	SE-SK 0817/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190525	1
381	SE-SK 0629/21 Rev B or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188301	1
382	SE-SK 0629/22 Rev B or later	NR P&P, Interconnect, 7.5m long, C2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188302	1
383	SE-SK 0629/23 Rev B or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188303	1
384	SE-SK 0629/24 Rev B or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188304	1
385	SE-SK 0629/25 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188305	1
386	SE-SK 0629/31 Rev B or later	NR P&P, Interconnect, 4m long, E2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188701	1
387	SE-SK 0629/32 Rev B or later	NR P&P, Interconnect, 7.5m long, E2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188702	1
388	SE-SK 0629/33 Rev B or later	NR P&P, Interconnect, 15m long, E2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188703	1
389	SE-SK 0629/34 Rev B or later	NR P&P, Interconnect, 25m long, E2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188704	1
390	SE-SK 0629/35 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, E2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188705	1
391	SE-SK 0801/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188001	1
392	SE-SK 0801/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188002	1
393	SE-SK 0801/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188003	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 3 Description	PADS No.	Cert issue
394	SE-SK 0801/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188004	1
395	SE-SK 0801/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188005	1
396	SE-SK 0801/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190501	1
397	SE-SK 0801/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190502	1
398	SE-SK 0801/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190503	1
399	SE-SK 0801/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190504	1
400	SE-SK 0801/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190505	1
401	SE-SK 0665/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/189401	1
402	SE-SK 0665/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/189402	1
403	SE-SK 0665/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/189403	1
404	SE-SK 0665/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/189400	1
405	SE-SK 0665/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/189405	1
406	SE-SK 0665/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/189781	1
407	SE-SK 0665/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/189782	1
408	SE-SK 0665/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/189783	1
409	SE-SK 0665/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/189784	1
410	SE-SK 0665/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/189785	1
411	SE-SK 0845/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/189081	1
412	SE-SK 0845/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/189082	1
413	SE-SK 0845/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/189083	1
414	SE-SK 0845/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/189084	1
415	SE-SK 0845/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/189085	1
416	SE-SK 0845/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/191581	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 3 Description	PADS No.	Cert issue
417	SE-SK 0845/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/191582	1
418	SE-SK 0845/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/191583	1
419	SE-SK 0845/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/191584	1
420	SE-SK 0845/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/191585	1
421	SE-SK 0657/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (F)	006/189376	1
422	SE-SK 0657/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (F)	006/189377	1
423	SE-SK 0657/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (F)	006/189378	1
424	SE-SK 0657/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (F)	006/189463	1
425	SE-SK 0657/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (F)	006/189380	1
426	SE-SK 0657/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (F)	006/189761	1
427	SE-SK 0657/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (F)	006/189762	1
428	SE-SK 0657/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (F)	006/189763	1
429	SE-SK 0657/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (F)	006/189764	1
430	SE-SK 0657/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (F)	006/189765	1
431	SE-SK 0837/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (F)	006/189061	1
432	SE-SK 0837/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (F)	006/189062	1
433	SE-SK 0837/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (F)	006/189063	1
434	SE-SK 0837/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (F)	006/189064	1
435	SE-SK 0837/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (F)	006/189065	1
436	SE-SK 0837/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (F)	006/191561	1
437	SE-SK 0837/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (F)	006/191562	1
438	SE-SK 0837/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (F)	006/191563	1
439	SE-SK 0837/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (F)	006/191564	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 3 Description	PADS No.	Cert issue
440	SE-SK 0837/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (F)	006/191565	1
441	SE-SK 0649/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (F)	006/189356	1
442	SE-SK 0649/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (F)	006/189357	1
443	SE-SK 0649/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (F)	006/189358	1
444	SE-SK 0649/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (F)	006/189359	1
445	SE-SK 0649/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (F)	006/189360	1
446	SE-SK 0649/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (F)	006/189741	1
447	SE-SK 0649/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (F)	006/189742	1
448	SE-SK 0649/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (F)	006/189743	1
449	SE-SK 0649/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (F)	006/189744	1
450	SE-SK 0649/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (F)	006/189745	1
451	SE-SK 0829/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (F)	006/189041	1
452	SE-SK 0829/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (F)	006/189042	1
453	SE-SK 0829/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (F)	006/189043	1
454	SE-SK 0829/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (F)	006/189044	1
455	SE-SK 0829/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (F)	006/189045	1
456	SE-SK 0829/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (F)	006/191541	1
457	SE-SK 0829/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (F)	006/191542	1
458	SE-SK 0829/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (F)	006/191543	1
459	SE-SK 0829/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (F)	006/191544	1
460	SE-SK 0829/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (F)	006/191545	1
461	SE-SK 0641/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189324	1
462	SE-SK 0641/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189321	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 3 Description	PADS No.	Cert issue
463	SE-SK 0641/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189322	1
464	SE-SK 0641/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189323	1
465	SE-SK 0641/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189325	1
466	SE-SK 0641/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189721	1
467	SE-SK 0641/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189722	1
468	SE-SK 0641/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189723	1
469	SE-SK 0641/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189724	1
470	SE-SK 0641/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189725	1
471	SE-SK 0821/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189021	1
472	SE-SK 0821/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189022	1
473	SE-SK 0821/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189023	1
474	SE-SK 0821/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189024	1
475	SE-SK 0821/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189025	1
476	SE-SK 0821/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/191521	1
477	SE-SK 0821/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/191522	1
478	SE-SK 0821/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/191523	1
479	SE-SK 0821/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/191524	1
480	SE-SK 0821/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/191525	1
481	SE-SK 0633/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189301	1
482	SE-SK 0633/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189302	1
483	SE-SK 0633/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189303	1
484	SE-SK 0633/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189300	1
485	SE-SK 0633/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189305	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 3 Description	PADS No.	Cert issue
486	SE-SK 0633/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189701	1
487	SE-SK 0633/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189702	1
488	SE-SK 0633/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189703	1
489	SE-SK 0633/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189704	1
490	SE-SK 0633/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189705	1
491	SE-SK 0805/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189001	1
492	SE-SK 0805/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189002	1
493	SE-SK 0805/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189003	1
494	SE-SK 0805/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189004	1
495	SE-SK 0805/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189005	1
496	SE-SK 0805/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/191501	1
497	SE-SK 0805/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/191502	1
498	SE-SK 0805/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/191503	1
499	SE-SK 0805/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/191504	1
500	SE-SK 0805/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/191505	1
501	SE-SK 0666/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189464	1
502	SE-SK 0666/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189406	1
503	SE-SK 0666/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189407	1
504	SE-SK 0666/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189408	1
505	SE-SK 0666/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189410	1
506	SE-SK 0666/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189786	1
507	SE-SK 0666/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189787	1
508	SE-SK 0666/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189788	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 3 Description	PADS No.	Cert issue
509	SE-SK 0666/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189789	1
510	SE-SK 0666/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189790	1
511	SE-SK 0846/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189086	1
512	SE-SK 0846/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189087	1
513	SE-SK 0846/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189088	1
514	SE-SK 0846/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189089	1
515	SE-SK 0846/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189090	1
516	SE-SK 0846/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/191586	1
517	SE-SK 0846/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/191587	1
518	SE-SK 0846/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/191588	1
519	SE-SK 0846/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/191589	1
520	SE-SK 0846/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/191590	1
521	SE-SK 0658/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189462	1
522	SE-SK 0658/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189381	1
523	SE-SK 0658/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189382	1
524	SE-SK 0658/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189383	1
525	SE-SK 0658/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189385	1
526	SE-SK 0658/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189766	1
527	SE-SK 0658/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189767	1
528	SE-SK 0658/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189768	1
529	SE-SK 0658/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189769	1
530	SE-SK 0658/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189770	1
531	SE-SK 0838/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189066	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 3 Description	PADS No.	Cert issue
532	SE-SK 0838/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189067	1
533	SE-SK 0838/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189068	1
534	SE-SK 0838/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189069	1
535	SE-SK 0838/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189070	1
536	SE-SK 0838/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/191566	1
537	SE-SK 0838/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/191567	1
538	SE-SK 0838/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/191568	1
539	SE-SK 0838/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/191569	1
540	SE-SK 0838/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/191570	1
541	SE-SK 0650/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189465	1
542	SE-SK 0650/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189361	1
543	SE-SK 0650/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189362	1
544	SE-SK 0650/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189363	1
545	SE-SK 0650/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189365	1
546	SE-SK 0650/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189746	1
547	SE-SK 0650/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189747	1
548	SE-SK 0650/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189748	1
549	SE-SK 0650/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189749	1
550	SE-SK 0650/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189750	1
551	SE-SK 0830/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189046	1
552	SE-SK 0830/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189047	1
553	SE-SK 0830/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189048	1
554	SE-SK 0830/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189049	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 3 Description	PADS No.	Cert issue
555	SE-SK 0830/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189050	1
556	SE-SK 0830/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/191546	1
557	SE-SK 0830/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/191547	1
558	SE-SK 0830/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/191548	1
559	SE-SK 0830/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/191549	1
560	SE-SK 0830/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/191550	1
561	SE-SK 0642/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189466	1
562	SE-SK 0642/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189326	1
563	SE-SK 0642/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189327	1
564	SE-SK 0642/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189328	1
565	SE-SK 0642/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189330	1
566	SE-SK 0642/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189726	1
567	SE-SK 0642/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189727	1
568	SE-SK 0642/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189728	1
569	SE-SK 0642/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189729	1
570	SE-SK 0642/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189730	1
571	SE-SK 0822/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189026	1
572	SE-SK 0822/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189027	1
573	SE-SK 0822/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189028	1
574	SE-SK 0822/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189029	1
575	SE-SK 0822/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189030	1
576	SE-SK 0822/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/191526	1
577	SE-SK 0822/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/191527	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 3 Description	PADS No.	Cert issue
578	SE-SK 0822/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/191528	1
579	SE-SK 0822/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/191529	1
580	SE-SK 0822/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/191530	1
581	SE-SK 0634/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189299	1
582	SE-SK 0634/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189306	1
583	SE-SK 0634/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189307	1
584	SE-SK 0634/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189308	1
585	SE-SK 0634/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189310	1
586	SE-SK 0634/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189706	1
587	SE-SK 0634/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189707	1
588	SE-SK 0634/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189708	1
589	SE-SK 0634/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189709	1
590	SE-SK 0634/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189710	1
591	SE-SK 0806/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189006	1
592	SE-SK 0806/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189007	1
593	SE-SK 0806/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189008	1
594	SE-SK 0806/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189009	1
595	SE-SK 0806/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189010	1
596	SE-SK 0806/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/191506	1
597	SE-SK 0806/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/191507	1
598	SE-SK 0806/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/191508	1
599	SE-SK 0806/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/191509	1
600	SE-SK 0806/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/191510	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

**Table 4 Interconnects and Leads
Plug & Play Module 7
Appendix E2 – Signals & Indicators**

Ref	Network Rail Part No.	TABLE 4 Description	PADS No.	Cert issue
1	SE-SK 0848/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189091	1
2	SE-SK 0848/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189092	1
3	SE-SK 0848/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189093	1
4	SE-SK 0848/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189094	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 4 Description	PADS No.	Cert issue
5	SE-SK 0848/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189095	1
6	SE-SK 0848/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/191591	1
7	SE-SK 0848/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/191592	1
8	SE-SK 0848/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/191593	1
9	SE-SK 0848/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/191594	1
10	SE-SK 0848/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/191595	1
11	SE-SK 0668/21 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189412	1
12	SE-SK 0668/22 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189411	1
13	SE-SK 0668/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189413	1
14	SE-SK 0668/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189414	1
15	SE-SK 0668/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189415	1
16	SE-SK 0668/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189791	1
17	SE-SK 0668/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189792	1
18	SE-SK 0668/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189793	1
19	SE-SK 0668/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189794	1
20	SE-SK 0668/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189795	1
21	SE-SK 0832/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189051	1
22	SE-SK 0832/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189052	1
23	SE-SK 0832/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189053	1
24	SE-SK 0832/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189054	1
25	SE-SK 0832/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189055	1
26	SE-SK 0832/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/191551	1
27	SE-SK 0832/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/191552	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 4 Description	PADS No.	Cert issue
28	SE-SK 0832/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/191553	1
29	SE-SK 0832/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/191554	1
30	SE-SK 0832/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/191555	1
31	SE-SK 0652/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189367	1
32	SE-SK 0652/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189366	1
33	SE-SK 0652/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189368	1
34	SE-SK 0652/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189369	1
35	SE-SK 0652/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189370	1
36	SE-SK 0652/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189751	1
37	SE-SK 0652/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189752	1
38	SE-SK 0652/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189753	1
39	SE-SK 0652/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189754	1
40	SE-SK 0652/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189755	1
41	SE-SK 0824/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189031	1
42	SE-SK 0824/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189032	1
43	SE-SK 0824/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189033	1
44	SE-SK 0824/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189034	1
45	SE-SK 0824/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189035	1
46	SE-SK 0824/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/191531	1
47	SE-SK 0824/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/191532	1
48	SE-SK 0824/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/191533	1
49	SE-SK 0824/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/191534	1
50	SE-SK 0824/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/191535	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 4 Description	PADS No.	Cert issue
51	SE-SK 0644/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189332	1
52	SE-SK 0644/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189331	1
53	SE-SK 0644/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189333	1
54	SE-SK 0644/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189334	1
55	SE-SK 0644/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189335	1
56	SE-SK 0644/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189731	1
57	SE-SK 0644/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189732	1
58	SE-SK 0644/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189733	1
59	SE-SK 0644/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189734	1
60	SE-SK 0644/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189735	1
61	SE-SK 0843/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188091	1
62	SE-SK 0843/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188092	1
63	SE-SK 0843/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188093	1
64	SE-SK 0843/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188094	1
65	SE-SK 0843/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188095	1
66	SE-SK 0843/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190591	1
67	SE-SK 0843/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190592	1
68	SE-SK 0843/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190593	1
69	SE-SK 0843/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190594	1
70	SE-SK 0843/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190595	1
71	SE-SK 0663/21 Rev B or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188411	1
72	SE-SK 0663/22 Rev B or later	NR P&P, Interconnect, 7.5m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188412	1
73	SE-SK 0663/23 Rev B or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188413	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 4 Description	PADS No.	Cert issue
74	SE-SK 0663/24 Rev B or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188414	1
75	SE-SK 0663/25 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188415	1
76	SE-SK 0663/31 Rev B or later	NR P&P, Interconnect, 4m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188811	1
77	SE-SK 0663/32 Rev B or later	NR P&P, Interconnect, 7.5m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188812	1
78	SE-SK 0663/33 Rev B or later	NR P&P, Interconnect, 15m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188813	1
79	SE-SK 0663/34 Rev B or later	NR P&P, Interconnect, 25m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188814	1
80	SE-SK 0663/35 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, E2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188815	1
81	SE-SK 0827/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188051	1
82	SE-SK 0827/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188052	1
83	SE-SK 0827/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188053	1
84	SE-SK 0827/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188054	1
85	SE-SK 0827/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188055	1
86	SE-SK 0827/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190551	1
87	SE-SK 0827/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190552	1
88	SE-SK 0827/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190553	1
89	SE-SK 0827/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190554	1
90	SE-SK 0827/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190555	1
91	SE-SK 0647/21 Rev B or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188366	1
92	SE-SK 0647/22 Rev B or later	NR P&P, Interconnect, 7.5m long, C2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188367	1
93	SE-SK 0647/23 Rev B or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188368	1
94	SE-SK 0647/24 Rev B or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188369	1
95	SE-SK 0647/25 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188370	1
96	SE-SK 0647/31 Rev B or later	NR P&P, Interconnect, 4m long, E2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188766	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 4 Description	PADS No.	Cert issue
97	SE-SK 0647/32 Rev B or later	NR P&P, Interconnect, 7.5m long, E2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188767	1
98	SE-SK 0647/33 Rev B or later	NR P&P, Interconnect, 15m long, E2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188768	1
99	SE-SK 0647/34 Rev B or later	NR P&P, Interconnect, 25m long, E2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188769	1
100	SE-SK 0647/35 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, E2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188770	1
101	SE-SK 0819/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188031	1
102	SE-SK 0819/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188032	1
103	SE-SK 0819/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188033	1
104	SE-SK 0819/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188034	1
105	SE-SK 0819/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188035	1
106	SE-SK 0819/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190531	1
107	SE-SK 0819/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190532	1
108	SE-SK 0819/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190533	1
109	SE-SK 0819/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190534	1
110	SE-SK 0819/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190535	1
111	SE-SK 0639/21 Rev B or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188331	1
112	SE-SK 0639/22 Rev B or later	NR P&P, Interconnect, 7.5m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188332	1
113	SE-SK 0639/23 Rev B or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188333	1
114	SE-SK 0639/24 Rev B or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188334	1
115	SE-SK 0639/25 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188335	1
116	SE-SK 0639/31 Rev B or later	NR P&P, Interconnect, 4m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188731	1
117	SE-SK 0639/32 Rev B or later	NR P&P, Interconnect, 7.5m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188732	1
118	SE-SK 0639/33 Rev B or later	NR P&P, Interconnect, 15m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188733	1
119	SE-SK 0639/34 Rev B or later	NR P&P, Interconnect, 25m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188734	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 4 Description	PADS No.	Cert issue
120	SE-SK 0639/35 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, E2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188735	1
121	SE-SK 0846/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189086	1
122	SE-SK 0846/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189087	1
123	SE-SK 0846/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189088	1
124	SE-SK 0846/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189089	1
125	SE-SK 0846/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189090	1
126	SE-SK 0846/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/191586	1
127	SE-SK 0846/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/191587	1
128	SE-SK 0846/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/191588	1
129	SE-SK 0846/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/191589	1
130	SE-SK 0846/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/191590	1
131	SE-SK 0666/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189464	1
132	SE-SK 0666/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189406	1
133	SE-SK 0666/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189407	1
134	SE-SK 0666/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189408	1
135	SE-SK 0666/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189410	1
136	SE-SK 0666/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189786	1
137	SE-SK 0666/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189787	1
138	SE-SK 0666/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189788	1
139	SE-SK 0666/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189789	1
140	SE-SK 0666/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189790	1
141	SE-SK 0830/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189046	1
142	SE-SK 0830/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189047	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 4 Description	PADS No.	Cert issue
143	SE-SK 0830/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189048	1
144	SE-SK 0830/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189049	1
145	SE-SK 0830/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189050	1
146	SE-SK 0830/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/191546	1
147	SE-SK 0830/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/191547	1
148	SE-SK 0830/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/191548	1
149	SE-SK 0830/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/191549	1
150	SE-SK 0830/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/191550	1
151	SE-SK 0650/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189465	1
152	SE-SK 0650/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189361	1
153	SE-SK 0650/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189362	1
154	SE-SK 0650/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189363	1
155	SE-SK 0650/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189365	1
156	SE-SK 0650/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189746	1
157	SE-SK 0650/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189747	1
158	SE-SK 0650/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189748	1
159	SE-SK 0650/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189749	1
160	SE-SK 0650/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189750	1
161	SE-SK 0822/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189026	1
162	SE-SK 0822/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189027	1
163	SE-SK 0822/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189028	1
164	SE-SK 0822/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189029	1
165	SE-SK 0822/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189030	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 4 Description	PADS No.	Cert issue
166	SE-SK 0822/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/191526	1
167	SE-SK 0822/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/191527	1
168	SE-SK 0822/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/191528	1
169	SE-SK 0822/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/191529	1
170	SE-SK 0822/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/191530	1
171	SE-SK 0642/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189466	1
172	SE-SK 0642/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189326	1
173	SE-SK 0642/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189327	1
174	SE-SK 0642/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189328	1
175	SE-SK 0642/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189330	1
176	SE-SK 0642/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189726	1
177	SE-SK 0642/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189727	1
178	SE-SK 0642/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189728	1
179	SE-SK 0642/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189729	1
180	SE-SK 0642/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189730	1
181	SE-SK 0911/06 Rev B or later	NR P&P, Interconnect, 6m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190391	1
182	SE-SK 0911/10 Rev B or later	NR P&P, Interconnect, 10m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190392	1
183	SE-SK 0911/20 Rev B or later	NR P&P, Interconnect, 20m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190393	1
184	SE-SK 0911/25 Rev B or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190394	1
185	SE-SK 0911/26 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190395	1
186	SE-SK 0911/36 Rev B or later	NR P&P, Interconnect, 6m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190396	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 4 Description	PADS No.	Cert issue
187	SE-SK 0911/40 Rev B or later	NR P&P, Interconnect, 10m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190397	1
188	SE-SK 0911/50 Rev B or later	NR P&P, Interconnect, 20m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190398	1
189	SE-SK 0911/55 Rev B or later	NR P&P, Interconnect, 25m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190399	1
190	SE-SK 0911/56 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, E2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190400	1
191	SE-SK 0910/06 Rev B or later	NR P&P, Interconnect, 6m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190381	1
192	SE-SK 0910/10 Rev B or later	NR P&P, Interconnect, 10m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190382	1
193	SE-SK 0910/20 Rev B or later	NR P&P, Interconnect, 20m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190383	1
194	SE-SK 0910/25 Rev B or later	NR P&P, Interconnect, 25m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190384	1
195	SE-SK 0910/26 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190385	1
196	SE-SK 0910/36 Rev B or later	NR P&P, Interconnect, 6m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190386	1
197	SE-SK 0910/40 Rev B or later	NR P&P, Interconnect, 10m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190387	1
198	SE-SK 0910/50 Rev B or later	NR P&P, Interconnect, 20m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190388	1
199	SE-SK 0910/55 Rev B or later	NR P&P, Interconnect, 25m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190389	1
200	SE-SK 0910/56 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190390	1
201	SE-SK 0939/06 Rev B or later	NR P&P, Interconnect, 6m long, C2 2.5sqmm 7-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190671	1
202	SE-SK 0939/10 Rev B or later	NR P&P, Interconnect, 10m long, C2 2.5sqmm 7-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190672	1

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 4 Description	PADS No.	Cert issue
203	SE-SK 0939/20 Rev B or later	NR P&P, Interconnect, 20m long, C2 2.5sqmm 7-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190673	1
204	SE-SK 0939/25 Rev B or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 7-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190674	1
205	SE-SK 0939/26 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 7-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190675	1
206	SE-SK 0939/36 Rev B or later	NR P&P, Interconnect, 6m long, E2 2.5sqmm 7-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190676	1
207	SE-SK 0939/40 Rev B or later	NR P&P, Interconnect, 10m long, E2 2.5sqmm 7-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190677	1
208	SE-SK 0939/50 Rev B or later	NR P&P, Interconnect, 20m long, E2 2.5sqmm 7-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190678	1
209	SE-SK 0939/55 Rev B or later	NR P&P, Interconnect, 25m long, E2 2.5sqmm 7-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190679	1
210	SE-SK 0939/56 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, E2 2.5sqmm 7-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190680	1
211	SE-SK 0938/06 Rev B or later	NR P&P, Interconnect, 6m long, B2 2.5sqmm 7-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190661	1
212	SE-SK 0938/10 Rev B or later	NR P&P, Interconnect, 10m long, B2 2.5sqmm 7-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190662	1
213	SE-SK 0938/20 Rev B or later	NR P&P, Interconnect, 20m long, B2 2.5sqmm 7-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190663	1
214	SE-SK 0938/25 Rev B or later	NR P&P, Interconnect, 25m long, B2 2.5sqmm 7-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190664	1
215	SE-SK 0938/26 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 2.5sqmm 7-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190665	1
216	SE-SK 0938/36 Rev B or later	NR P&P, Interconnect, 6m long, D2 2.5sqmm 7-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190666	1
217	SE-SK 0938/40 Rev B or later	NR P&P, Interconnect, 10m long, D2 2.5sqmm 7-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190667	1
218	SE-SK 0938/50 Rev B or later	NR P&P, Interconnect, 20m long, D2 2.5sqmm 7-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190668	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 4 Description	PADS No.	Cert issue
219	SE-SK 0938/55 Rev B or later	NR P&P, Interconnect, 25m long, D2 2.5sqmm 7-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190669	1
220	SE-SK 0938/56 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 2.5sqmm 7-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190670	1
221	SE-SK 0932/06 Rev B or later	NR P&P, Interconnect, 6m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190651	1
222	SE-SK 0932/10 Rev B or later	NR P&P, Interconnect, 10m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190652	1
223	SE-SK 0932/20 Rev B or later	NR P&P, Interconnect, 20m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190653	1
224	SE-SK 0932/25 Rev B or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190654	1
225	SE-SK 0932/26 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190655	1
226	SE-SK 0932/36 Rev B or later	NR P&P, Interconnect, 6m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190656	1
227	SE-SK 0932/40 Rev B or later	NR P&P, Interconnect, 10m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190657	1
228	SE-SK 0932/50 Rev B or later	NR P&P, Interconnect, 20m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190658	1
229	SE-SK 0932/55 Rev B or later	NR P&P, Interconnect, 25m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190659	1
230	SE-SK 0932/56 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, E2 2.5sqmm 4-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190660	1
231	SE-SK 0931/06 Rev B or later	NR P&P, Interconnect, 6m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190641	1
232	SE-SK 0931/10 Rev B or later	NR P&P, Interconnect, 10m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190642	1
233	SE-SK 0931/20 Rev B or later	NR P&P, Interconnect, 20m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190643	1
234	SE-SK 0931/25 Rev B or later	NR P&P, Interconnect, 25m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190644	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 4 Description	PADS No.	Cert issue
235	SE-SK 0931/26 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 2.5sqmm 4-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190645	1
236	SE-SK 0931/36 Rev B or later	NR P&P, Interconnect, 6m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190646	1
237	SE-SK 0931/40 Rev B or later	NR P&P, Interconnect, 10m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190647	1
238	SE-SK 0931/50 Rev B or later	NR P&P, Interconnect, 20m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190648	1
239	SE-SK 0931/55 Rev B or later	NR P&P, Interconnect, 25m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190649	1
240	SE-SK 0931/56 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 2.5sqmm 4-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190650	1
241	SE-SK 0913/01 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/189286	1
242	SE-SK 0913/02 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/189287	1
243	SE-SK 0913/03 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/189288	1
244	SE-SK 0913/04 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/189289	1
245	SE-SK 0913/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/189290	1
246	SE-SK 0913/11 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/189296	1
247	SE-SK 0913/12 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/189297	1
248	SE-SK 0913/13 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/189298	1
249	SE-SK 0913/14 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/189467	1
250	SE-SK 0913/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/189468	1
251	SE-SK 0912/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/189281	1
252	SE-SK 0912/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/189282	1
253	SE-SK 0912/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/189283	1
254	SE-SK 0912/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/189284	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 4 Description	PADS No.	Cert issue
255	SE-SK 0912/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/189285	1
256	SE-SK 0912/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/189291	1
257	SE-SK 0912/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/189292	1
258	SE-SK 0912/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/189293	1
259	SE-SK 0912/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/189294	1
260	SE-SK 0912/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/189295	1
261	SE-SK 0943/01 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 7-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/191671	1
262	SE-SK 0943/02 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 7-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/191672	1
263	SE-SK 0943/03 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 7-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/191673	1
264	SE-SK 0943/04 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 7-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/191674	1
265	SE-SK 0943/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 7-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/191675	1
266	SE-SK 0943/11 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 7-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/191676	1
267	SE-SK 0943/12 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 7-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/191677	1
268	SE-SK 0943/13 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 7-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/191678	1
269	SE-SK 0943/14 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 7-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/191679	1
270	SE-SK 0943/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 7-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/191680	1
271	SE-SK 0942/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 7-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/191661	1
272	SE-SK 0942/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 7-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/191662	1
273	SE-SK 0942/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 7-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/191663	1
274	SE-SK 0942/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 7-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/191664	1
275	SE-SK 0942/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 7-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/191665	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 4 Description	PADS No.	Cert issue
276	SE-SK 0942/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 7-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/191666	1
277	SE-SK 0942/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 7-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/191667	1
278	SE-SK 0942/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 7-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/191668	1
279	SE-SK 0942/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 7-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/191669	1
280	SE-SK 0942/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 7-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/191670	1
281	SE-SK 0934/01 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/191651	1
282	SE-SK 0934/02 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/191652	1
283	SE-SK 0934/03 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/191653	1
284	SE-SK 0934/04 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/191654	1
285	SE-SK 0934/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/191655	1
286	SE-SK 0934/11 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/191656	1
287	SE-SK 0934/12 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/191657	1
288	SE-SK 0934/13 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/191658	1
289	SE-SK 0934/14 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/191659	1
290	SE-SK 0934/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 4-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/191660	1
291	SE-SK 0933/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/191641	1
292	SE-SK 0933/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/191642	1
293	SE-SK 0933/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/191643	1
294	SE-SK 0933/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/191644	1
295	SE-SK 0933/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 4-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/191645	1
296	SE-SK 0933/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/191646	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 4 Description	PADS No.	Cert issue
297	SE-SK 0933/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/191647	1
298	SE-SK 0933/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/191648	1
299	SE-SK 0933/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/191649	1
300	SE-SK 0933/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 4-core cable, with MIL5015 Plug (F 90°) to Free End. For Signal Structures & VMS Signals	006/191650	1

**Table 5 Interconnects and Leads
Plug & Play Module 7
Appendix E3 – Signals & Indicators**

Ref	Network Rail Part No.	TABLE 5 Description	PADS No.	Cert issue
1	SE-SK 0808/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189011	1
2	SE-SK 0808/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189012	1
3	SE-SK 0808/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189013	1
4	SE-SK 0808/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189014	1
5	SE-SK 0808/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189015	1
6	SE-SK 0808/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/191511	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 5 Description	PADS No.	Cert issue
7	SE-SK 0808/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/191512	1
8	SE-SK 0808/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/191513	1
9	SE-SK 0808/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/191514	1
10	SE-SK 0808/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/191515	1
11	SE-SK 0636/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189312	1
12	SE-SK 0636/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189311	1
13	SE-SK 0636/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189313	1
14	SE-SK 0636/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189314	1
15	SE-SK 0636/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189315	1
16	SE-SK 0636/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189711	1
17	SE-SK 0636/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189712	1
18	SE-SK 0636/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189713	1
19	SE-SK 0636/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189714	1
20	SE-SK 0636/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189715	1
21	SE-SK 0824/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189031	1
22	SE-SK 0824/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189032	1
23	SE-SK 0824/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189033	1
24	SE-SK 0824/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189034	1
25	SE-SK 0824/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189035	1
26	SE-SK 0824/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/191531	1
27	SE-SK 0824/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/191532	1
28	SE-SK 0824/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/191533	1
29	SE-SK 0824/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/191534	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 5 Description	PADS No.	Cert issue
30	SE-SK 0824/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/191535	1
31	SE-SK 0644/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189332	1
32	SE-SK 0644/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189331	1
33	SE-SK 0644/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189333	1
34	SE-SK 0644/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189334	1
35	SE-SK 0644/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189335	1
36	SE-SK 0644/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189731	1
37	SE-SK 0644/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189732	1
38	SE-SK 0644/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189733	1
39	SE-SK 0644/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189734	1
40	SE-SK 0644/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189735	1
41	SE-SK 0832/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189051	1
42	SE-SK 0832/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189052	1
43	SE-SK 0832/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189053	1
44	SE-SK 0832/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189054	1
45	SE-SK 0832/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189055	1
46	SE-SK 0832/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/191551	1
47	SE-SK 0832/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/191552	1
48	SE-SK 0832/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/191553	1
49	SE-SK 0832/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/191554	1
50	SE-SK 0832/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/191555	1
51	SE-SK 0652/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189367	1
52	SE-SK 0652/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189366	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 5 Description	PADS No.	Cert issue
53	SE-SK 0652/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189368	1
54	SE-SK 0652/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189369	1
55	SE-SK 0652/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189370	1
56	SE-SK 0652/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189751	1
57	SE-SK 0652/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189752	1
58	SE-SK 0652/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189753	1
59	SE-SK 0652/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189754	1
60	SE-SK 0652/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189755	1
61	SE-SK 0803/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188011	1
62	SE-SK 0803/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188012	1
63	SE-SK 0803/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188013	1
64	SE-SK 0803/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188014	1
65	SE-SK 0803/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188015	1
66	SE-SK 0803/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190511	1
67	SE-SK 0803/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190512	1
68	SE-SK 0803/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190513	1
69	SE-SK 0803/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190514	1
70	SE-SK 0803/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190515	1
71	SE-SK 0631/21 Rev B or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188311	1
72	SE-SK 0631/22 Rev B or later	NR P&P, Interconnect, 7.5m long, C2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188312	1
73	SE-SK 0631/23 Rev B or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188313	1
74	SE-SK 0631/24 Rev B or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188314	1
75	SE-SK 0631/25 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188315	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 5 Description	PADS No.	Cert issue
76	SE-SK 0631/31 Rev B or later	NR P&P, Interconnect, 4m long, E2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188711	1
77	SE-SK 0631/32 Rev B or later	NR P&P, Interconnect, 7.5m long, E2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188712	1
78	SE-SK 0631/33 Rev B or later	NR P&P, Interconnect, 15m long, E2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188713	1
79	SE-SK 0631/34 Rev B or later	NR P&P, Interconnect, 25m long, E2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188714	1
80	SE-SK 0631/35 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, E2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188715	1
81	SE-SK 0819/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188031	1
82	SE-SK 0819/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188032	1
83	SE-SK 0819/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188033	1
84	SE-SK 0819/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188034	1
85	SE-SK 0819/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188035	1
86	SE-SK 0819/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190531	1
87	SE-SK 0819/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190532	1
88	SE-SK 0819/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190533	1
89	SE-SK 0819/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190534	1
90	SE-SK 0819/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190535	1
91	SE-SK 0639/21 Rev B or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188331	1
92	SE-SK 0639/22 Rev B or later	NR P&P, Interconnect, 7.5m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188332	1
93	SE-SK 0639/23 Rev B or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188333	1
94	SE-SK 0639/24 Rev B or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188334	1
95	SE-SK 0639/25 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188335	1
96	SE-SK 0639/31 Rev B or later	NR P&P, Interconnect, 4m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188731	1
97	SE-SK 0639/32 Rev B or later	NR P&P, Interconnect, 7.5m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188732	1
98	SE-SK 0639/33 Rev B or later	NR P&P, Interconnect, 15m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188733	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 5 Description	PADS No.	Cert issue
99	SE-SK 0639/34 Rev B or later	NR P&P, Interconnect, 25m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188734	1
100	SE-SK 0639/35 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, E2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188735	1
101	SE-SK 0827/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188051	1
102	SE-SK 0827/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188052	1
103	SE-SK 0827/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188053	1
104	SE-SK 0827/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188054	1
105	SE-SK 0827/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188055	1
106	SE-SK 0827/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190551	1
107	SE-SK 0827/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190552	1
108	SE-SK 0827/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190553	1
109	SE-SK 0827/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190554	1
110	SE-SK 0827/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190555	1
111	SE-SK 0647/21 Rev B or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188366	1
112	SE-SK 0647/22 Rev B or later	NR P&P, Interconnect, 7.5m long, C2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188367	1
113	SE-SK 0647/23 Rev B or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188368	1
114	SE-SK 0647/24 Rev B or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188369	1
115	SE-SK 0647/25 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188370	1
116	SE-SK 0647/31 Rev B or later	NR P&P, Interconnect, 4m long, E2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188766	1
117	SE-SK 0647/32 Rev B or later	NR P&P, Interconnect, 7.5m long, E2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188767	1
118	SE-SK 0647/33 Rev B or later	NR P&P, Interconnect, 15m long, E2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188768	1
119	SE-SK 0647/34 Rev B or later	NR P&P, Interconnect, 25m long, E2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188769	1
120	SE-SK 0647/35 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, E2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188770	1
121	SE-SK 0806/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189006	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 5 Description	PADS No.	Cert issue
122	SE-SK 0806/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189007	1
123	SE-SK 0806/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189008	1
124	SE-SK 0806/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189009	1
125	SE-SK 0806/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189010	1
126	SE-SK 0806/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/191506	1
127	SE-SK 0806/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/191507	1
128	SE-SK 0806/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/191508	1
129	SE-SK 0806/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/191509	1
130	SE-SK 0806/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/191510	1
131	SE-SK 0634/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189299	1
132	SE-SK 0634/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189306	1
133	SE-SK 0634/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189307	1
134	SE-SK 0634/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189308	1
135	SE-SK 0634/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189310	1
136	SE-SK 0634/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189706	1
137	SE-SK 0634/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189707	1
138	SE-SK 0634/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189708	1
139	SE-SK 0634/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189709	1
140	SE-SK 0634/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189710	1
141	SE-SK 0822/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189026	1
142	SE-SK 0822/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189027	1
143	SE-SK 0822/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189028	1
144	SE-SK 0822/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189029	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 5 Description	PADS No.	Cert issue
145	SE-SK 0822/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189030	1
146	SE-SK 0822/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/191526	1
147	SE-SK 0822/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/191527	1
148	SE-SK 0822/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/191528	1
149	SE-SK 0822/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/191529	1
150	SE-SK 0822/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/191530	1
151	SE-SK 0642/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189466	1
152	SE-SK 0642/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189326	1
153	SE-SK 0642/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189327	1
154	SE-SK 0642/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189328	1
155	SE-SK 0642/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189330	1
156	SE-SK 0642/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189726	1
157	SE-SK 0642/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189727	1
158	SE-SK 0642/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189728	1
159	SE-SK 0642/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189729	1
160	SE-SK 0642/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189730	1
161	SE-SK 0830/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189046	1
162	SE-SK 0830/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189047	1
163	SE-SK 0830/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189048	1
164	SE-SK 0830/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189049	1
165	SE-SK 0830/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189050	1
166	SE-SK 0830/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/191546	1
167	SE-SK 0830/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/191547	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 5 Description	PADS No.	Cert issue
168	SE-SK 0830/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/191548	1
169	SE-SK 0830/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/191549	1
170	SE-SK 0830/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/191550	1
171	SE-SK 0650/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189465	1
172	SE-SK 0650/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189361	1
173	SE-SK 0650/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189362	1
174	SE-SK 0650/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189363	1
175	SE-SK 0650/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189365	1
176	SE-SK 0650/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189746	1
177	SE-SK 0650/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189747	1
178	SE-SK 0650/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189748	1
179	SE-SK 0650/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189749	1
180	SE-SK 0650/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189750	1
181	SE-SK 0661/21 Rev B or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188401	1
182	SE-SK 0661/22 Rev B or later	NR P&P, Interconnect, 7.5m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188402	1
183	SE-SK 0661/23 Rev B or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188403	1
184	SE-SK 0661/24 Rev B or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188404	1
185	SE-SK 0661/25 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188405	1
186	SE-SK 0661/31 Rev B or later	NR P&P, Interconnect, 4m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188801	1
187	SE-SK 0661/32 Rev B or later	NR P&P, Interconnect, 7.5m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188802	1
188	SE-SK 0661/33 Rev B or later	NR P&P, Interconnect, 15m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188803	1
189	SE-SK 0661/34 Rev B or later	NR P&P, Interconnect, 25m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188804	1
190	SE-SK 0661/35 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, E2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188805	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 5 Description	PADS No.	Cert issue
191	SE-SK 0841/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188081	1
192	SE-SK 0841/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188082	1
193	SE-SK 0841/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188083	1
194	SE-SK 0841/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188084	1
195	SE-SK 0841/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188085	1
196	SE-SK 0841/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190581	1
197	SE-SK 0841/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190582	1
198	SE-SK 0841/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190583	1
199	SE-SK 0841/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190584	1
200	SE-SK 0841/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190585	1
201	SE-SK 0909/06 Rev B or later	NR P&P, Interconnect, 6m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M). For Signal Structures & Dorman Signals	006/188288	1
202	SE-SK 0909/10 Rev B or later	NR P&P, Interconnect, 10m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M). For Signal Structures & Dorman Signals	006/188289	1
203	SE-SK 0909/20 Rev B or later	NR P&P, Interconnect, 20m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M). For Signal Structures & Dorman Signals	006/188290	1
204	SE-SK 0909/36 Rev B or later	NR P&P, Interconnect, 6m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M). For Signal Structures & Dorman Signals	006/188291	1
205	SE-SK 0909/40 Rev B or later	NR P&P, Interconnect, 10m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M). For Signal Structures & Dorman Signals	006/188292	1
206	SE-SK 0909/50 Rev B or later	NR P&P, Interconnect, 20m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M). For Signal Structures & Dorman Signals	006/188293	1
207	SE-SK 0908/06 Rev B or later	NR P&P, Interconnect, 6m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M). For Signal Structures & Dorman Signals	006/188282	1
208	SE-SK 0908/10 Rev B or later	NR P&P, Interconnect, 10m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M). For Signal Structures & Dorman Signals	006/188283	1
209	SE-SK 0908/20 Rev B or later	NR P&P, Interconnect, 20m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M). For Signal Structures & Dorman Signals	006/188284	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 5 Description	PADS No.	Cert issue
210	SE-SK 0908/36 Rev B or later	NR P&P, Interconnect, 6m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M). For Signal Structures & Dorman Signals	006/188285	1
211	SE-SK 0908/40 Rev B or later	NR P&P, Interconnect, 10m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M). For Signal Structures & Dorman Signals	006/188286	1
212	SE-SK 0908/50 Rev B or later	NR P&P, Interconnect, 20m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M). For Signal Structures & Dorman Signals	006/188287	1
213	SE-SK 0911/06 Rev B or later	NR P&P, Interconnect, 6m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190391	1
214	SE-SK 0911/10 Rev B or later	NR P&P, Interconnect, 10m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190392	1
215	SE-SK 0911/20 Rev B or later	NR P&P, Interconnect, 20m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190393	1
216	SE-SK 0911/25 Rev B or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190394	1
217	SE-SK 0911/26 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190395	1
218	SE-SK 0911/36 Rev B or later	NR P&P, Interconnect, 6m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190396	1
219	SE-SK 0911/40 Rev B or later	NR P&P, Interconnect, 10m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190397	1
220	SE-SK 0911/50 Rev B or later	NR P&P, Interconnect, 20m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190398	1
221	SE-SK 0911/55 Rev B or later	NR P&P, Interconnect, 25m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190399	1
222	SE-SK 0911/56 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, E2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190400	1
223	SE-SK 0910/06 Rev B or later	NR P&P, Interconnect, 6m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190381	1
224	SE-SK 0910/10 Rev B or later	NR P&P, Interconnect, 10m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190382	1
225	SE-SK 0910/20 Rev B or later	NR P&P, Interconnect, 20m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190383	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 5 Description	PADS No.	Cert issue
226	SE-SK 0910/25 Rev B or later	NR P&P, Interconnect, 25m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190384	1
227	SE-SK 0910/26 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190385	1
228	SE-SK 0910/36 Rev B or later	NR P&P, Interconnect, 6m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190386	1
229	SE-SK 0910/40 Rev B or later	NR P&P, Interconnect, 10m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190387	1
230	SE-SK 0910/50 Rev B or later	NR P&P, Interconnect, 20m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190388	1
231	SE-SK 0910/55 Rev B or later	NR P&P, Interconnect, 25m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190389	1
232	SE-SK 0910/56 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 2.5sqmm 12-core cable, with MIL5015 Plug (F 90°) and MIL5015 Plug (M). For Signal Structures & VMS Signals	006/190390	1

**Table 6 Interconnects and Leads
Plug & Play Module 7
Appendix F1 – Train Protection & Warning Systems**

Ref	Network Rail Part No.	TABLE 6 Description	PADS No.	Cert issue
1	SE-SK 0356/01 Rev B or later	NR P&P, Lead, 2m long, C3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Receptacle (F)	006/189612	1
2	SE-SK 0356/02 Rev B or later	NR P&P, Lead, 4m long, C3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Receptacle (F)	006/189611	1
3	SE-SK 0356/03 Rev B or later	NR P&P, Lead, 8m long, C3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Receptacle (F)	006/189613	1
4	SE-SK 0356/04 Rev B or later	NR P&P, Lead, 15.5m long, C3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Receptacle (F)	006/189614	1
5	SE-SK 0356/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Receptacle (F)	006/189615	1
6	SE-SK 0356/11 Rev B or later	NR P&P, Lead, 2m long, E3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Receptacle (F)	006/189981	1

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 6 Description	PADS No.	Cert issue
7	SE-SK 0356/12 Rev B or later	NR P&P, Lead, 4m long, E3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Receptacle (F)	006/189982	1
8	SE-SK 0356/13 Rev B or later	NR P&P, Lead, 8m long, E3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Receptacle (F)	006/189983	1
9	SE-SK 0356/14 Rev B or later	NR P&P, Lead, 15.5m long, E3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Receptacle (F)	006/189984	1
10	SE-SK 0356/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Receptacle (F)	006/189985	1
11	SE-SK 0353/01 Rev B or later	NR P&P, Lead, 2m long, C3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Plug (F)	006/189602	1
12	SE-SK 0353/02 Rev B or later	NR P&P, Lead, 4m long, C3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Plug (F)	006/189601	1
13	SE-SK 0353/03 Rev B or later	NR P&P, Lead, 8m long, C3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Plug (F)	006/189603	1
14	SE-SK 0353/04 Rev B or later	NR P&P, Lead, 15.5m long, C3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Plug (F)	006/189604	1
15	SE-SK 0353/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Plug (F)	006/189605	1
16	SE-SK 0353/11 Rev B or later	NR P&P, Lead, 2m long, E3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Plug (F)	006/189971	1
17	SE-SK 0353/12 Rev B or later	NR P&P, Lead, 4m long, E3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Plug (F)	006/189972	1
18	SE-SK 0353/13 Rev B or later	NR P&P, Lead, 8m long, E3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Plug (F)	006/189973	1
19	SE-SK 0353/14 Rev B or later	NR P&P, Lead, 15.5m long, E3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Plug (F)	006/189974	1
20	SE-SK 0353/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Plug (F)	006/189975	1
21	SE-SK 0808/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189011	1
22	SE-SK 0808/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189012	1
23	SE-SK 0808/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189013	1
24	SE-SK 0808/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189014	1
25	SE-SK 0808/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189015	1
26	SE-SK 0808/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/191511	1
27	SE-SK 0808/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/191512	1
28	SE-SK 0808/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/191513	1
29	SE-SK 0808/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/191514	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 6 Description	PADS No.	Cert issue
30	SE-SK 0808/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/191515	1
31	SE-SK 0636/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189312	1
32	SE-SK 0636/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189311	1
33	SE-SK 0636/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189313	1
34	SE-SK 0636/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189314	1
35	SE-SK 0636/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189315	1
36	SE-SK 0636/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189711	1
37	SE-SK 0636/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189712	1
38	SE-SK 0636/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189713	1
39	SE-SK 0636/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189714	1
40	SE-SK 0636/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189715	1
41	SE-SK 0434/01 Rev B or later	NR P&P, Lead, 2m long, B2 10sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189171	1
42	SE-SK 0434/02 Rev B or later	NR P&P, Lead, 4m long, B2 10sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189172	1
43	SE-SK 0434/03 Rev B or later	NR P&P, Lead, 8m long, B2 10sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189173	1
44	SE-SK 0434/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 10sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189174	1
45	SE-SK 0434/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 10sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189175	1
46	SE-SK 0351/01 Rev B or later	NR P&P, Interconnect, 4m long, C3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188611	1
47	SE-SK 0351/02 Rev B or later	NR P&P, Interconnect, 7.5m long, C3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188612	1
48	SE-SK 0351/03 Rev B or later	NR P&P, Interconnect, 15m long, C3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188613	1
49	SE-SK 0351/04 Rev B or later	NR P&P, Interconnect, 25m long, C3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188614	1
50	SE-SK 0351/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188615	1
51	SE-SK 0351/11 Rev B or later	NR P&P, Interconnect, 4m long, E3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188981	1
52	SE-SK 0351/12 Rev B or later	NR P&P, Interconnect, 7.5m long, E3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188982	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 6 Description	PADS No.	Cert issue
53	SE-SK 0351/13 Rev B or later	NR P&P, Interconnect, 15m long, E3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188983	1
54	SE-SK 0351/14 Rev B or later	NR P&P, Interconnect, 25m long, E3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188984	1
55	SE-SK 0351/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, E3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188985	1
56	SE-SK 0350/01 Rev B or later	NR P&P, Interconnect, 4m long, C3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188606	1
57	SE-SK 0350/02 Rev B or later	NR P&P, Interconnect, 7.5m long, C3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188607	1
58	SE-SK 0350/03 Rev B or later	NR P&P, Interconnect, 15m long, C3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188608	1
59	SE-SK 0350/04 Rev B or later	NR P&P, Interconnect, 25m long, C3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188609	1
60	SE-SK 0350/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188610	1
61	SE-SK 0350/11 Rev B or later	NR P&P, Interconnect, 4m long, E3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188976	1
62	SE-SK 0350/12 Rev B or later	NR P&P, Interconnect, 7.5m long, E3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188977	1
63	SE-SK 0350/13 Rev B or later	NR P&P, Interconnect, 15m long, E3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188978	1
64	SE-SK 0350/14 Rev B or later	NR P&P, Interconnect, 25m long, E3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188979	1
65	SE-SK 0350/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, E3 2.5sqmm 2-core+screen cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188980	1
66	SE-SK 0803/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188011	1
67	SE-SK 0803/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188012	1
68	SE-SK 0803/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188013	1
69	SE-SK 0803/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188014	1
70	SE-SK 0803/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188015	1
71	SE-SK 0803/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190511	1
72	SE-SK 0803/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190512	1
73	SE-SK 0803/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190513	1
74	SE-SK 0803/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190514	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 6 Description	PADS No.	Cert issue
75	SE-SK 0803/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190515	1
76	SE-SK 0631/21 Rev B or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188311	1
77	SE-SK 0631/22 Rev B or later	NR P&P, Interconnect, 7.5m long, C2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188312	1
78	SE-SK 0631/23 Rev B or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188313	1
79	SE-SK 0631/24 Rev B or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188314	1
80	SE-SK 0631/25 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188315	1
81	SE-SK 0631/31 Rev B or later	NR P&P, Interconnect, 4m long, E2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188711	1
82	SE-SK 0631/32 Rev B or later	NR P&P, Interconnect, 7.5m long, E2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188712	1
83	SE-SK 0631/33 Rev B or later	NR P&P, Interconnect, 15m long, E2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188713	1
84	SE-SK 0631/34 Rev B or later	NR P&P, Interconnect, 25m long, E2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188714	1
85	SE-SK 0631/35 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, E2 2.5sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188715	1
86	SE-SK 0429/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 10sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188171	1
87	SE-SK 0429/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 10sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188172	1
88	SE-SK 0429/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 10sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188173	1
89	SE-SK 0429/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 10sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188174	1
90	SE-SK 0429/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 10sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188175	1
91	SE-SK 0354/01 Rev B or later	NR P&P, Lead, 2m long, C3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Plug (M)	006/189607	1
92	SE-SK 0354/02 Rev B or later	NR P&P, Lead, 4m long, C3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Plug (M)	006/189606	1
93	SE-SK 0354/03 Rev B or later	NR P&P, Lead, 8m long, C3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Plug (M)	006/189608	1
94	SE-SK 0354/04 Rev B or later	NR P&P, Lead, 15.5m long, C3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Plug (M)	006/189609	1
95	SE-SK 0354/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Plug (M)	006/189610	1
96	SE-SK 0354/11 Rev B or later	NR P&P, Lead, 2m long, E3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Plug (M)	006/189976	1
97	SE-SK 0354/12 Rev B or later	NR P&P, Lead, 4m long, E3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Plug (M)	006/189977	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 6 Description	PADS No.	Cert issue
98	SE-SK 0354/13 Rev B or later	NR P&P, Lead, 8m long, E3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Plug (M)	006/189978	1
99	SE-SK 0354/14 Rev B or later	NR P&P, Lead, 15.5m long, E3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Plug (M)	006/189979	1
100	SE-SK 0354/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Plug (M)	006/189980	1
101	SE-SK 0355/01 Rev B or later	NR P&P, Lead, 2m long, C3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Receptacle (M)	006/189617	1
102	SE-SK 0355/02 Rev B or later	NR P&P, Lead, 4m long, C3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Receptacle (M)	006/189616	1
103	SE-SK 0355/03 Rev B or later	NR P&P, Lead, 8m long, C3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Receptacle (M)	006/189618	1
104	SE-SK 0355/04 Rev B or later	NR P&P, Lead, 15.5m long, C3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Receptacle (M)	006/189619	1
105	SE-SK 0355/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Receptacle (M)	006/189620	1
106	SE-SK 0355/11 Rev B or later	NR P&P, Lead, 2m long, E3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Receptacle (M)	006/189986	1
107	SE-SK 0355/12 Rev B or later	NR P&P, Lead, 4m long, E3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Receptacle (M)	006/189987	1
108	SE-SK 0355/13 Rev B or later	NR P&P, Lead, 8m long, E3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Receptacle (M)	006/189988	1
109	SE-SK 0355/14 Rev B or later	NR P&P, Lead, 15.5m long, E3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Receptacle (M)	006/189989	1
110	SE-SK 0355/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E3 2.5sqmm 2-core+screen cable, with Free End and MIL5015 Receptacle (M)	006/189990	1
111	SE-SK 0806/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189006	1
112	SE-SK 0806/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189007	1
113	SE-SK 0806/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189008	1
114	SE-SK 0806/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189009	1
115	SE-SK 0806/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189010	1
116	SE-SK 0806/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/191506	1
117	SE-SK 0806/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/191507	1
118	SE-SK 0806/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/191508	1
119	SE-SK 0806/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/191509	1
120	SE-SK 0806/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/191510	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 6 Description	PADS No.	Cert issue
121	SE-SK 0634/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189299	1
122	SE-SK 0634/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189306	1
123	SE-SK 0634/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189307	1
124	SE-SK 0634/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189308	1
125	SE-SK 0634/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189310	1
126	SE-SK 0634/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189706	1
127	SE-SK 0634/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189707	1
128	SE-SK 0634/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189708	1
129	SE-SK 0634/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189709	1
130	SE-SK 0634/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189710	1
131	SE-SK 0432/01 Rev B or later	NR P&P, Lead, 2m long, B2 10sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189166	1
132	SE-SK 0432/02 Rev B or later	NR P&P, Lead, 4m long, B2 10sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189167	1
133	SE-SK 0432/03 Rev B or later	NR P&P, Lead, 8m long, B2 10sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189168	1
134	SE-SK 0432/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 10sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189169	1
135	SE-SK 0432/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 10sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189170	1
136	SE-SK 0853/01 Rev B or later	NR P&P, Interconnect TPWS, 4m long, C3 2.5sqmm 2 core + screen cable, with Thales Preformed Plug and MIL5015 Plug (M)	006/190681	1
137	SE-SK 0853/02 Rev B or later	NR P&P, Interconnect TPWS, 7.5m long, C3 2.5sqmm 2 core + screen cable, with Thales Preformed Plug and MIL5015 Plug (M)	006/190682	1
138	SE-SK 0853/03 Rev B or later	NR P&P, Interconnect TPWS, 15m long, C3 2.5sqmm 2 core + screen cable, with Thales Preformed Plug and MIL5015 Plug (M)	006/190683	1
139	SE-SK 0853/04 Rev B or later	NR P&P, Interconnect TPWS, 25m long, C3 2.5sqmm 2 core + screen cable, with Thales Preformed Plug and MIL5015 Plug (M)	006/190684	1
140	SE-SK 0853/05 Rev B or later	NR P&P, Interconnect TPWS, >25m to 35m long as specified on order, C3 2.5sqmm 2 core + screen cable, with Thales Preformed Plug and MIL5015 Plug (M)	006/190685	1
141	SE-SK 0853/11 Rev B or later	NR P&P, Interconnect TPWS, 4m long, E3 2.5sqmm 2 core + screen cable, with Thales Preformed Plug and MIL5015 Plug (M)	006/190701	1
142	SE-SK 0853/12 Rev B or later	NR P&P, Interconnect TPWS, 7.5m long, E3 2.5sqmm 2 core + screen cable, with Thales Preformed Plug and MIL5015 Plug (M)	006/190702	1
143	SE-SK 0853/13 Rev B or later	NR P&P, Interconnect TPWS, 15m long, E3 2.5sqmm 2 core + screen cable, with Thales Preformed Plug and MIL5015 Plug (M)	006/190703	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 6 Description	PADS No.	Cert issue
144	SE-SK 0853/14 Rev B or later	NR P&P, Interconnect TPWS, 25m long, E3 2.5sqmm 2 core + screen cable, with Thales Preformed Plug and MIL5015 Plug (M)	006/190704	1
145	SE-SK 0853/15 Rev B or later	NR P&P, Interconnect TPWS, >25m to 35m long as specified on order, E3 2.5sqmm 2 core + screen cable, with Thales Preformed Plug and MIL5015 Plug (M)	006/190705	1
146	SE-SK 0855/01 Rev B or later	NR P&P, Interconnect TPWS, 4m long, C3 2.5sqmm 2 core + screen cable, with Thales Preformed Plug and MIL5015 Receptacle (M)	006/190691	1
147	SE-SK 0855/02 Rev B or later	NR P&P, Interconnect TPWS, 7.5m long, C3 2.5sqmm 2 core + screen cable, with Thales Preformed Plug and MIL5015 Receptacle (M)	006/190692	1
148	SE-SK 0855/03 Rev B or later	NR P&P, Interconnect TPWS, 15m long, C3 2.5sqmm 2 core + screen cable, with Thales Preformed Plug and MIL5015 Receptacle (M)	006/190693	1
149	SE-SK 0855/04 Rev B or later	NR P&P, Interconnect TPWS, 25m long, C3 2.5sqmm 2 core + screen cable, with Thales Preformed Plug and MIL5015 Receptacle (M)	006/190694	1
150	SE-SK 0855/05 Rev B or later	NR P&P, Interconnect TPWS, >25m to 35m long as specified on order, C3 2.5sqmm 2 core + screen cable, with Thales Preformed Plug and MIL5015 Receptacle (M)	006/190695	1
151	SE-SK 0855/11 Rev B or later	NR P&P, Interconnect TPWS, 4m long, E3 2.5sqmm 2 core + screen cable, with Thales Preformed Plug and MIL5015 Receptacle (M)	006/190711	1
152	SE-SK 0855/12 Rev B or later	NR P&P, Interconnect TPWS, 7.5m long, E3 2.5sqmm 2 core + screen cable, with Thales Preformed Plug and MIL5015 Receptacle (M)	006/190712	1
153	SE-SK 0855/13 Rev B or later	NR P&P, Interconnect TPWS, 15m long, E3 2.5sqmm 2 core + screen cable, with Thales Preformed Plug and MIL5015 Receptacle (M)	006/190713	1
154	SE-SK 0855/14 Rev B or later	NR P&P, Interconnect TPWS, 25m long, E3 2.5sqmm 2 core + screen cable, with Thales Preformed Plug and MIL5015 Receptacle (M)	006/190714	1
155	SE-SK 0855/15 Rev B or later	NR P&P, Interconnect TPWS, >25m to 35m long as specified on order, E3 2.5sqmm 2 core + screen cable, with Thales Preformed Plug and MIL5015 Receptacle (M)	006/190715	1
156	SE-SK 0629/21 Rev B or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188301	1
157	SE-SK 0629/22 Rev B or later	NR P&P, Interconnect, 7.5m long, C2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188302	1
158	SE-SK 0629/23 Rev B or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188303	1
159	SE-SK 0629/24 Rev B or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188304	1
160	SE-SK 0629/25 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188305	1
161	SE-SK 0629/31 Rev B or later	NR P&P, Interconnect, 4m long, E2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188701	1
162	SE-SK 0629/32 Rev B or later	NR P&P, Interconnect, 7.5m long, E2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188702	1
163	SE-SK 0629/33 Rev B or later	NR P&P, Interconnect, 15m long, E2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188703	1
164	SE-SK 0629/34 Rev B or later	NR P&P, Interconnect, 25m long, E2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188704	1
165	SE-SK 0629/35 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, E2 2.5sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188705	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 6 Description	PADS No.	Cert Issue
166	SE-SK 0633/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189301	1
167	SE-SK 0633/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189302	1
168	SE-SK 0633/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189303	1
169	SE-SK 0633/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189300	1
170	SE-SK 0633/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189305	1
171	SE-SK 0633/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189701	1
172	SE-SK 0633/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189702	1
173	SE-SK 0633/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189703	1
174	SE-SK 0633/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189704	1
175	SE-SK 0633/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189705	1
176	SE-SK 0805/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189001	1
177	SE-SK 0805/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189002	1
178	SE-SK 0805/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189003	1
179	SE-SK 0805/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189004	1
180	SE-SK 0805/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189005	1
181	SE-SK 0805/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/191501	1
182	SE-SK 0805/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/191502	1
183	SE-SK 0805/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/191503	1
184	SE-SK 0805/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/191504	1
185	SE-SK 0805/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/191505	1
186	SE-SK 0634/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189299	1
187	SE-SK 0634/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189306	1
188	SE-SK 0634/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189307	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 6 Description	PADS No.	Cert issue
189	SE-SK 0634/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189308	1
190	SE-SK 0634/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189310	1
191	SE-SK 0634/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189706	1
192	SE-SK 0634/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189707	1
193	SE-SK 0634/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189708	1
194	SE-SK 0634/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189709	1
195	SE-SK 0634/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189710	1
196	SE-SK 0806/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189006	1
197	SE-SK 0806/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189007	1
198	SE-SK 0806/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189008	1
199	SE-SK 0806/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189009	1
200	SE-SK 0806/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189010	1
201	SE-SK 0806/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/191506	1
202	SE-SK 0806/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/191507	1
203	SE-SK 0806/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/191508	1
204	SE-SK 0806/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/191509	1
205	SE-SK 0806/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/191510	1

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

**Table 7 Interconnects and Leads
Plug & Play Module 7
Appendix G1 – RCPL/IBCL & Hy-Drive (<50m from ‘Equipment Housing’)**

Ref	Network Rail Part No.	TABLE 7 Description	PADS No.	Cert issue
1	SE-SK 0848/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189091	1
2	SE-SK 0848/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189092	1
3	SE-SK 0848/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189093	1
4	SE-SK 0848/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189094	1
5	SE-SK 0848/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189095	1
6	SE-SK 0848/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/191591	1
7	SE-SK 0848/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/191592	1
8	SE-SK 0848/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/191593	1
9	SE-SK 0848/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/191594	1
10	SE-SK 0848/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/191595	1
11	SE-SK 0668/21 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189412	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 7 Description	PADS No.	Cert Issue
12	SE-SK 0668/22 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189411	1
13	SE-SK 0668/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189413	1
14	SE-SK 0668/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189414	1
15	SE-SK 0668/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189415	1
16	SE-SK 0668/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189791	1
17	SE-SK 0668/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189792	1
18	SE-SK 0668/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189793	1
19	SE-SK 0668/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189794	1
20	SE-SK 0668/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189795	1
21	SE-SK 0824/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189031	1
22	SE-SK 0824/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189032	1
23	SE-SK 0824/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189033	1
24	SE-SK 0824/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189034	1
25	SE-SK 0824/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189035	1
26	SE-SK 0824/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/191531	1
27	SE-SK 0824/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/191532	1
28	SE-SK 0824/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/191533	1
29	SE-SK 0824/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/191534	1
30	SE-SK 0824/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/191535	1
31	SE-SK 0644/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189332	1
32	SE-SK 0644/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189331	1
33	SE-SK 0644/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189333	1
34	SE-SK 0644/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189334	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 7 Description	PADS No.	Cert issue
35	SE-SK 0644/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189335	1
36	SE-SK 0644/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189731	1
37	SE-SK 0644/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189732	1
38	SE-SK 0644/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189733	1
39	SE-SK 0644/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189734	1
40	SE-SK 0644/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189735	1
41	SE-SK 0823/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/189036	1
42	SE-SK 0823/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/189037	1
43	SE-SK 0823/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/189038	1
44	SE-SK 0823/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/189039	1
45	SE-SK 0823/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/189040	1
46	SE-SK 0823/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/191536	1
47	SE-SK 0823/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/191537	1
48	SE-SK 0823/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/191538	1
49	SE-SK 0823/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/191539	1
50	SE-SK 0823/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/191540	1
51	SE-SK 0643/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/189337	1
52	SE-SK 0643/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/189336	1
53	SE-SK 0643/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/189338	1
54	SE-SK 0643/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/189339	1
55	SE-SK 0643/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/189340	1
56	SE-SK 0643/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/189736	1
57	SE-SK 0643/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/189737	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 7 Description	PADS No.	Cert issue
58	SE-SK 0643/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/189738	1
59	SE-SK 0643/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/189739	1
60	SE-SK 0643/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/189740	1
61	SE-SK 0843/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188091	1
62	SE-SK 0843/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188092	1
63	SE-SK 0843/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188093	1
64	SE-SK 0843/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188094	1
65	SE-SK 0843/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188095	1
66	SE-SK 0843/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190591	1
67	SE-SK 0843/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190592	1
68	SE-SK 0843/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190593	1
69	SE-SK 0843/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190594	1
70	SE-SK 0843/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190595	1
71	SE-SK 0663/21 Rev B or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188411	1
72	SE-SK 0663/22 Rev B or later	NR P&P, Interconnect, 7.5m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188412	1
73	SE-SK 0663/23 Rev B or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188413	1
74	SE-SK 0663/24 Rev B or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188414	1
75	SE-SK 0663/25 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188415	1
76	SE-SK 0663/31 Rev B or later	NR P&P, Interconnect, 4m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188811	1
77	SE-SK 0663/32 Rev B or later	NR P&P, Interconnect, 7.5m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188812	1
78	SE-SK 0663/33 Rev B or later	NR P&P, Interconnect, 15m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188813	1
79	SE-SK 0663/34 Rev B or later	NR P&P, Interconnect, 25m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188814	1
80	SE-SK 0663/35 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, E2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188815	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 7 Description	PADS No.	Cert issue
81	SE-SK 0819/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188031	1
82	SE-SK 0819/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188032	1
83	SE-SK 0819/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188033	1
84	SE-SK 0819/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188034	1
85	SE-SK 0819/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188035	1
86	SE-SK 0819/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190531	1
87	SE-SK 0819/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190532	1
88	SE-SK 0819/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190533	1
89	SE-SK 0819/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190534	1
90	SE-SK 0819/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190535	1
91	SE-SK 0639/21 Rev B or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188331	1
92	SE-SK 0639/22 Rev B or later	NR P&P, Interconnect, 7.5m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188332	1
93	SE-SK 0639/23 Rev B or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188333	1
94	SE-SK 0639/24 Rev B or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188334	1
95	SE-SK 0639/25 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188335	1
96	SE-SK 0639/31 Rev B or later	NR P&P, Interconnect, 4m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188731	1
97	SE-SK 0639/32 Rev B or later	NR P&P, Interconnect, 7.5m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188732	1
98	SE-SK 0639/33 Rev B or later	NR P&P, Interconnect, 15m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188733	1
99	SE-SK 0639/34 Rev B or later	NR P&P, Interconnect, 25m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188734	1
100	SE-SK 0639/35 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, E2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188735	1
101	SE-SK 0818/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188026	1
102	SE-SK 0818/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188027	1
103	SE-SK 0818/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188028	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 7 Description	PADS No.	Cert issue
104	SE-SK 0818/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188029	1
105	SE-SK 0818/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188030	1
106	SE-SK 0818/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/190526	1
107	SE-SK 0818/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/190527	1
108	SE-SK 0818/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/190528	1
109	SE-SK 0818/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/190529	1
110	SE-SK 0818/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/190530	1
111	SE-SK 0638/21 Rev B or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188326	1
112	SE-SK 0638/22 Rev B or later	NR P&P, Interconnect, 7.5m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188327	1
113	SE-SK 0638/23 Rev B or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188328	1
114	SE-SK 0638/24 Rev B or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188329	1
115	SE-SK 0638/25 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188330	1
116	SE-SK 0638/31 Rev B or later	NR P&P, Interconnect, 4m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188726	1
117	SE-SK 0638/32 Rev B or later	NR P&P, Interconnect, 7.5m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188727	1
118	SE-SK 0638/33 Rev B or later	NR P&P, Interconnect, 15m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188728	1
119	SE-SK 0638/34 Rev B or later	NR P&P, Interconnect, 25m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188729	1
120	SE-SK 0638/35 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, E2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188730	1
121	SE-SK 0846/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189086	1
122	SE-SK 0846/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189087	1
123	SE-SK 0846/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189088	1
124	SE-SK 0846/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189089	1
125	SE-SK 0846/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189090	1
126	SE-SK 0846/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/191586	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 7 Description	PADS No.	Cert issue
127	SE-SK 0846/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/191587	1
128	SE-SK 0846/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/191588	1
129	SE-SK 0846/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/191589	1
130	SE-SK 0846/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/191590	1
131	SE-SK 0666/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189464	1
132	SE-SK 0666/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189406	1
133	SE-SK 0666/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189407	1
134	SE-SK 0666/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189408	1
135	SE-SK 0666/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189410	1
136	SE-SK 0666/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189786	1
137	SE-SK 0666/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189787	1
138	SE-SK 0666/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189788	1
139	SE-SK 0666/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189789	1
140	SE-SK 0666/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189790	1
141	SE-SK 0822/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189026	1
142	SE-SK 0822/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189027	1
143	SE-SK 0822/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189028	1
144	SE-SK 0822/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189029	1
145	SE-SK 0822/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189030	1
146	SE-SK 0822/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/191526	1
147	SE-SK 0822/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/191527	1
148	SE-SK 0822/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/191528	1
149	SE-SK 0822/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/191529	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 7 Description	PADS No.	Cert issue
150	SE-SK 0822/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/191530	1
151	SE-SK 0642/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189466	1
152	SE-SK 0642/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189326	1
153	SE-SK 0642/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189327	1
154	SE-SK 0642/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189328	1
155	SE-SK 0642/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189330	1
156	SE-SK 0642/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189726	1
157	SE-SK 0642/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189727	1
158	SE-SK 0642/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189728	1
159	SE-SK 0642/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189729	1
160	SE-SK 0642/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189730	1
161	SE-SK 0821/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189021	1
162	SE-SK 0821/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189022	1
163	SE-SK 0821/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189023	1
164	SE-SK 0821/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189024	1
165	SE-SK 0821/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189025	1
166	SE-SK 0821/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/191521	1
167	SE-SK 0821/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/191522	1
168	SE-SK 0821/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/191523	1
169	SE-SK 0821/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/191524	1
170	SE-SK 0821/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/191525	1
171	SE-SK 0641/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189324	1
172	SE-SK 0641/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189321	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 7 Description	PADS No.	Cert issue
173	SE-SK 0641/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189322	1
174	SE-SK 0641/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189323	1
175	SE-SK 0641/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189325	1
176	SE-SK 0641/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189721	1
177	SE-SK 0641/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189722	1
178	SE-SK 0641/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189723	1
179	SE-SK 0641/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189724	1
180	SE-SK 0641/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189725	1
181	SE-SK 0661/21 Rev B or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188401	1
182	SE-SK 0661/22 Rev B or later	NR P&P, Interconnect, 7.5m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188402	1
183	SE-SK 0661/23 Rev B or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188403	1
184	SE-SK 0661/24 Rev B or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188404	1
185	SE-SK 0661/25 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188405	1
186	SE-SK 0661/31 Rev B or later	NR P&P, Interconnect, 4m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188801	1
187	SE-SK 0661/32 Rev B or later	NR P&P, Interconnect, 7.5m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188802	1
188	SE-SK 0661/33 Rev B or later	NR P&P, Interconnect, 15m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188803	1
189	SE-SK 0661/34 Rev B or later	NR P&P, Interconnect, 25m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188804	1
190	SE-SK 0661/35 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, E2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188805	1
191	SE-SK 0841/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188081	1
192	SE-SK 0841/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188082	1
193	SE-SK 0841/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188083	1
194	SE-SK 0841/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188084	1
195	SE-SK 0841/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188085	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 7 Description	PADS No.	Cert issue
196	SE-SK 0841/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190581	1
197	SE-SK 0841/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190582	1
198	SE-SK 0841/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190583	1
199	SE-SK 0841/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190584	1
200	SE-SK 0841/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190585	1
201	SE-SK 0392/01 Rev B or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 4-core cable, with Flipper (Yellow) Preformed Terminal and MIL5015 Plug (M)	006/188346	1
202	SE-SK 0392/02 Rev B or later	NR P&P, Interconnect, 7.5m long, C2 2.5sqmm 4-core cable, with Flipper (Yellow) Preformed Terminal and MIL5015 Plug (M)	006/188347	1
203	SE-SK 0392/03 Rev B or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 4-core cable, with Flipper (Yellow) Preformed Terminal and MIL5015 Plug (M)	006/188348	1
204	SE-SK 0392/04 Rev B or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 4-core cable, with Flipper (Yellow) Preformed Terminal and MIL5015 Plug (M)	006/188349	1
205	SE-SK 0392/05 Rev B or later	NR P&P, Interconnect, >25m to 35m long as specified on order, C2 2.5sqmm 4-core cable, with Flipper (Yellow) Preformed Terminal and MIL5015 Plug (M)	006/188350	1
206	SE-SK 0392/11 Rev B or later	NR P&P, Interconnect, 4m long, E2 2.5sqmm 4-core cable, with Flipper (Yellow) Preformed Terminal and MIL5015 Plug (M)	006/188746	1
207	SE-SK 0392/12 Rev B or later	NR P&P, Interconnect, 7.5m long, E2 2.5sqmm 4-core cable, with Flipper (Yellow) Preformed Terminal and MIL5015 Plug (M)	006/188747	1
208	SE-SK 0392/13 Rev B or later	NR P&P, Interconnect, 15m long, E2 2.5sqmm 4-core cable, with Flipper (Yellow) Preformed Terminal and MIL5015 Plug (M)	006/188748	1
209	SE-SK 0392/14 Rev B or later	NR P&P, Interconnect, 25m long, E2 2.5sqmm 4-core cable, with Flipper (Yellow) Preformed Terminal and MIL5015 Plug (M)	006/188749	1
210	SE-SK 0392/15 Rev B or later	NR P&P, Interconnect, >25m to 35m long as specified on order, E2 2.5sqmm 4-core cable, with Flipper (Yellow) Preformed Terminal and MIL5015 Plug (M)	006/188750	1
211	SE-SK 0391/01 Rev B or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 4-core cable, with Flipper (Black) Preformed Terminal and MIL5015 Plug (F)	006/188341	1
212	SE-SK 0391/02 Rev B or later	NR P&P, Interconnect, 7.5m long, C2 2.5sqmm 4-core cable, with Flipper (Black) Preformed Terminal and MIL5015 Plug (F)	006/188342	1
213	SE-SK 0391/03 Rev B or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 4-core cable, with Flipper (Black) Preformed Terminal and MIL5015 Plug (F)	006/188343	1
214	SE-SK 0391/04 Rev B or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 4-core cable, with Flipper (Black) Preformed Terminal and MIL5015 Plug (F)	006/188344	1
215	SE-SK 0391/05 Rev B or later	NR P&P, Interconnect, >25m to 35m long as specified on order, C2 2.5sqmm 4-core cable, with Flipper (Black) Preformed Terminal and MIL5015 Plug (F)	006/188345	1
216	SE-SK 0391/11 Rev B or later	NR P&P, Interconnect, 4m long, E2 2.5sqmm 4-core cable, with Flipper (Black) (Black) Preformed Terminal and MIL5015 Plug (F)	006/188741	1
217	SE-SK 0391/12 Rev B or later	NR P&P, Interconnect, 7.5m long, E2 2.5sqmm 4-core cable, with Flipper (Black) Preformed Terminal and MIL5015 Plug (F)	006/188742	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 7 Description	PADS No.	Cert issue
218	SE-SK 0391/13 Rev B or later	NR P&P, Interconnect, 15m long, E2 2.5sqmm 4-core cable, with Flipper (Black) Preformed Terminal and MIL5015 Plug (F)	006/188743	1
219	SE-SK 0391/14 Rev B or later	NR P&P, Interconnect, 25m long, E2 2.5sqmm 4-core cable, with Flipper (Black) Preformed Terminal and MIL5015 Plug (F)	006/188744	1
220	SE-SK 0391/15 Rev B or later	NR P&P, Interconnect, >25m to 35m long as specified on order, E2 2.5sqmm 4-core cable, with Flipper (Black) Preformed Terminal and MIL5015 Plug (F)	006/188745	1
221	SE-SK 0665/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/189401	1
222	SE-SK 0665/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/189402	1
223	SE-SK 0665/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/189403	1
224	SE-SK 0665/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/189400	1
225	SE-SK 0665/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/189405	1
226	SE-SK 0665/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/189781	1
227	SE-SK 0665/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/189782	1
228	SE-SK 0665/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/189783	1
229	SE-SK 0665/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/189784	1
230	SE-SK 0665/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/189785	1
231	SE-SK 0845/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/189081	1
232	SE-SK 0845/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/189082	1
233	SE-SK 0845/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/189083	1
234	SE-SK 0845/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/189084	1
235	SE-SK 0845/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/189085	1
236	SE-SK 0845/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/191581	1
237	SE-SK 0845/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/191582	1
238	SE-SK 0845/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/191583	1
239	SE-SK 0845/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/191584	1
240	SE-SK 0845/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (F)	006/191585	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 7 Description	PADS No.	Cert issue
241	SE-SK 0666/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189464	1
242	SE-SK 0666/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189406	1
243	SE-SK 0666/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189407	1
244	SE-SK 0666/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189408	1
245	SE-SK 0666/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189410	1
246	SE-SK 0666/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189786	1
247	SE-SK 0666/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189787	1
248	SE-SK 0666/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189788	1
249	SE-SK 0666/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189789	1
250	SE-SK 0666/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189790	1
251	SE-SK 0846/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189086	1
252	SE-SK 0846/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189087	1
253	SE-SK 0846/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189088	1
254	SE-SK 0846/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189089	1
255	SE-SK 0846/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189090	1
256	SE-SK 0846/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/191586	1
257	SE-SK 0846/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/191587	1
258	SE-SK 0846/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/191588	1
259	SE-SK 0846/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/191589	1
260	SE-SK 0846/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/191590	1

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

**Table 8 Interconnects and Leads
Plug & Play Module 7
Appendix G2 – Hy-Drive (>50m from ‘Equipment Housing’)**

Ref	Network Rail Part No.	TABLE 8 Description	PADS No.	Cert issue
1	SE-SK 0434/01 Rev B or later	NR P&P, Lead, 2m long, B2 10sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189171	1
2	SE-SK 0434/02 Rev B or later	NR P&P, Lead, 4m long, B2 10sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189172	1
3	SE-SK 0434/03 Rev B or later	NR P&P, Lead, 8m long, B2 10sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189173	1
4	SE-SK 0434/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 10sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189174	1
5	SE-SK 0434/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 10sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189175	1
6	SE-SK 0848/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189091	1
7	SE-SK 0848/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189092	1
8	SE-SK 0848/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189093	1
9	SE-SK 0848/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189094	1
10	SE-SK 0848/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189095	1
11	SE-SK 0848/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/191591	1
12	SE-SK 0848/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/191592	1
13	SE-SK 0848/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/191593	1
14	SE-SK 0848/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/191594	1
15	SE-SK 0848/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/191595	1

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 8 Description	PADS No.	Cert issue
16	SE-SK 0668/21 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189412	1
17	SE-SK 0668/22 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189411	1
18	SE-SK 0668/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189413	1
19	SE-SK 0668/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189414	1
20	SE-SK 0668/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189415	1
21	SE-SK 0668/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189791	1
22	SE-SK 0668/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189792	1
23	SE-SK 0668/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189793	1
24	SE-SK 0668/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189794	1
25	SE-SK 0668/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Receptacle (F)	006/189795	1
26	SE-SK 0824/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189031	1
27	SE-SK 0824/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189032	1
28	SE-SK 0824/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189033	1
29	SE-SK 0824/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189034	1
30	SE-SK 0824/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189035	1
31	SE-SK 0824/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/191531	1
32	SE-SK 0824/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/191532	1
33	SE-SK 0824/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/191533	1
34	SE-SK 0824/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/191534	1
35	SE-SK 0824/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/191535	1
36	SE-SK 0644/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189332	1
37	SE-SK 0644/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189331	1
38	SE-SK 0644/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189333	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 8 Description	PADS No.	Cert issue
39	SE-SK 0644/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189334	1
40	SE-SK 0644/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189335	1
41	SE-SK 0644/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189731	1
42	SE-SK 0644/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189732	1
43	SE-SK 0644/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189733	1
44	SE-SK 0644/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189734	1
45	SE-SK 0644/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189735	1
46	SE-SK 0823/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/189036	1
47	SE-SK 0823/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/189037	1
48	SE-SK 0823/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/189038	1
49	SE-SK 0823/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/189039	1
50	SE-SK 0823/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/189040	1
51	SE-SK 0823/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/191536	1
52	SE-SK 0823/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/191537	1
53	SE-SK 0823/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/191538	1
54	SE-SK 0823/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/191539	1
55	SE-SK 0823/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/191540	1
56	SE-SK 0643/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/189337	1
57	SE-SK 0643/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/189336	1
58	SE-SK 0643/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/189338	1
59	SE-SK 0643/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/189339	1
60	SE-SK 0643/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/189340	1
61	SE-SK 0643/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/189736	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 8 Description	PADS No.	Cert issue
62	SE-SK 0643/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/189737	1
63	SE-SK 0643/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/189738	1
64	SE-SK 0643/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/189739	1
65	SE-SK 0643/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/189740	1
66	SE-SK 0429/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 10sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188171	1
67	SE-SK 0429/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 10sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188172	1
68	SE-SK 0429/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 10sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188173	1
69	SE-SK 0429/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 10sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188174	1
70	SE-SK 0429/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 10sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188175	1
71	SE-SK 0843/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188091	1
72	SE-SK 0843/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188092	1
73	SE-SK 0843/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188093	1
74	SE-SK 0843/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188094	1
75	SE-SK 0843/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188095	1
76	SE-SK 0843/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190591	1
77	SE-SK 0843/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190592	1
78	SE-SK 0843/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190593	1
79	SE-SK 0843/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190594	1
80	SE-SK 0843/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190595	1
81	SE-SK 0663/21 Rev B or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188411	1
82	SE-SK 0663/22 Rev B or later	NR P&P, Interconnect, 7.5m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188412	1
83	SE-SK 0663/23 Rev B or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188413	1
84	SE-SK 0663/24 Rev B or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188414	1

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 8 Description	PADS No.	Cert issue
85	SE-SK 0663/25 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188415	1
86	SE-SK 0663/31 Rev B or later	NR P&P, Interconnect, 4m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188811	1
87	SE-SK 0663/32 Rev B or later	NR P&P, Interconnect, 7.5m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188812	1
88	SE-SK 0663/33 Rev B or later	NR P&P, Interconnect, 15m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188813	1
89	SE-SK 0663/34 Rev B or later	NR P&P, Interconnect, 25m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188814	1
90	SE-SK 0663/35 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, E2 2.5sqmm 12-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188815	1
91	SE-SK 0819/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188031	1
92	SE-SK 0819/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188032	1
93	SE-SK 0819/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188033	1
94	SE-SK 0819/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188034	1
95	SE-SK 0819/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188035	1
96	SE-SK 0819/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190531	1
97	SE-SK 0819/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190532	1
98	SE-SK 0819/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190533	1
99	SE-SK 0819/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190534	1
100	SE-SK 0819/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190535	1
101	SE-SK 0639/21 Rev B or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188331	1
102	SE-SK 0639/22 Rev B or later	NR P&P, Interconnect, 7.5m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188332	1
103	SE-SK 0639/23 Rev B or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188333	1
104	SE-SK 0639/24 Rev B or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188334	1
105	SE-SK 0639/25 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188335	1
106	SE-SK 0639/31 Rev B or later	NR P&P, Interconnect, 4m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188731	1
107	SE-SK 0639/32 Rev B or later	NR P&P, Interconnect, 7.5m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188732	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 8 Description	PADS No.	Cert issue
108	SE-SK 0639/33 Rev B or later	NR P&P, Interconnect, 15m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188733	1
109	SE-SK 0639/34 Rev B or later	NR P&P, Interconnect, 25m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188734	1
110	SE-SK 0639/35 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, E2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188735	1
111	SE-SK 0818/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188026	1
112	SE-SK 0818/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188027	1
113	SE-SK 0818/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188028	1
114	SE-SK 0818/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188029	1
115	SE-SK 0818/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188030	1
116	SE-SK 0818/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/190526	1
117	SE-SK 0818/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/190527	1
118	SE-SK 0818/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/190528	1
119	SE-SK 0818/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/190529	1
120	SE-SK 0818/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/190530	1
121	SE-SK 0638/21 Rev B or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188326	1
122	SE-SK 0638/22 Rev B or later	NR P&P, Interconnect, 7.5m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188327	1
123	SE-SK 0638/23 Rev B or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188328	1
124	SE-SK 0638/24 Rev B or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188329	1
125	SE-SK 0638/25 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188330	1
126	SE-SK 0638/31 Rev B or later	NR P&P, Interconnect, 4m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188726	1
127	SE-SK 0638/32 Rev B or later	NR P&P, Interconnect, 7.5m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188727	1
128	SE-SK 0638/33 Rev B or later	NR P&P, Interconnect, 15m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188728	1
129	SE-SK 0638/34 Rev B or later	NR P&P, Interconnect, 25m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188729	1
130	SE-SK 0638/35 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, E2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188730	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 8 Description	PADS No.	Cert issue
131	SE-SK 0432/01 Rev B or later	NR P&P, Lead, 2m long, B2 10sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189166	1
132	SE-SK 0432/02 Rev B or later	NR P&P, Lead, 4m long, B2 10sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189167	1
133	SE-SK 0432/03 Rev B or later	NR P&P, Lead, 8m long, B2 10sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189168	1
134	SE-SK 0432/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 10sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189169	1
135	SE-SK 0432/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 10sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189170	1
136	SE-SK 0846/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189086	1
137	SE-SK 0846/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189087	1
138	SE-SK 0846/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189088	1
139	SE-SK 0846/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189089	1
140	SE-SK 0846/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189090	1
141	SE-SK 0846/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/191586	1
142	SE-SK 0846/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/191587	1
143	SE-SK 0846/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/191588	1
144	SE-SK 0846/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/191589	1
145	SE-SK 0846/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/191590	1
146	SE-SK 0666/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189464	1
147	SE-SK 0666/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189406	1
148	SE-SK 0666/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189407	1
149	SE-SK 0666/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189408	1
150	SE-SK 0666/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189410	1
151	SE-SK 0666/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189786	1
152	SE-SK 0666/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189787	1
153	SE-SK 0666/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189788	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 8 Description	PADS No.	Cert issue
154	SE-SK 0666/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189789	1
155	SE-SK 0666/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 12-core cable, with Free End and MIL5015 Plug (M)	006/189790	1
156	SE-SK 0822/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189026	1
157	SE-SK 0822/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189027	1
158	SE-SK 0822/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189028	1
159	SE-SK 0822/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189029	1
160	SE-SK 0822/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189030	1
161	SE-SK 0822/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/191526	1
162	SE-SK 0822/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/191527	1
163	SE-SK 0822/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/191528	1
164	SE-SK 0822/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/191529	1
165	SE-SK 0822/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/191530	1
166	SE-SK 0642/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189466	1
167	SE-SK 0642/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189326	1
168	SE-SK 0642/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189327	1
169	SE-SK 0642/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189328	1
170	SE-SK 0642/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189330	1
171	SE-SK 0642/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189726	1
172	SE-SK 0642/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189727	1
173	SE-SK 0642/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189728	1
174	SE-SK 0642/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189729	1
175	SE-SK 0642/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189730	1
176	SE-SK 0821/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189021	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 8 Description	PADS No.	Cert issue
177	SE-SK 0821/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189022	1
178	SE-SK 0821/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189023	1
179	SE-SK 0821/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189024	1
180	SE-SK 0821/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189025	1
181	SE-SK 0821/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/191521	1
182	SE-SK 0821/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/191522	1
183	SE-SK 0821/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/191523	1
184	SE-SK 0821/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/191524	1
185	SE-SK 0821/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/191525	1
186	SE-SK 0641/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189324	1
187	SE-SK 0641/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189321	1
188	SE-SK 0641/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189322	1
189	SE-SK 0641/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189323	1
190	SE-SK 0641/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189325	1
191	SE-SK 0641/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189721	1
192	SE-SK 0641/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189722	1
193	SE-SK 0641/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189723	1
194	SE-SK 0641/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189724	1
195	SE-SK 0641/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189725	1
196	SE-SK 0661/21 Rev B or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188401	1
197	SE-SK 0661/22 Rev B or later	NR P&P, Interconnect, 7.5m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188402	1
198	SE-SK 0661/23 Rev B or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188403	1
199	SE-SK 0661/24 Rev B or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188404	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 8 Description	PADS No.	Cert issue
200	SE-SK 0661/25 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188405	1
201	SE-SK 0661/31 Rev B or later	NR P&P, Interconnect, 4m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188801	1
202	SE-SK 0661/32 Rev B or later	NR P&P, Interconnect, 7.5m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188802	1
203	SE-SK 0661/33 Rev B or later	NR P&P, Interconnect, 15m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188803	1
204	SE-SK 0661/34 Rev B or later	NR P&P, Interconnect, 25m long, E2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188804	1
205	SE-SK 0661/35 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, E2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188805	1
206	SE-SK 0841/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188081	1
207	SE-SK 0841/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188082	1
208	SE-SK 0841/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188083	1
209	SE-SK 0841/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188084	1
210	SE-SK 0841/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188085	1
211	SE-SK 0841/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190581	1
212	SE-SK 0841/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190582	1
213	SE-SK 0841/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190583	1
214	SE-SK 0841/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190584	1
215	SE-SK 0841/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 2.5sqmm 12-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190585	1
216	SE-SK 0392/01 Rev B or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 4-core cable, with Flipper (Yellow) Preformed Terminal and MIL5015 Plug (M)	006/188346	1
217	SE-SK 0392/02 Rev B or later	NR P&P, Interconnect, 7.5m long, C2 2.5sqmm 4-core cable, with Flipper (Yellow) Preformed Terminal and MIL5015 Plug (M)	006/188347	1
218	SE-SK 0392/03 Rev B or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 4-core cable, with Flipper (Yellow) Preformed Terminal and MIL5015 Plug (M)	006/188348	1
219	SE-SK 0392/04 Rev B or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 4-core cable, with Flipper (Yellow) Preformed Terminal and MIL5015 Plug (M)	006/188349	1
220	SE-SK 0392/05 Rev B or later	NR P&P, Interconnect, >25m to 35m long as specified on order, C2 2.5sqmm 4-core cable, with Flipper (Yellow) Preformed Terminal and MIL5015 Plug (M)	006/188350	1
221	SE-SK 0392/11 Rev B or later	NR P&P, Interconnect, 4m long, E2 2.5sqmm 4-core cable, with Flipper (Yellow) Preformed Terminal and MIL5015 Plug (M)	006/188746	1
222	SE-SK 0392/12 Rev B or later	NR P&P, Interconnect, 7.5m long, E2 2.5sqmm 4-core cable, with Flipper (Yellow) Preformed Terminal and MIL5015 Plug (M)	006/188747	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 8 Description	PADS No.	Cert issue
223	SE-SK 0392/13 Rev B or later	NR P&P, Interconnect, 15m long, E2 2.5sqmm 4-core cable, with Flipper (Yellow) Preformed Terminal and MIL5015 Plug (M)	006/188748	1
224	SE-SK 0392/14 Rev B or later	NR P&P, Interconnect, 25m long, E2 2.5sqmm 4-core cable, with Flipper (Yellow) Preformed Terminal and MIL5015 Plug (M)	006/188749	1
225	SE-SK 0392/15 Rev B or later	NR P&P, Interconnect, >25m to 35m long as specified on order, E2 2.5sqmm 4-core cable, with Flipper (Yellow) Preformed Terminal and MIL5015 Plug (M)	006/188750	1
226	SE-SK 0391/01 Rev B or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 4-core cable, with Flipper (Black) Preformed Terminal and MIL5015 Plug (F)	006/188341	1
227	SE-SK 0391/02 Rev B or later	NR P&P, Interconnect, 7.5m long, C2 2.5sqmm 4-core cable, with Flipper (Black) Preformed Terminal and MIL5015 Plug (F)	006/188342	1
228	SE-SK 0391/03 Rev B or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 4-core cable, with Flipper (Black) Preformed Terminal and MIL5015 Plug (F)	006/188343	1
229	SE-SK 0391/04 Rev B or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 4-core cable, with Flipper (Black) Preformed Terminal and MIL5015 Plug (F)	006/188344	1
230	SE-SK 0391/05 Rev B or later	NR P&P, Interconnect, >25m to 35m long as specified on order, C2 2.5sqmm 4-core cable, with Flipper (Black) Preformed Terminal and MIL5015 Plug (F)	006/188345	1
231	SE-SK 0391/11 Rev B or later	NR P&P, Interconnect, 4m long, E2 2.5sqmm 4-core cable, with Flipper (Black) (Black) Preformed Terminal and MIL5015 Plug (F)	006/188741	1
232	SE-SK 0391/12 Rev B or later	NR P&P, Interconnect, 7.5m long, E2 2.5sqmm 4-core cable, with Flipper (Black) Preformed Terminal and MIL5015 Plug (F)	006/188742	1
233	SE-SK 0391/13 Rev B or later	NR P&P, Interconnect, 15m long, E2 2.5sqmm 4-core cable, with Flipper (Black) Preformed Terminal and MIL5015 Plug (F)	006/188743	1
234	SE-SK 0391/14 Rev B or later	NR P&P, Interconnect, 25m long, E2 2.5sqmm 4-core cable, with Flipper (Black) Preformed Terminal and MIL5015 Plug (F)	006/188744	1
235	SE-SK 0391/15 Rev B or later	NR P&P, Interconnect, >25m to 35m long as specified on order, E2 2.5sqmm 4-core cable, with Flipper (Black) Preformed Terminal and MIL5015 Plug (F)	006/188745	1

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

**Table 9 Interconnects and Leads
Plug & Play Module 7
Appendix G3 – Miscellaneous Points Operating Equipment**

Ref	Network Rail Part No.	TABLE 9 Description	PADS No.	Cert issue
1	SE-SK 0840/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 10-core cable, with Free End and MIL5015 Receptacle (F)	006/189071	1
2	SE-SK 0840/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 10-core cable, with Free End and MIL5015 Receptacle (F)	006/189072	1
3	SE-SK 0840/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 10-core cable, with Free End and MIL5015 Receptacle (F)	006/189073	1
4	SE-SK 0840/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 10-core cable, with Free End and MIL5015 Receptacle (F)	006/189074	1
5	SE-SK 0840/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 10-core cable, with Free End and MIL5015 Receptacle (F)	006/189075	1
6	SE-SK 0840/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 10-core cable, with Free End and MIL5015 Receptacle (F)	006/191571	1
7	SE-SK 0840/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 10-core cable, with Free End and MIL5015 Receptacle (F)	006/191572	1
8	SE-SK 0840/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 10-core cable, with Free End and MIL5015 Receptacle (F)	006/191573	1
9	SE-SK 0840/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 10-core cable, with Free End and MIL5015 Receptacle (F)	006/191574	1
10	SE-SK 0840/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 10-core cable, with Free End and MIL5015 Receptacle (F)	006/191575	1
11	SE-SK 0660/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 10-core cable, with Free End and MIL5015 Receptacle (F)	006/189387	1
12	SE-SK 0660/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 10-core cable, with Free End and MIL5015 Receptacle (F)	006/189386	1
13	SE-SK 0660/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 10-core cable, with Free End and MIL5015 Receptacle (F)	006/189388	1
14	SE-SK 0660/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 10-core cable, with Free End and MIL5015 Receptacle (F)	006/189389	1
15	SE-SK 0660/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 10-core cable, with Free End and MIL5015 Receptacle (F)	006/189390	1
16	SE-SK 0660/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 10-core cable, with Free End and MIL5015 Receptacle (F)	006/189771	1
17	SE-SK 0660/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 10-core cable, with Free End and MIL5015 Receptacle (F)	006/189772	1
18	SE-SK 0660/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 10-core cable, with Free End and MIL5015 Receptacle (F)	006/189773	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 9 Description	PADS No.	Cert issue
19	SE-SK 0660/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 10-core cable, with Free End and MIL5015 Receptacle (F)	006/189774	1
20	SE-SK 0660/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 10-core cable, with Free End and MIL5015 Receptacle (F)	006/189775	1
21	SE-SK 0823/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/189036	1
22	SE-SK 0823/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/189037	1
23	SE-SK 0823/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/189038	1
24	SE-SK 0823/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/189039	1
25	SE-SK 0823/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/189040	1
26	SE-SK 0823/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/191536	1
27	SE-SK 0823/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/191537	1
28	SE-SK 0823/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/191538	1
29	SE-SK 0823/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/191539	1
30	SE-SK 0823/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/191540	1
31	SE-SK 0643/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/189337	1
32	SE-SK 0643/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/189336	1
33	SE-SK 0643/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/189338	1
34	SE-SK 0643/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/189339	1
35	SE-SK 0643/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/189340	1
36	SE-SK 0643/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/189736	1
37	SE-SK 0643/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/189737	1
38	SE-SK 0643/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/189738	1
39	SE-SK 0643/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/189739	1
40	SE-SK 0643/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (M)	006/189740	1
41	SE-SK 0832/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189051	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 9 Description	PADS No.	Cert issue
42	SE-SK 0832/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189052	1
43	SE-SK 0832/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189053	1
44	SE-SK 0832/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189054	1
45	SE-SK 0832/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189055	1
46	SE-SK 0832/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/191551	1
47	SE-SK 0832/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/191552	1
48	SE-SK 0832/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/191553	1
49	SE-SK 0832/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/191554	1
50	SE-SK 0832/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/191555	1
51	SE-SK 0652/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189367	1
52	SE-SK 0652/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189366	1
53	SE-SK 0652/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189368	1
54	SE-SK 0652/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189369	1
55	SE-SK 0652/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189370	1
56	SE-SK 0652/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189751	1
57	SE-SK 0652/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189752	1
58	SE-SK 0652/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189753	1
59	SE-SK 0652/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189754	1
60	SE-SK 0652/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Receptacle (F)	006/189755	1
61	SE-SK 0824/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189031	1
62	SE-SK 0824/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189032	1
63	SE-SK 0824/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189033	1
64	SE-SK 0824/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189034	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 9 Description	PADS No.	Cert issue
65	SE-SK 0824/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189035	1
66	SE-SK 0824/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/191531	1
67	SE-SK 0824/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/191532	1
68	SE-SK 0824/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/191533	1
69	SE-SK 0824/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/191534	1
70	SE-SK 0824/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/191535	1
71	SE-SK 0644/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189332	1
72	SE-SK 0644/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189331	1
73	SE-SK 0644/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189333	1
74	SE-SK 0644/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189334	1
75	SE-SK 0644/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189335	1
76	SE-SK 0644/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189731	1
77	SE-SK 0644/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189732	1
78	SE-SK 0644/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189733	1
79	SE-SK 0644/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189734	1
80	SE-SK 0644/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Receptacle (F)	006/189735	1
81	SE-SK 0835/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 2.5sqmm 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188071	1
82	SE-SK 0835/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 2.5sqmm 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188072	1
83	SE-SK 0835/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 2.5sqmm 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188073	1
84	SE-SK 0835/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 2.5sqmm 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188074	1
85	SE-SK 0835/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 2.5sqmm 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188075	1
86	SE-SK 0835/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 2.5sqmm 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190571	1
87	SE-SK 0835/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 2.5sqmm 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190572	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilecsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 9 Description	PADS No.	Cert issue
88	SE-SK 0835/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 2.5sqmm 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190573	1
89	SE-SK 0835/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 2.5sqmm 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190574	1
90	SE-SK 0835/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 2.5sqmm 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190575	1
91	SE-SK 0655/21 Rev B or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188386	1
92	SE-SK 0655/22 Rev B or later	NR P&P, Interconnect, 7.5m long, C2 2.5sqmm 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188387	1
93	SE-SK 0655/23 Rev B or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188388	1
94	SE-SK 0655/24 Rev B or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188389	1
95	SE-SK 0655/25 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188390	1
96	SE-SK 0655/31 Rev B or later	NR P&P, Interconnect, 4m long, E2 2.5sqmm 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188786	1
97	SE-SK 0655/32 Rev B or later	NR P&P, Interconnect, 7.5m long, E2 2.5sqmm 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188787	1
98	SE-SK 0655/33 Rev B or later	NR P&P, Interconnect, 15m long, E2 2.5sqmm 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188788	1
99	SE-SK 0655/34 Rev B or later	NR P&P, Interconnect, 25m long, E2 2.5sqmm 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188789	1
100	SE-SK 0655/35 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, E2 2.5sqmm 10-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188790	1
101	SE-SK 0818/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188026	1
102	SE-SK 0818/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188027	1
103	SE-SK 0818/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188028	1
104	SE-SK 0818/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188029	1
105	SE-SK 0818/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188030	1
106	SE-SK 0818/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/190526	1
107	SE-SK 0818/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/190527	1
108	SE-SK 0818/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/190528	1
109	SE-SK 0818/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/190529	1
110	SE-SK 0818/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/190530	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 9 Description	PADS No.	Cert issue
111	SE-SK 0638/21 Rev B or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188326	1
112	SE-SK 0638/22 Rev B or later	NR P&P, Interconnect, 7.5m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188327	1
113	SE-SK 0638/23 Rev B or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188328	1
114	SE-SK 0638/24 Rev B or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188329	1
115	SE-SK 0638/25 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188330	1
116	SE-SK 0638/31 Rev B or later	NR P&P, Interconnect, 4m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188726	1
117	SE-SK 0638/32 Rev B or later	NR P&P, Interconnect, 7.5m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188727	1
118	SE-SK 0638/33 Rev B or later	NR P&P, Interconnect, 15m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188728	1
119	SE-SK 0638/34 Rev B or later	NR P&P, Interconnect, 25m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188729	1
120	SE-SK 0638/35 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, E2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Receptacle (M)	006/188730	1
201	SE-SK 0827/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188051	1
202	SE-SK 0827/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188052	1
203	SE-SK 0827/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188053	1
204	SE-SK 0827/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188054	1
205	SE-SK 0827/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188055	1
206	SE-SK 0827/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190551	1
207	SE-SK 0827/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190552	1
208	SE-SK 0827/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190553	1
209	SE-SK 0827/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190554	1
210	SE-SK 0827/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190555	1
211	SE-SK 0647/21 Rev B or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188366	1
212	SE-SK 0647/22 Rev B or later	NR P&P, Interconnect, 7.5m long, C2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188367	1
213	SE-SK 0647/23 Rev B or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188368	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 9 Description	PADS No.	Cert issue
214	SE-SK 0647/24 Rev B or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188369	1
215	SE-SK 0647/25 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188370	1
216	SE-SK 0647/31 Rev B or later	NR P&P, Interconnect, 4m long, E2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188766	1
217	SE-SK 0647/32 Rev B or later	NR P&P, Interconnect, 7.5m long, E2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188767	1
218	SE-SK 0647/33 Rev B or later	NR P&P, Interconnect, 15m long, E2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188768	1
219	SE-SK 0647/34 Rev B or later	NR P&P, Interconnect, 25m long, E2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188769	1
220	SE-SK 0647/35 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, E2 2.5sqmm 7-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188770	1
221	SE-SK 0819/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188031	1
222	SE-SK 0819/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188032	1
223	SE-SK 0819/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188033	1
224	SE-SK 0819/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188034	1
225	SE-SK 0819/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188035	1
226	SE-SK 0819/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190531	1
227	SE-SK 0819/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190532	1
228	SE-SK 0819/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190533	1
229	SE-SK 0819/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190534	1
230	SE-SK 0819/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190535	1
231	SE-SK 0639/21 Rev B or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188331	1
232	SE-SK 0639/22 Rev B or later	NR P&P, Interconnect, 7.5m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188332	1
233	SE-SK 0639/23 Rev B or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188333	1
234	SE-SK 0639/24 Rev B or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188334	1
235	SE-SK 0639/25 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188335	1
236	SE-SK 0639/31 Rev B or later	NR P&P, Interconnect, 4m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188731	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 9 Description	PADS No.	Cert issue
237	SE-SK 0639/32 Rev B or later	NR P&P, Interconnect, 7.5m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188732	1
238	SE-SK 0639/33 Rev B or later	NR P&P, Interconnect, 15m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188733	1
239	SE-SK 0639/34 Rev B or later	NR P&P, Interconnect, 25m long, E2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188734	1
240	SE-SK 0639/35 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, E2 2.5sqmm 4-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188735	1
241	SE-SK 0838/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189066	1
242	SE-SK 0838/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189067	1
243	SE-SK 0838/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189068	1
244	SE-SK 0838/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189069	1
245	SE-SK 0838/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189070	1
246	SE-SK 0838/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/191566	1
247	SE-SK 0838/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/191567	1
248	SE-SK 0838/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/191568	1
249	SE-SK 0838/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/191569	1
250	SE-SK 0838/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/191570	1
251	SE-SK 0658/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189462	1
252	SE-SK 0658/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189381	1
253	SE-SK 0658/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189382	1
254	SE-SK 0658/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189383	1
255	SE-SK 0658/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189385	1
256	SE-SK 0658/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189766	1
257	SE-SK 0658/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189767	1
258	SE-SK 0658/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189768	1
259	SE-SK 0658/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189769	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 9 Description	PADS No.	Cert issue
260	SE-SK 0658/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 10-core cable, with Free End and MIL5015 Plug (M)	006/189770	1
261	SE-SK 0821/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189021	1
262	SE-SK 0821/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189022	1
263	SE-SK 0821/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189023	1
264	SE-SK 0821/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189024	1
265	SE-SK 0821/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189025	1
266	SE-SK 0821/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/191521	1
267	SE-SK 0821/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/191522	1
268	SE-SK 0821/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/191523	1
269	SE-SK 0821/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/191524	1
270	SE-SK 0821/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/191525	1
271	SE-SK 0830/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189046	1
272	SE-SK 0830/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189047	1
273	SE-SK 0830/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189048	1
274	SE-SK 0830/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189049	1
275	SE-SK 0830/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189050	1
276	SE-SK 0830/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/191546	1
277	SE-SK 0830/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/191547	1
278	SE-SK 0830/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/191548	1
279	SE-SK 0830/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/191549	1
280	SE-SK 0830/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/191550	1
281	SE-SK 0650/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189465	1
282	SE-SK 0650/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189361	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 9 Description	PADS No.	Cert issue
283	SE-SK 0650/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189362	1
284	SE-SK 0650/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189363	1
285	SE-SK 0650/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189365	1
286	SE-SK 0650/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189746	1
287	SE-SK 0650/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189747	1
288	SE-SK 0650/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189748	1
289	SE-SK 0650/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189749	1
290	SE-SK 0650/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 7-core cable, with Free End and MIL5015 Plug (M)	006/189750	1
291	SE-SK 0822/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189026	1
292	SE-SK 0822/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189027	1
293	SE-SK 0822/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189028	1
294	SE-SK 0822/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189029	1
295	SE-SK 0822/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189030	1
296	SE-SK 0822/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/191526	1
297	SE-SK 0822/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/191527	1
298	SE-SK 0822/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/191528	1
299	SE-SK 0822/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/191529	1
300	SE-SK 0822/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/191530	1
301	SE-SK 0642/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189466	1
302	SE-SK 0642/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189326	1
303	SE-SK 0642/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189327	1
304	SE-SK 0642/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189328	1
305	SE-SK 0642/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189330	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 9 Description	PADS No.	Cert issue
306	SE-SK 0642/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189726	1
307	SE-SK 0642/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189727	1
308	SE-SK 0642/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189728	1
309	SE-SK 0642/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189729	1
310	SE-SK 0642/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189730	1
311	SE-SK 0394/01 Rev B or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 10-core cable, with Prysmian 10-way HW Preformed Plug and MIL5015 Plug (M)	006/188396	1
312	SE-SK 0394/02 Rev B or later	NR P&P, Interconnect, 7.5m long, C2 2.5sqmm 10-core cable, with Prysmian 10-way HW Preformed Plug and MIL5015 Plug (M)	006/188397	1
313	SE-SK 0394/03 Rev B or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 10-core cable, with Prysmian 10-way HW Preformed Plug and MIL5015 Plug (M)	006/188398	1
314	SE-SK 0394/04 Rev B or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 10-core cable, with Prysmian 10-way HW Preformed Plug and MIL5015 Plug (M)	006/188399	1
315	SE-SK 0394/05 Rev B or later	NR P&P, Interconnect, >25m to 35m long as specified on order, C2 2.5sqmm 10-core cable, with Prysmian 10-way HW Preformed Plug and MIL5015 Plug (M)	006/188400	1
316	SE-SK 0394/11 Rev B or later	NR P&P, Interconnect, 4m long, E2 2.5sqmm 10-core cable, with Prysmian 10-way HW Preformed Plug and MIL5015 Plug (M)	006/188796	1
317	SE-SK 0394/12 Rev B or later	NR P&P, Interconnect, 7.5m long, E2 2.5sqmm 10-core cable, with Prysmian 10-way HW Preformed Plug and MIL5015 Plug (M)	006/188797	1
318	SE-SK 0394/13 Rev B or later	NR P&P, Interconnect, 15m long, E2 2.5sqmm 10-core cable, with Prysmian 10-way HW Preformed Plug and MIL5015 Plug (M)	006/188798	1
319	SE-SK 0394/14 Rev B or later	NR P&P, Interconnect, 25m long, E2 2.5sqmm 10-core cable, with Prysmian 10-way HW Preformed Plug and MIL5015 Plug (M)	006/188799	1
320	SE-SK 0394/15 Rev B or later	NR P&P, Interconnect, >25m to 35m long as specified on order, E2 2.5sqmm 10-core cable, with Prysmian 10-way HW Preformed Plug and MIL5015 Plug (M)	006/188800	1
321	SE-SK 0393/01 Rev B or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 4-core cable, with Prysmian 4-way HW Preformed Plug and MIL5015 Plug (F)	006/188351	1
322	SE-SK 0393/02 Rev B or later	NR P&P, Interconnect, 7.5m long, C2 2.5sqmm 4-core cable, with Prysmian 4-way HW Preformed Plug and MIL5015 Plug (F)	006/188352	1
323	SE-SK 0393/03 Rev B or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 4-core cable, with Prysmian 4-way HW Preformed Plug and MIL5015 Plug (F)	006/188353	1
324	SE-SK 0393/04 Rev B or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 4-core cable, with Prysmian 4-way HW Preformed Plug and MIL5015 Plug (F)	006/188354	1
325	SE-SK 0393/05 Rev B or later	NR P&P, Interconnect, >25m to 35m long as specified on order, C2 2.5sqmm 4-core cable, with Prysmian 4-way HW Preformed Plug and MIL5015 Plug (F)	006/188355	1
326	SE-SK 0393/11 Rev B or later	NR P&P, Interconnect, 4m long, E2 2.5sqmm 4-core cable, with Prysmian 4-way HW Preformed Plug and MIL5015 Plug (F)	006/188751	1
327	SE-SK 0393/12 Rev B or later	NR P&P, Interconnect, 7.5m long, E2 2.5sqmm 4-core cable, with Prysmian 4-way HW Preformed Plug and MIL5015 Plug (F)	006/188752	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 9 Description	PADS No.	Cert issue
328	SE-SK 0393/13 Rev B or later	NR P&P, Interconnect, 15m long, E2 2.5sqmm 4-core cable, with Prysmian 4-way HW Preformed Plug and MIL5015 Plug (F)	006/188753	1
329	SE-SK 0393/14 Rev B or later	NR P&P, Interconnect, 25m long, E2 2.5sqmm 4-core cable, with Prysmian 4-way HW Preformed Plug and MIL5015 Plug (F)	006/188754	1
330	SE-SK 0393/15 Rev B or later	NR P&P, Interconnect, >25m to 35m long as specified on order, E2 2.5sqmm 4-core cable, with Prysmian 4-way HW Preformed Plug and MIL5015 Plug (F)	006/188755	1
331	SE-SK 0975/04 Rev A or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190425	1
332	SE-SK 0975/07 Rev A or later	NR P&P, Interconnect, 7.5m long, C2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190426	1
333	SE-SK 0975/10 Rev A or later	NR P&P, Interconnect, 10m long, C2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190427	1
334	SE-SK 0975/15 Rev A or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190428	1
335	SE-SK 0975/25 Rev A or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190429	1
336	SE-SK 0975/26 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 7-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190430	1
337	SE-SK 0976/04 Rev A or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 7-core cable, with 90 deg MIL5015 Plug (F) and MIL5015 Plug (M)	006/190431	1
338	SE-SK 0976/07 Rev A or later	NR P&P, Interconnect, 7.5m long, C2 2.5sqmm 7-core cable, with 90 deg MIL5015 Plug (F) and MIL5015 Plug (M)	006/190432	1
339	SE-SK 0976/10 Rev A or later	NR P&P, Interconnect, 10m long, C2 2.5sqmm 7-core cable, with 90 deg MIL5015 Plug (F) and MIL5015 Plug (M)	006/190433	1
340	SE-SK 0976/15 Rev A or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 7-core cable, with 90 deg MIL5015 Plug (F) and MIL5015 Plug (M)	006/190434	1
341	SE-SK 0976/25 Rev A or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 7-core cable, with 90 deg MIL5015 Plug (F) and MIL5015 Plug (M)	006/190435	1
342	SE-SK 0976/26 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 7-core cable, with 90 deg MIL5015 Plug (F) and MIL5015 Plug (M)	006/190436	1
343	SE-SK 0977/04 Rev A or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190437	1
344	SE-SK 0977/07 Rev A or later	NR P&P, Interconnect, 4.5m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190438	1
345	SE-SK 0977/10 Rev A or later	NR P&P, Interconnect, 10m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190439	1
346	SE-SK 0977/15 Rev A or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190440	1
347	SE-SK 0977/25 Rev A or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190441	1
348	SE-SK 0977/26 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190442	1
349	SE-SK 0978/04 Rev A or later	NR P&P, Interconnect, 4m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190443	1

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 9 Description	PADS No.	Cert issue
350	SE-SK 0978/07 Rev A or later	NR P&P, Interconnect, 4.5m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190444	1
351	SE-SK 0978/10 Rev A or later	NR P&P, Interconnect, 10m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190445	1
352	SE-SK 0978/15 Rev A or later	NR P&P, Interconnect, 15m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190446	1
353	SE-SK 0978/25 Rev A or later	NR P&P, Interconnect, 25m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190447	1
354	SE-SK 0978/26 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190448	1
355	SE-SK 0642/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189466	1
356	SE-SK 0642/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189326	1
357	SE-SK 0642/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189327	1
358	SE-SK 0642/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189328	1
359	SE-SK 0642/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189330	1
360	SE-SK 0642/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189726	1
361	SE-SK 0642/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189727	1
362	SE-SK 0642/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189728	1
363	SE-SK 0642/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189729	1
364	SE-SK 0642/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189730	1
365	SE-SK 0822/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189026	1
366	SE-SK 0822/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189027	1
367	SE-SK 0822/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189028	1
368	SE-SK 0822/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189029	1
369	SE-SK 0822/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/189030	1
370	SE-SK 0822/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/191526	1
371	SE-SK 0822/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/191527	1
372	SE-SK 0822/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/191528	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 9 Description	PADS No.	Cert issue
373	SE-SK 0822/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/191529	1
374	SE-SK 0822/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (M)	006/191530	1
375	SE-SK 0641/21 Rev B or later	NR P&P, Lead, 2m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189324	1
376	SE-SK 0641/22 Rev B or later	NR P&P, Lead, 4m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189321	1
377	SE-SK 0641/23 Rev B or later	NR P&P, Lead, 8m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189322	1
378	SE-SK 0641/24 Rev B or later	NR P&P, Lead, 15.5m long, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189323	1
379	SE-SK 0641/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189325	1
380	SE-SK 0641/31 Rev B or later	NR P&P, Lead, 2m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189721	1
381	SE-SK 0641/32 Rev B or later	NR P&P, Lead, 4m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189722	1
382	SE-SK 0641/33 Rev B or later	NR P&P, Lead, 8m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189723	1
383	SE-SK 0641/34 Rev B or later	NR P&P, Lead, 15.5m long, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189724	1
384	SE-SK 0641/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, E2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189725	1
385	SE-SK 0821/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189021	1
386	SE-SK 0821/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189022	1
387	SE-SK 0821/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189023	1
388	SE-SK 0821/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189024	1
389	SE-SK 0821/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/189025	1
390	SE-SK 0821/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/191521	1
391	SE-SK 0821/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/191522	1
392	SE-SK 0821/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/191523	1
393	SE-SK 0821/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/191524	1
394	SE-SK 0821/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 4-core cable, with Free End and MIL5015 Plug (F)	006/191525	1

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

**Table 10 Interconnects and Leads
Plug & Play Module 7
Appendix H1 – Train Detection**

Ref	Network Rail Part No.	TABLE 10 Description	PADS No.	Cert issue
1	SE-SK 0396/01 Rev C or later	NR P&P, Lead, 2m long, 1 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and Free End	006/191916	1
2	SE-SK 0396/02 Rev C or later	NR P&P, Lead, 4m long, 1 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and Free End	006/191917	1
3	SE-SK 0396/03 Rev C or later	NR P&P, Lead, 8m long, 1 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and Free End	006/191918	1
4	SE-SK 0396/04 Rev C or later	NR P&P, Lead, 15.5m long, 1 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and Free End	006/191919	1
5	SE-SK 0396/05 Rev C or later	NR P&P, Lead, >15.5m long as specified on order, 1 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and Free End	006/191920	1
6	SE-SK 0396/11 Rev C or later	NR P&P, Lead, 2m long, 1 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Receptacle (F) and Free End	006/191186	1
7	SE-SK 0396/12 Rev C or later	NR P&P, Lead, 4m long, 1 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Receptacle (F) and Free End	006/191187	1
8	SE-SK 0396/13 Rev C or later	NR P&P, Lead, 8m long, 1 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Receptacle (F) and Free End	006/191188	1
9	SE-SK 0396/14 Rev C or later	NR P&P, Lead, 15.5m long, 1 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Receptacle (F) and Free End	006/191189	1
10	SE-SK 0396/15 Rev C or later	NR P&P, Lead, >15.5m long as specified on order, 1 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Receptacle (F) and Free End	006/191190	1
11	SE-SK 0395/01 Rev C or later	NR P&P, Interconnect, 4m long, 1 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190911	1
12	SE-SK 0395/02 Rev C or later	NR P&P, Interconnect, 7.5m long, 1 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190912	1
13	SE-SK 0395/03 Rev C or later	NR P&P, Interconnect, 15m long, 1 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190913	1
14	SE-SK 0395/04 Rev C or later	NR P&P, Interconnect, 25m long, 1 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190914	1
15	SE-SK 0395/05 Rev C or later	NR P&P, Interconnect, >25m long as specified on order, 1 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190915	1
16	SE-SK 0395/11 Rev C or later	NR P&P, Interconnect, 4m long, 1 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190181	1
17	SE-SK 0395/12 Rev C or later	NR P&P, Interconnect, 7.5m long, 1 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190182	1
18	SE-SK 0395/13 Rev C or later	NR P&P, Interconnect, 15m long, 1 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190183	1

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 10 Description	PADS No.	Cert issue
19	SE-SK 0395/14 Rev C or later	NR P&P, Interconnect, 25m long, 1 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190184	1
20	SE-SK 0395/15 Rev C or later	NR P&P, Interconnect, >25m long as specified on order, 1 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190185	1
21	SE-SK 0398/01 Rev C or later	NR P&P, Lead, 2m long, 1 x 0.9mm Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191906	1
22	SE-SK 0398/02 Rev C or later	NR P&P, Lead, 4m long, 1 x 0.9mm Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191907	1
23	SE-SK 0398/03 Rev C or later	NR P&P, Lead, 8m long, 1 x 0.9mm Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191908	1
24	SE-SK 0398/04 Rev C or later	NR P&P, Lead, 15.5m long, 1 x 0.9mm Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191909	1
25	SE-SK 0398/05 Rev C or later	NR P&P, Lead, >15.5m long as specified on order, 1 x 0.9mm Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191910	1
26	SE-SK 0398/11 Rev C or later	NR P&P, Lead, 2m long, 1 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with Free End and MIL5015 Plug (M)	006/191191	1
27	SE-SK 0398/12 Rev C or later	NR P&P, Lead, 4m long, 1 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with Free End and MIL5015 Plug (M)	006/191192	1
28	SE-SK 0398/13 Rev C or later	NR P&P, Lead, 8m long, 1 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with Free End and MIL5015 Plug (M)	006/191193	1
29	SE-SK 0398/14 Rev C or later	NR P&P, Lead, 15.5m long, 1 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with Free End and MIL5015 Plug (M)	006/191194	1
30	SE-SK 0398/15 Rev C or later	NR P&P, Lead, >15.5m long as specified on order, 1 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with Free End and MIL5015 Plug (M)	006/191195	1

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilecsys Rail Limited

Issue : 2
Valid From : 17/12/2021

**Table 11 Interconnects and Leads
Plug & Play Module 7
Appendix J1 – Lineside Cabling**

Ref	Network Rail Part No.	TABLE 11 Description	PADS No.	Cert issue
1	SE-SK 0471/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 19-core cable, with Free End and MIL5015 Receptacle (F)	006/189131	1
2	SE-SK 0471/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 19-core cable, with Free End and MIL5015 Receptacle (F)	006/189132	1
3	SE-SK 0471/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 19-core cable, with Free End and MIL5015 Receptacle (F)	006/189133	1
4	SE-SK 0471/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 19-core cable, with Free End and MIL5015 Receptacle (F)	006/189134	1
5	SE-SK 0471/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 19-core cable, with Free End and MIL5015 Receptacle (F)	006/189135	1
6	SE-SK 0471/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 19-core cable, with Free End and MIL5015 Receptacle (F)	006/191631	1
7	SE-SK 0471/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 19-core cable, with Free End and MIL5015 Receptacle (F)	006/191632	1
8	SE-SK 0471/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 19-core cable, with Free End and MIL5015 Receptacle (F)	006/191633	1
9	SE-SK 0471/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 19-core cable, with Free End and MIL5015 Receptacle (F)	006/191634	1
10	SE-SK 0471/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 19-core cable, with Free End and MIL5015 Receptacle (F)	006/191635	1
11	SE-SK 0479/01 Rev B or later	NR P&P, Lead, 2m long, B2 1.5sqmm 27-core cable, with Free End and MIL5015 Receptacle (F)	006/189191	1
12	SE-SK 0479/02 Rev B or later	NR P&P, Lead, 4m long, B2 1.5sqmm 27-core cable, with Free End and MIL5015 Receptacle (F)	006/189192	1
13	SE-SK 0479/03 Rev B or later	NR P&P, Lead, 8m long, B2 1.5sqmm 27-core cable, with Free End and MIL5015 Receptacle (F)	006/189193	1
14	SE-SK 0479/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 1.5sqmm 27-core cable, with Free End and MIL5015 Receptacle (F)	006/189194	1
15	SE-SK 0479/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 1.5sqmm 27-core cable, with Free End and MIL5015 Receptacle (F)	006/189195	1
16	SE-SK 0479/11 Rev B or later	NR P&P, Lead, 2m long, D2 1.5sqmm 27-core cable, with Free End and MIL5015 Receptacle (F)	006/189511	1
17	SE-SK 0479/12 Rev B or later	NR P&P, Lead, 4m long, D2 1.5sqmm 27-core cable, with Free End and MIL5015 Receptacle (F)	006/189512	1
18	SE-SK 0479/13 Rev B or later	NR P&P, Lead, 8m long, D2 1.5sqmm 27-core cable, with Free End and MIL5015 Receptacle (F)	006/189513	1
19	SE-SK 0479/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 1.5sqmm 27-core cable, with Free End and MIL5015 Receptacle (F)	006/189514	1
20	SE-SK 0479/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 1.5sqmm 27-core cable, with Free End and MIL5015 Receptacle (F)	006/189515	1
21	SE-SK 0487/01 Rev B or later	NR P&P, Lead, 2m long, B2 1.5sqmm 37-core cable, with Free End and MIL5015 Receptacle (F)	006/189211	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 11 Description	PADS No.	Cert issue
22	SE-SK 0487/02 Rev B or later	NR P&P, Lead, 4m long, B2 1.5sqmm 37-core cable, with Free End and MIL5015 Receptacle (F)	006/189212	1
23	SE-SK 0487/03 Rev B or later	NR P&P, Lead, 8m long, B2 1.5sqmm 37-core cable, with Free End and MIL5015 Receptacle (F)	006/189213	1
24	SE-SK 0487/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 1.5sqmm 37-core cable, with Free End and MIL5015 Receptacle (F)	006/189214	1
25	SE-SK 0487/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 1.5sqmm 37-core cable, with Free End and MIL5015 Receptacle (F)	006/189215	1
26	SE-SK 0487/11 Rev B or later	NR P&P, Lead, 2m long, D2 1.5sqmm 37-core cable, with Free End and MIL5015 Receptacle (F)	006/189531	1
27	SE-SK 0487/12 Rev B or later	NR P&P, Lead, 4m long, D2 1.5sqmm 37-core cable, with Free End and MIL5015 Receptacle (F)	006/189532	1
28	SE-SK 0487/13 Rev B or later	NR P&P, Lead, 8m long, D2 1.5sqmm 37-core cable, with Free End and MIL5015 Receptacle (F)	006/189533	1
29	SE-SK 0487/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 1.5sqmm 37-core cable, with Free End and MIL5015 Receptacle (F)	006/189534	1
30	SE-SK 0487/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 1.5sqmm 37-core cable, with Free End and MIL5015 Receptacle (F)	006/189535	1
31	SE-SK 0495/01 Rev B or later	NR P&P, Lead, 2m long, B2 1.5sqmm 48-core cable, with Free End and MIL5015 Receptacle (F)	006/189231	1
32	SE-SK 0495/02 Rev B or later	NR P&P, Lead, 4m long, B2 1.5sqmm 48-core cable, with Free End and MIL5015 Receptacle (F)	006/189232	1
33	SE-SK 0495/03 Rev B or later	NR P&P, Lead, 8m long, B2 1.5sqmm 48-core cable, with Free End and MIL5015 Receptacle (F)	006/189233	1
34	SE-SK 0495/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 1.5sqmm 48-core cable, with Free End and MIL5015 Receptacle (F)	006/189234	1
35	SE-SK 0495/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 1.5sqmm 48-core cable, with Free End and MIL5015 Receptacle (F)	006/189235	1
36	SE-SK 0495/11 Rev B or later	NR P&P, Lead, 2m long, D2 1.5sqmm 48-core cable, with Free End and MIL5015 Receptacle (F)	006/189551	1
37	SE-SK 0495/12 Rev B or later	NR P&P, Lead, 4m long, D2 1.5sqmm 48-core cable, with Free End and MIL5015 Receptacle (F)	006/189552	1
38	SE-SK 0495/13 Rev B or later	NR P&P, Lead, 8m long, D2 1.5sqmm 48-core cable, with Free End and MIL5015 Receptacle (F)	006/189553	1
39	SE-SK 0495/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 1.5sqmm 48-core cable, with Free End and MIL5015 Receptacle (F)	006/189554	1
40	SE-SK 0495/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 1.5sqmm 48-core cable, with Free End and MIL5015 Receptacle (F)	006/189555	1
41	SE-SK 0449/11 Rev B or later	NR P&P, Lead, 2m long, C2 6sqmm 2-core cable, with MIL5015 Receptacle (F) and Free End	006/189591	1
42	SE-SK 0449/12 Rev B or later	NR P&P, Lead, 4m long, C2 6sqmm 2-core cable, with MIL5015 Receptacle (F) and Free End	006/189592	1
43	SE-SK 0449/13 Rev B or later	NR P&P, Lead, 8m long, C2 6sqmm 2-core cable, with MIL5015 Receptacle (F) and Free End	006/189593	1
44	SE-SK 0449/14 Rev B or later	NR P&P, Lead, 15.5m long, C2 6sqmm 2-core cable, with MIL5015 Receptacle (F) and Free End	006/189594	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 11 Description	PADS No.	Cert issue
45	SE-SK 0449/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 6sqmm 2-core cable, with MIL5015 Receptacle (F) and Free End	006/189595	1
46	SE-SK 0434/01 Rev B or later	NR P&P, Lead, 2m long, B2 10sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189171	1
47	SE-SK 0434/02 Rev B or later	NR P&P, Lead, 4m long, B2 10sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189172	1
48	SE-SK 0434/03 Rev B or later	NR P&P, Lead, 8m long, B2 10sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189173	1
49	SE-SK 0434/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 10sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189174	1
50	SE-SK 0434/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 10sqmm 2-core cable, with Free End and MIL5015 Receptacle (F)	006/189175	1
51	SE-SK 0896/01 Rev A or later	NR P&P, Lead, 2m long, B2 16sqmm 2-core cable, with MIL5015 Receptacle (F) and Free End	006/191491	1
52	SE-SK 0896/02 Rev A or later	NR P&P, Lead, 4m long, B2 16sqmm 2-core cable, with MIL5015 Receptacle (F) and Free End	006/191492	1
53	SE-SK 0896/03 Rev A or later	NR P&P, Lead, 8m long, B2 16sqmm 2-core cable, with MIL5015 Receptacle (F) and Free End	006/191493	1
54	SE-SK 0896/04 Rev A or later	NR P&P, Lead, 15.5m long, B2 16sqmm 2-core cable, with MIL5015 Receptacle (F) and Free End	006/191494	1
55	SE-SK 0896/05 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, B2 16sqmm 2-core cable, with MIL5015 Receptacle (F) and Free End	006/191495	1
56	SE-SK 0896/11 Rev A or later	NR P&P, Lead, 2m long, D2 16sqmm 2-core cable, with MIL5015 Receptacle (F) and Free End	006/191496	1
57	SE-SK 0896/12 Rev A or later	NR P&P, Lead, 4m long, D2 16sqmm 2-core cable, with MIL5015 Receptacle (F) and Free End	006/191497	1
58	SE-SK 0896/13 Rev A or later	NR P&P, Lead, 8m long, D2 16sqmm 2-core cable, with MIL5015 Receptacle (F) and Free End	006/191498	1
59	SE-SK 0896/14 Rev A or later	NR P&P, Lead, 15.5m long, D2 16sqmm 2-core cable, with MIL5015 Receptacle (F) and Free End	006/191499	1
60	SE-SK 0896/15 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, D2 16sqmm 2-core cable, with MIL5015 Receptacle (F) and Free End	006/191500	1
61	SE-SK 0990/01 Rev A or later	NR P&P, Lead, 2m long, C2 16sqmm 2-core cable, with MIL5015 Receptacle (F) and Free End	006/189656	1
62	SE-SK 0990/02 Rev A or later	NR P&P, Lead, 4m long, C2 16sqmm 2-core cable, with MIL5015 Receptacle (F) and Free End	006/189657	1
63	SE-SK 0990/03 Rev A or later	NR P&P, Lead, 8m long, C2 16sqmm 2-core cable, with MIL5015 Receptacle (F) and Free End	006/189658	1
64	SE-SK 0990/04 Rev A or later	NR P&P, Lead, 15m long, C2 16sqmm 2-core cable, with MIL5015 Receptacle (F) and Free End	006/189659	1
65	SE-SK 0990/05 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, C2 16sqmm 2-core cable, with MIL5015 Receptacle (F) and Free End	006/189660	1
66	SE-SK 0906/21 Rev A or later	NR P&P, Lead, 2m long, C2 25sqmm 2-core cable, with MIL5015 Receptacle (F) and Free End	006/189116	1
67	SE-SK 0906/22 Rev A or later	NR P&P, Lead, 4m long, C2 25sqmm 2-core cable, with MIL5015 Receptacle (F) and Free End	006/189117	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 11 Description	PADS No.	Cert issue
68	SE-SK 0906/23 Rev A or later	NR P&P, Lead, 8m long, C2 25sqmm 2-core cable, with MIL5015 Receptacle (F) and Free End	006/189118	1
69	SE-SK 0906/24 Rev A or later	NR P&P, Lead, 15.5m long, C2 25sqmm 2-core cable, with MIL5015 Receptacle (F) and Free End	006/189119	1
70	SE-SK 0906/25 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, C2 25sqmm 2-core cable, with MIL5015 Receptacle (F) and Free End	006/189120	1
71	SE-SK 0497/01 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, BR1932, 1.27mm Twin core Data Link Cable, Free end to Plug (M), Black Sheath	006/189270	1
72	SE-SK 0497/02 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, BR1932, 1.27mm Twin core Data Link Cable, Free end to Plug (M), Blue Sheath	006/189265	1
73	SE-SK 0497/03 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, BR1932 ZHLS, 1.27mm Twin core Data Link Cable, Free end to Plug (M), Black Sheath	006/189280	1
74	SE-SK 0497/04 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, BR1932 ZHLS, 1.27mm Twin core Data Link Cable, Free end to Plug (M), Blue Sheath	006/189275	1
75	SE-SK 0497/11 Rev B or later	NR P&P, Lead, 2m, BR1932, 1.27mm Twin core Data Link Cable, Free end to Plug (M), Black Sheath	006/189266	1
76	SE-SK 0497/12 Rev B or later	NR P&P, Lead, 2m, BR1932, 1.27mm Twin core Data Link Cable, Free end to Plug (M), Blue Sheath	006/189261	1
77	SE-SK 0497/13 Rev B or later	NR P&P, Lead, 2m, BR1932 ZHLS, 1.27mm Twin core Data Link Cable, Free end to Plug (M), Black Sheath	006/189276	1
78	SE-SK 0497/14 Rev B or later	NR P&P, Lead, 2m, BR1932 ZHLS, 1.27mm Twin core Data Link Cable, Free end to Plug (M), Blue Sheath	006/189271	1
79	SE-SK 0497/21 Rev B or later	NR P&P, Lead, 4m, BR1932, 1.27mm Twin core Data Link Cable, Free end to Plug (M), Black Sheath	006/189267	1
80	SE-SK 0497/22 Rev B or later	NR P&P, Lead, 4m, BR1932, 1.27mm Twin core Data Link Cable, Free end to Plug (M), Blue Sheath	006/189262	1
81	SE-SK 0497/23 Rev B or later	NR P&P, Lead, 4m, BR1932 ZHLS, 1.27mm Twin core Data Link Cable, Free end to Plug (M), Black Sheath	006/189277	1
82	SE-SK 0497/24 Rev B or later	NR P&P, Lead, 4m, BR1932 ZHLS, 1.27mm Twin core Data Link Cable, Free end to Plug (M), Blue Sheath	006/189272	1
83	SE-SK 0497/31 Rev B or later	NR P&P, Lead, 8m, BR1932, 1.27mm Twin core Data Link Cable, Free end to Plug (M), Black Sheath	006/189268	1
84	SE-SK 0497/32 Rev B or later	NR P&P, Lead, 8m, BR1932, 1.27mm Twin core Data Link Cable, Free end to Plug (M), Blue Sheath	006/189263	1
85	SE-SK 0497/33 Rev B or later	NR P&P, Lead, 8m, BR1932 ZHLS, 1.27mm Twin core Data Link Cable, Free end to Plug (M), Black Sheath	006/189278	1
86	SE-SK 0497/34 Rev B or later	NR P&P, Lead, 8m, BR1932 ZHLS, 1.27mm Twin core Data Link Cable, Free end to Plug (M), Blue Sheath	006/189273	1
87	SE-SK 0497/41 Rev B or later	NR P&P, Lead, 15.5m, BR1932, 1.27mm Twin core Data Link Cable, Free end to Plug (M), Black Sheath	006/189269	1
88	SE-SK 0497/42 Rev B or later	NR P&P, Lead, 15.5m, BR1932, 1.27mm Twin core Data Link Cable, Free end to Plug (M), Blue Sheath	006/189264	1
89	SE-SK 0497/43 Rev B or later	NR P&P, Lead, 15.5m, BR1932 ZHLS, 1.27mm Twin core Data Link Cable, Free end to Plug (M), Black Sheath	006/189279	1

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 11 Description	PADS No.	Cert issue
90	SE-SK 0497/44 Rev B or later	NR P&P, Lead, 15.5m, BR1932 ZHLS, 1.27mm Twin core Data Link Cable, Free end to Plug (M), Blue Sheath	006/189274	1
91	SE-SK 1229/01 Rev A or later	NR P&P, Lead, 2m long, 0.75mm 6 Twisted Pair B2 Cable, with MIL5015 Receptacle (F) and Free End	006/194255	1
92	SE-SK 1229/02 Rev A or later	NR P&P, Lead, 4m long, 0.75mm 6 Twisted Pair B2 Cable, with MIL5015 Receptacle (F) and Free End	006/194256	1
93	SE-SK 1229/03 Rev A or later	NR P&P, Lead, 8m long, 0.75mm 6 Twisted Pair B2 Cable, with MIL5015 Receptacle (F) and Free End	006/194257	1
94	SE-SK 1229/04 Rev A or later	NR P&P, Lead, 15.5m long, 0.75mm 6 Twisted Pair B2 Cable, with MIL5015 Receptacle (F) and Free End	006/194258	1
95	SE-SK 1229/05 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, 0.75mm 6 Twisted Pair B2 Cable, with MIL5015 Receptacle (F) and Free End	006/194259	1
96	SE-SK 1229/11 Rev A or later	NR P&P, Lead, 2m long, 0.75mm 6 Twisted Pair D2 Cable, with MIL5015 Receptacle (F) and Free End	006/194295	1
97	SE-SK 1229/12 Rev A or later	NR P&P, Lead, 4m long, 0.75mm 6 Twisted Pair D2 Cable, with MIL5015 Receptacle (F) and Free End	006/194296	1
98	SE-SK 1229/13 Rev A or later	NR P&P, Lead, 8m long, 0.75mm 6 Twisted Pair D2 Cable, with MIL5015 Receptacle (F) and Free End	006/194297	1
99	SE-SK 1229/14 Rev A or later	NR P&P, Lead, 15.5m long, 0.75mm 6 Twisted Pair D2 Cable, with MIL5015 Receptacle (F) and Free End	006/194298	1
100	SE-SK 1229/15 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, 0.75mm 6 Twisted Pair D2 Cable, with MIL5015 Receptacle (F) and Free End	006/194299	1
101	SE-SK 1237/21 Rev A or later	NR P&P, Lead, 2m long, 0.75mm 6 Twisted Pair C2 Cable, with MIL5015 Receptacle (F) and Free End	006/194275	1
102	SE-SK 1237/22 Rev A or later	NR P&P, Lead, 4m long, 0.75mm 6 Twisted Pair C2 Cable, with MIL5015 Receptacle (F) and Free End	006/194276	1
103	SE-SK 1237/23 Rev A or later	NR P&P, Lead, 8m long, 0.75mm 6 Twisted Pair C2 Cable, with MIL5015 Receptacle (F) and Free End	006/194277	1
104	SE-SK 1237/24 Rev A or later	NR P&P, Lead, 15.5m long, 0.75mm 6 Twisted Pair C2 Cable, with MIL5015 Receptacle (F) and Free End	006/194278	1
105	SE-SK 1237/25 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, 0.75mm 6 Twisted Pair C2 Cable, with MIL5015 Receptacle (F) and Free End	006/194279	1
106	SE-SK 0466/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 2.5sqmm 19-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188131	1
107	SE-SK 0466/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 2.5sqmm 19-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188132	1
108	SE-SK 0466/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 2.5sqmm 19-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188133	1
109	SE-SK 0466/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 2.5sqmm 19-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188134	1
110	SE-SK 0466/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 2.5sqmm 19-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188135	1
111	SE-SK 0466/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 2.5sqmm 19-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190631	1
112	SE-SK 0466/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 2.5sqmm 19-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190632	1

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 11 Description	PADS No.	Cert issue
113	SE-SK 0466/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 2.5sqmm 19-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190633	1
114	SE-SK 0466/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 2.5sqmm 19-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190634	1
115	SE-SK 0466/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 2.5sqmm 19-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/190635	1
116	SE-SK 0474/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 1.5sqmm 27-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188191	1
117	SE-SK 0474/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 1.5sqmm 27-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188192	1
118	SE-SK 0474/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 1.5sqmm 27-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188193	1
119	SE-SK 0474/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 1.5sqmm 27-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188194	1
120	SE-SK 0474/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 1.5sqmm 27-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188195	1
121	SE-SK 0474/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 1.5sqmm 27-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188511	1
122	SE-SK 0474/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 1.5sqmm 27-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188512	1
123	SE-SK 0474/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 1.5sqmm 27-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188513	1
124	SE-SK 0474/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 1.5sqmm 27-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188514	1
125	SE-SK 0474/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 1.5sqmm 27-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188515	1
126	SE-SK 0482/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 1.5sqmm 37-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188211	1
127	SE-SK 0482/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 1.5sqmm 37-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188212	1
128	SE-SK 0482/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 1.5sqmm 37-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188213	1
129	SE-SK 0482/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 1.5sqmm 37-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188214	1
130	SE-SK 0482/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 1.5sqmm 37-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188215	1
131	SE-SK 0482/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 1.5sqmm 37-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188531	1
132	SE-SK 0482/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 1.5sqmm 37-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188532	1
133	SE-SK 0482/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 1.5sqmm 37-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188533	1
134	SE-SK 0482/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 1.5sqmm 37-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188534	1
135	SE-SK 0482/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 1.5sqmm 37-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188535	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 11 Description	PADS No.	Cert issue
136	SE-SK 0490/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 1.5sqmm 48-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188231	1
137	SE-SK 0490/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 1.5sqmm 48-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188232	1
138	SE-SK 0490/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 1.5sqmm 48-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188233	1
139	SE-SK 0490/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 1.5sqmm 48-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188234	1
140	SE-SK 0490/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 1.5sqmm 48-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188235	1
141	SE-SK 0490/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 1.5sqmm 48-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188551	1
142	SE-SK 0490/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 1.5sqmm 48-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188552	1
143	SE-SK 0490/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 1.5sqmm 48-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188553	1
144	SE-SK 0490/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 1.5sqmm 48-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188554	1
145	SE-SK 0490/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 1.5sqmm 48-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188555	1
146	SE-SK 0444/11 Rev B or later	NR P&P, Interconnect, 4m long, C2 6sqmm 2-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/188591	1
147	SE-SK 0444/12 Rev B or later	NR P&P, Interconnect, 7.5m long, C2 6sqmm 2-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/188592	1
148	SE-SK 0444/13 Rev B or later	NR P&P, Interconnect, 15m long, C2 6sqmm 2-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/188593	1
149	SE-SK 0444/14 Rev B or later	NR P&P, Interconnect, 25m long, C2 6sqmm 2-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/188594	1
150	SE-SK 0444/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C2 6sqmm 2-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/188595	1
151	SE-SK 0429/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 10sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188171	1
152	SE-SK 0429/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 10sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188172	1
153	SE-SK 0429/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 10sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188173	1
154	SE-SK 0429/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 10sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188174	1
155	SE-SK 0429/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 10sqmm 2-core cable, with MIL5015 Plug (M) and MIL5015 Receptacle (F)	006/188175	1
156	SE-SK 0891/01 Rev A or later	NR P&P, Interconnect, 4m long, B2 16sqmm 2-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190481	1
157	SE-SK 0891/02 Rev A or later	NR P&P, Interconnect, 7.5m long, B2 16sqmm 2-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190482	1
158	SE-SK 0891/03 Rev A or later	NR P&P, Interconnect, 15m long, B2 16sqmm 2-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190483	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 11 Description	PADS No.	Cert issue
159	SE-SK 0891/04 Rev A or later	NR P&P, Interconnect, 25m long, B2 16sqmm 2-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190484	1
160	SE-SK 0891/05 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, B2 16sqmm 2-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190485	1
161	SE-SK 0891/11 Rev A or later	NR P&P, Interconnect, 4m long, D2 16sqmm 2-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190486	1
162	SE-SK 0891/12 Rev A or later	NR P&P, Interconnect, 7.5m long, D2 16sqmm 2-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190487	1
163	SE-SK 0891/13 Rev A or later	NR P&P, Interconnect, 15m long, D2 16sqmm 2-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190488	1
164	SE-SK 0891/14 Rev A or later	NR P&P, Interconnect, 25m long, D2 16sqmm 2-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190489	1
165	SE-SK 0891/15 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, D2 16sqmm 2-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190490	1
166	SE-SK 0985/01 Rev A or later	NR P&P, Interconnect, 4m long, C2 16sqmm 2-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190091	1
167	SE-SK 0985/02 Rev A or later	NR P&P, Interconnect, 7.5m long, C2 16sqmm 2-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190092	1
168	SE-SK 0985/03 Rev A or later	NR P&P, Interconnect, 15m long, C2 16sqmm 2-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190093	1
169	SE-SK 0985/04 Rev A or later	NR P&P, Interconnect, 25m long, C2 16sqmm 2-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190094	1
170	SE-SK 0985/05 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, C2 16sqmm 2-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190095	1
171	SE-SK 0901/21 Rev A or later	NR P&P, Interconnect, 4m long, C2 25sqmm 2-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/188111	1
172	SE-SK 0901/22 Rev A or later	NR P&P, Interconnect, 7.5m long, C2 25sqmm 2-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/188112	1
173	SE-SK 0901/23 Rev A or later	NR P&P, Interconnect, 15m long, C2 25sqmm 2-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/188113	1
174	SE-SK 0901/24 Rev A or later	NR P&P, Interconnect, 25m long, C2 25sqmm 2-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/188114	1
175	SE-SK 0901/25 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, C2 25sqmm 2-core cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/188115	1
176	SE-SK 0677/01 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, Black Twin 1/1.27mm SSI Data Link Cable, with MIL5015 Receptacle (F) and Plug (M)	006/188241	1
177	SE-SK 0677/02 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, Blue Twin 1/1.27mm SSI Data Link Cable, with MIL5015 Receptacle (F) and Plug (M)	006/188246	1
178	SE-SK 0677/03 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, Black Twin 1/1.27mm SSI Data Link ZHLS Cable, with MIL5015 Receptacle (F) and Plug (M)	006/188251	1
179	SE-SK 0677/04 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, Blue Twin 1/1.27mm SSI Data Link ZHLS Cable, with MIL5015 Receptacle (F) and Plug (M)	006/188256	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 11 Description	PADS No.	Cert issue
180	SE-SK 0677/11 Rev B or later	NR P&P, Interconnect, 4m, Black Twin 1/1.27mm SSI Data Link Cable, with MIL5015 Receptacle (F) and Plug (M)	006/188242	1
181	SE-SK 0677/12 Rev B or later	NR P&P, Interconnect, 4m, Blue Twin 1/1.27mm SSI Data Link Cable, with MIL5015 Receptacle (F) and Plug (M)	006/188247	1
182	SE-SK 0677/13 Rev B or later	NR P&P, Interconnect, 4m, Black Twin 1/1.27mm SSI Data Link ZHLS Cable, with MIL5015 Receptacle (F) and Plug (M)	006/188252	1
183	SE-SK 0677/14 Rev B or later	NR P&P, Interconnect, 4m, Blue Twin 1/1.27mm SSI Data Link ZHLS Cable, with MIL5015 Receptacle (F) and Plug (M)	006/188257	1
184	SE-SK 0677/21 Rev B or later	NR P&P, Interconnect, 7.5m, Black Twin 1/1.27mm SSI Data Link Cable, with MIL5015 Receptacle (F) and Plug (M)	006/188243	1
185	SE-SK 0677/22 Rev B or later	NR P&P, Interconnect, 7.5m, Blue Twin 1/1.27mm SSI Data Link Cable, with MIL5015 Receptacle (F) and Plug (M)	006/188248	1
186	SE-SK 0677/23 Rev B or later	NR P&P, Interconnect, 7.5m, Black Twin 1/1.27mm SSI Data Link ZHLS Cable, with MIL5015 Receptacle (F) and Plug (M)	006/188253	1
187	SE-SK 0677/24 Rev B or later	NR P&P, Interconnect, 7.5m, Blue Twin 1/1.27mm SSI Data Link ZHLS Cable, with MIL5015 Receptacle (F) and Plug (M)	006/188258	1
188	SE-SK 0677/31 Rev B or later	NR P&P, Interconnect, 15m, Black Twin 1/1.27mm SSI Data Link Cable, with MIL5015 Receptacle (F) and Plug (M)	006/188244	1
189	SE-SK 0677/32 Rev B or later	NR P&P, Interconnect, 15m, Blue Twin 1/1.27mm SSI Data Link Cable, with MIL5015 Receptacle (F) and Plug (M)	006/188249	1
190	SE-SK 0677/33 Rev B or later	NR P&P, Interconnect, 15m, Black Twin 1/1.27mm SSI Data Link ZHLS Cable, with MIL5015 Receptacle (F) and Plug (M)	006/188254	1
191	SE-SK 0677/34 Rev B or later	NR P&P, Interconnect, 15m, Blue Twin 1/1.27mm SSI Data Link ZHLS Cable, with MIL5015 Receptacle (F) and Plug (M)	006/188259	1
192	SE-SK 0677/41 Rev B or later	NR P&P, Interconnect, 25m, Black Twin 1/1.27mm SSI Data Link Cable, with MIL5015 Receptacle (F) and Plug (M)	006/188245	1
193	SE-SK 0677/42 Rev B or later	NR P&P, Interconnect, 25m, Blue Twin 1/1.27mm SSI Data Link Cable, with MIL5015 Receptacle (F) and Plug (M)	006/188250	1
194	SE-SK 0677/43 Rev B or later	NR P&P, Interconnect, 25m, Black Twin 1/1.27mm SSI Data Link ZHLS Cable, with MIL5015 Receptacle (F) and Plug (M)	006/188255	1
195	SE-SK 0677/44 Rev B or later	NR P&P, Interconnect, 25m, Blue Twin 1/1.27mm SSI Data Link ZHLS Cable, with MIL5015 Receptacle (F) and Plug (M)	006/188260	1
196	SE-SK 1224/01 Rev A or later	NR P&P, Interconnect, 4m long, 0.75mm 6 Twisted Pair B2 Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (Male)	006/193250	1
197	SE-SK 1224/02 Rev A or later	NR P&P, Interconnect, 7.5m long, 0.75mm 6 Twisted Pair B2 Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (Male)	006/193251	1
198	SE-SK 1224/03 Rev A or later	NR P&P, Interconnect, 15m long, 0.75mm 6 Twisted Pair B2 Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (Male)	006/193252	1
199	SE-SK 1224/04 Rev A or later	NR P&P, Interconnect, 25m long, 0.75mm 6 Twisted Pair B2 Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (Male)	006/193253	1
200	SE-SK 1224/05 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, 0.75mm 6 Twisted Pair B2 Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (Male)	006/193254	1
201	SE-SK 1224/11 Rev A or later	NR P&P, Interconnect, 4m long, 0.75mm 6 Twisted Pair D2 Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (Male)	006/193290	1
202	SE-SK 1224/12 Rev A or later	NR P&P, Interconnect, 7.5m long, 0.75mm 6 Twisted Pair D2 Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (Male)	006/193291	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 11 Description	PADS No.	Cert issue
203	SE-SK 1224/13 Rev A or later	NR P&P, Interconnect, 15m long, 0.75mm 6 Twisted Pair D2 Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (Male)	006/193292	1
204	SE-SK 1224/14 Rev A or later	NR P&P, Interconnect, 25m long, 0.75mm 6 Twisted Pair D2 Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (Male)	006/193293	1
205	SE-SK 1224/15 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, 0.75mm 6 Twisted Pair D2 Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (Male)	006/193294	1
206	SE-SK 1232/21 Rev A or later	NR P&P, Interconnect, 4m long, 0.75mm 6 Twisted Pair C2 Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (Male)	006/193270	1
207	SE-SK 1232/22 Rev A or later	NR P&P, Interconnect, 7.5m long, 0.75mm 6 Twisted Pair C2 Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (Male)	006/193271	1
208	SE-SK 1232/23 Rev A or later	NR P&P, Interconnect, 15m long, 0.75mm 6 Twisted Pair C2 Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (Male)	006/193272	1
209	SE-SK 1232/24 Rev A or later	NR P&P, Interconnect, 25m long, 0.75mm 6 Twisted Pair C2 Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (Male)	006/193273	1
210	SE-SK 1232/25 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, 0.75mm 6 Twisted Pair C2 Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (Male)	006/193274	1
211	SE-SK 0469/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 19-core cable, with Free End and MIL5015 Plug (M)	006/189126	1
212	SE-SK 0469/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 19-core cable, with Free End and MIL5015 Plug (M)	006/189127	1
213	SE-SK 0469/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 19-core cable, with Free End and MIL5015 Plug (M)	006/189128	1
214	SE-SK 0469/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 19-core cable, with Free End and MIL5015 Plug (M)	006/189129	1
215	SE-SK 0469/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 19-core cable, with Free End and MIL5015 Plug (M)	006/189130	1
216	SE-SK 0469/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 19-core cable, with Free End and MIL5015 Plug (M)	006/191626	1
217	SE-SK 0469/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 19-core cable, with Free End and MIL5015 Plug (M)	006/191627	1
218	SE-SK 0469/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 19-core cable, with Free End and MIL5015 Plug (M)	006/191628	1
219	SE-SK 0469/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 19-core cable, with Free End and MIL5015 Plug (M)	006/191629	1
220	SE-SK 0469/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 19-core cable, with Free End and MIL5015 Plug (M)	006/191630	1
221	SE-SK 0477/01 Rev B or later	NR P&P, Lead, 2m long, B2 1.5sqmm 27-core cable, with Free End and MIL5015 Plug (M)	006/189186	1
222	SE-SK 0477/02 Rev B or later	NR P&P, Lead, 4m long, B2 1.5sqmm 27-core cable, with Free End and MIL5015 Plug (M)	006/189187	1
223	SE-SK 0477/03 Rev B or later	NR P&P, Lead, 8m long, B2 1.5sqmm 27-core cable, with Free End and MIL5015 Plug (M)	006/189188	1
224	SE-SK 0477/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 1.5sqmm 27-core cable, with Free End and MIL5015 Plug (M)	006/189189	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 11 Description	PADS No.	Cert issue
225	SE-SK 0477/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 1.5sqmm 27-core cable, with Free End and MIL5015 Plug (M)	006/189190	1
226	SE-SK 0477/11 Rev B or later	NR P&P, Lead, 2m long, D2 1.5sqmm 27-core cable, with Free End and MIL5015 Plug (M)	006/189506	1
227	SE-SK 0477/12 Rev B or later	NR P&P, Lead, 4m long, D2 1.5sqmm 27-core cable, with Free End and MIL5015 Plug (M)	006/189507	1
228	SE-SK 0477/13 Rev B or later	NR P&P, Lead, 8m long, D2 1.5sqmm 27-core cable, with Free End and MIL5015 Plug (M)	006/189508	1
229	SE-SK 0477/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 1.5sqmm 27-core cable, with Free End and MIL5015 Plug (M)	006/189509	1
230	SE-SK 0477/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 1.5sqmm 27-core cable, with Free End and MIL5015 Plug (M)	006/189510	1
231	SE-SK 0485/01 Rev B or later	NR P&P, Lead, 2m long, B2 1.5sqmm 37-core cable, with Free End and MIL5015 Plug (M)	006/189206	1
232	SE-SK 0485/02 Rev B or later	NR P&P, Lead, 4m long, B2 1.5sqmm 37-core cable, with Free End and MIL5015 Plug (M)	006/189207	1
233	SE-SK 0485/03 Rev B or later	NR P&P, Lead, 8m long, B2 1.5sqmm 37-core cable, with Free End and MIL5015 Plug (M)	006/189208	1
234	SE-SK 0485/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 1.5sqmm 37-core cable, with Free End and MIL5015 Plug (M)	006/189209	1
235	SE-SK 0485/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 1.5sqmm 37-core cable, with Free End and MIL5015 Plug (M)	006/189210	1
236	SE-SK 0485/11 Rev B or later	NR P&P, Lead, 2m long, D2 1.5sqmm 37-core cable, with Free End and MIL5015 Plug (M)	006/189526	1
237	SE-SK 0485/12 Rev B or later	NR P&P, Lead, 4m long, D2 1.5sqmm 37-core cable, with Free End and MIL5015 Plug (M)	006/189527	1
238	SE-SK 0485/13 Rev B or later	NR P&P, Lead, 8m long, D2 1.5sqmm 37-core cable, with Free End and MIL5015 Plug (M)	006/189528	1
239	SE-SK 0485/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 1.5sqmm 37-core cable, with Free End and MIL5015 Plug (M)	006/189529	1
240	SE-SK 0485/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 1.5sqmm 37-core cable, with Free End and MIL5015 Plug (M)	006/189530	1
241	SE-SK 0493/01 Rev B or later	NR P&P, Lead, 2m long, B2 1.5sqmm 48-core cable, with Free End and MIL5015 Plug (M)	006/189226	1
242	SE-SK 0493/02 Rev B or later	NR P&P, Lead, 4m long, B2 1.5sqmm 48-core cable, with Free End and MIL5015 Plug (M)	006/189227	1
243	SE-SK 0493/03 Rev B or later	NR P&P, Lead, 8m long, B2 1.5sqmm 48-core cable, with Free End and MIL5015 Plug (M)	006/189228	1
244	SE-SK 0493/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 1.5sqmm 48-core cable, with Free End and MIL5015 Plug (M)	006/189229	1
245	SE-SK 0493/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 1.5sqmm 48-core cable, with Free End and MIL5015 Plug (M)	006/189230	1
246	SE-SK 0493/11 Rev B or later	NR P&P, Lead, 2m long, D2 1.5sqmm 48-core cable, with Free End and MIL5015 Plug (M)	006/189546	1
247	SE-SK 0493/12 Rev B or later	NR P&P, Lead, 4m long, D2 1.5sqmm 48-core cable, with Free End and MIL5015 Plug (M)	006/189547	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 11 Description	PADS No.	Cert issue
248	SE-SK 0493/13 Rev B or later	NR P&P, Lead, 8m long, D2 1.5sqmm 48-core cable, with Free End and MIL5015 Plug (M)	006/189548	1
249	SE-SK 0493/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 1.5sqmm 48-core cable, with Free End and MIL5015 Plug (M)	006/189549	1
250	SE-SK 0493/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 1.5sqmm 48-core cable, with Free End and MIL5015 Plug (M)	006/189550	1
251	SE-SK 0447/11 Rev B or later	NR P&P, Lead, 2m long, C2 6sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189586	1
252	SE-SK 0447/12 Rev B or later	NR P&P, Lead, 4m long, C2 6sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189587	1
253	SE-SK 0447/13 Rev B or later	NR P&P, Lead, 8m long, C2 6sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189588	1
254	SE-SK 0447/14 Rev B or later	NR P&P, Lead, 15.5m long, C2 6sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189589	1
255	SE-SK 0447/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 6sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189590	1
256	SE-SK 0432/01 Rev B or later	NR P&P, Lead, 2m long, B2 10sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189166	1
257	SE-SK 0432/02 Rev B or later	NR P&P, Lead, 4m long, B2 10sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189167	1
258	SE-SK 0432/03 Rev B or later	NR P&P, Lead, 8m long, B2 10sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189168	1
259	SE-SK 0432/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 10sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189169	1
260	SE-SK 0432/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 10sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189170	1
261	SE-SK 0894/01 Rev A or later	NR P&P, Lead, 2m long, B2 16sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/191471	1
262	SE-SK 0894/02 Rev A or later	NR P&P, Lead, 4m long, B2 16sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/191472	1
263	SE-SK 0894/03 Rev A or later	NR P&P, Lead, 8m long, B2 16sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/191473	1
264	SE-SK 0894/04 Rev A or later	NR P&P, Lead, 15.5m long, B2 16sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/191474	1
265	SE-SK 0894/05 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, B2 16sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/191475	1
266	SE-SK 0894/11 Rev A or later	NR P&P, Lead, 2m long, D2 16sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/191476	1
267	SE-SK 0894/12 Rev A or later	NR P&P, Lead, 4m long, D2 16sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/191477	1
268	SE-SK 0894/13 Rev A or later	NR P&P, Lead, 8m long, D2 16sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/191478	1
269	SE-SK 0894/14 Rev A or later	NR P&P, Lead, 15.5m long, D2 16sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/191479	1
270	SE-SK 0894/15 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, D2 16sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/191480	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 11 Description	PADS No.	Cert issue
271	SE-SK 0988/01 Rev A or later	NR P&P, Lead, 2m long, C2 16sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189646	1
272	SE-SK 0988/02 Rev A or later	NR P&P, Lead, 4m long, C2 16sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189647	1
273	SE-SK 0988/03 Rev A or later	NR P&P, Lead, 8m long, C2 16sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189648	1
274	SE-SK 0988/04 Rev A or later	NR P&P, Lead, 15m long, C2 16sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189649	1
275	SE-SK 0988/05 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, C2 16sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189650	1
276	SE-SK 0904/21 Rev A or later	NR P&P, Lead, 2m long, C2 25sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189106	1
277	SE-SK 0904/22 Rev A or later	NR P&P, Lead, 4m long, C2 25sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189107	1
278	SE-SK 0904/23 Rev A or later	NR P&P, Lead, 8m long, C2 25sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189108	1
279	SE-SK 0904/24 Rev A or later	NR P&P, Lead, 15.5m long, C2 25sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189109	1
280	SE-SK 0904/25 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, C2 25sqmm 2-core cable, with Free End and MIL5015 Plug (M)	006/189110	1
281	SE-SK 0679/01 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, Black Twin 1/1.27mm SSI Data Link Cable, with MIL5015 Receptacle (F) to Free End	006/189241	1
282	SE-SK 0679/02 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, Blue Twin 1/1.27mm SSI Data Link Cable, with MIL5015 Receptacle (F) to Free End	006/189246	1
283	SE-SK 0679/03 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, Black Twin 1/1.27mm SSI Data Link ZHLS Cable, with MIL5015 Receptacle (F) to Free End	006/189251	1
284	SE-SK 0679/04 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, Blue Twin 1/1.27mm SSI Data Link ZHLS Cable, with MIL5015 Receptacle (F) to Free End	006/189256	1
285	SE-SK 0679/11 Rev B or later	NR P&P, Lead, 2m, Black Twin 1/1.27mm SSI Data Link Cable, with MIL5015 Receptacle (F) to Free End	006/189242	1
286	SE-SK 0679/12 Rev B or later	NR P&P, Lead, 2m, Blue Twin 1/1.27mm SSI Data Link Cable, with MIL5015 Receptacle (F) to Free End	006/189247	1
287	SE-SK 0679/13 Rev B or later	NR P&P, Lead, 2m, Black Twin 1/1.27mm SSI Data Link ZHLS Cable, with MIL5015 Receptacle (F) to Free End	006/189252	1
288	SE-SK 0679/14 Rev B or later	NR P&P, Lead, 2m, Blue Twin 1/1.27mm SSI Data Link ZHLS Cable, with MIL5015 Receptacle (F) to Free End	006/189257	1
289	SE-SK 0679/21 Rev B or later	NR P&P, Lead, 4m, Black Twin 1/1.27mm SSI Data Link Cable, with MIL5015 Receptacle (F) to Free End	006/189243	1
290	SE-SK 0679/22 Rev B or later	NR P&P, Lead, 4m, Blue Twin 1/1.27mm SSI Data Link Cable, with MIL5015 Receptacle (F) to Free End	006/189248	1
291	SE-SK 0679/23 Rev B or later	NR P&P, Lead, 4m, Black Twin 1/1.27mm SSI Data Link ZHLS Cable, with MIL5015 Receptacle (F) to Free End	006/189253	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 11 Description	PADS No.	Cert issue
292	SE-SK 0679/24 Rev B or later	NR P&P, Lead, 4m, Blue Twin 1/1.27mm SSI Data Link ZHLS Cable, with MIL5015 Receptacle (F) to Free End	006/189258	1
293	SE-SK 0679/31 Rev B or later	NR P&P, Lead, 8m, Black Twin 1/1.27mm SSI Data Link Cable, with MIL5015 Receptacle (F) to Free End	006/189244	1
294	SE-SK 0679/32 Rev B or later	NR P&P, Lead, 8m, Blue Twin 1/1.27mm SSI Data Link Cable, with MIL5015 Receptacle (F) to Free End	006/189249	1
295	SE-SK 0679/33 Rev B or later	NR P&P, Lead, 8m, Black Twin 1/1.27mm SSI Data Link ZHLS Cable, with MIL5015 Receptacle (F) to Free End	006/189254	1
296	SE-SK 0679/34 Rev B or later	NR P&P, Lead, 8m, Blue Twin 1/1.27mm SSI Data Link ZHLS Cable, with MIL5015 Receptacle (F) to Free End	006/189259	1
297	SE-SK 0679/41 Rev B or later	NR P&P, Lead, 15.5m, Black Twin 1/1.27mm SSI Data Link Cable, with MIL5015 Receptacle (F) to Free End	006/189245	1
298	SE-SK 0679/42 Rev B or later	NR P&P, Lead, 15.5m, Blue Twin 1/1.27mm SSI Data Link Cable, with MIL5015 Receptacle (F) to Free End	006/189250	1
299	SE-SK 0679/43 Rev B or later	NR P&P, Lead, 15.5m, Black Twin 1/1.27mm SSI Data Link ZHLS Cable, with MIL5015 Receptacle (F) to Free End	006/189255	1
300	SE-SK 0679/44 Rev B or later	NR P&P, Lead, 15.5m, Blue Twin 1/1.27mm SSI Data Link ZHLS Cable, with MIL5015 Receptacle (F) to Free End	006/189260	1
301	SE-SK 1227/01 Rev A or later	NR P&P, Lead, 2m long, 0.75mm 6 Twisted Pair B2 Cable, with Free End and MIL5015 Plug (M)	006/194245	1
302	SE-SK 1227/02 Rev A or later	NR P&P, Lead, 4m long, 0.75mm 6 Twisted Pair B2 Cable, with Free End and MIL5015 Plug (M)	006/194246	1
303	SE-SK 1227/03 Rev A or later	NR P&P, Lead, 8m long, 0.75mm 6 Twisted Pair B2 Cable, with Free End and MIL5015 Plug (M)	006/194247	1
304	SE-SK 1227/04 Rev A or later	NR P&P, Lead, 15.5m long, 0.75mm 6 Twisted Pair B2 Cable, with Free End and MIL5015 Plug (M)	006/194248	1
305	SE-SK 1227/05 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, 0.75mm 6 Twisted Pair B2 Cable, with Free End and MIL5015 Plug (M)	006/194249	1
306	SE-SK 1227/11 Rev A or later	NR P&P, Lead, 2m long, 0.75mm 6 Twisted Pair D2 Cable, with Free End and MIL5015 Plug (M)	006/194285	1
307	SE-SK 1227/12 Rev A or later	NR P&P, Lead, 4m long, 0.75mm 6 Twisted Pair D2 Cable, with Free End and MIL5015 Plug (M)	006/194286	1
308	SE-SK 1227/13 Rev A or later	NR P&P, Lead, 8m long, 0.75mm 6 Twisted Pair D2 Cable, with Free End and MIL5015 Plug (M)	006/194287	1
309	SE-SK 1227/14 Rev A or later	NR P&P, Lead, 15.5m long, 0.75mm 6 Twisted Pair D2 Cable, with Free End and MIL5015 Plug (M)	006/194288	1
310	SE-SK 1227/15 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, 0.75mm 6 Twisted Pair D2 Cable, with Free End and MIL5015 Plug (M)	006/194289	1
311	SE-SK 1235/21 Rev A or later	NR P&P, Lead, 2m long, 0.75mm 6 Twisted Pair C2 Cable, with Free End and MIL5015 Plug (M)	006/194265	1
312	SE-SK 1235/22 Rev A or later	NR P&P, Lead, 4m long, 0.75mm 6 Twisted Pair C2 Cable, with Free End and MIL5015 Plug (M)	006/194266	1
313	SE-SK 1235/23 Rev A or later	NR P&P, Lead, 8m long, 0.75mm 6 Twisted Pair C2 Cable, with Free End and MIL5015 Plug (M)	006/194267	1
314	SE-SK 1235/24 Rev A or later	NR P&P, Lead, 15.5m long, 0.75mm 6 Twisted Pair C2 Cable, with Free End and MIL5015 Plug (M)	006/194268	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 11 Description	PADS No.	Cert issue
315	SE-SK 1235/25 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, 0.75mm 6 Twisted Pair C2 Cable, with Free End and MIL5015 Plug (M)	006/194269	1
316	SE-SK 0464/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 2.5sqmm 19-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188121	1
317	SE-SK 0464/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 2.5sqmm 19-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188122	1
318	SE-SK 0464/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 2.5sqmm 19-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188123	1
319	SE-SK 0464/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 2.5sqmm 19-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188124	1
320	SE-SK 0464/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 2.5sqmm 19-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188125	1
321	SE-SK 0464/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 2.5sqmm 19-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190621	1
322	SE-SK 0464/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 2.5sqmm 19-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190622	1
323	SE-SK 0464/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 2.5sqmm 19-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190623	1
324	SE-SK 0464/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 2.5sqmm 19-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190624	1
325	SE-SK 0464/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 2.5sqmm 19-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190625	1
326	SE-SK 0472/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 1.5sqmm 27-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188181	1
327	SE-SK 0472/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 1.5sqmm 27-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188182	1
328	SE-SK 0472/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 1.5sqmm 27-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188183	1
329	SE-SK 0472/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 1.5sqmm 27-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188184	1
330	SE-SK 0472/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 1.5sqmm 27-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188185	1
331	SE-SK 0472/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 1.5sqmm 27-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188501	1
332	SE-SK 0472/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 1.5sqmm 27-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188502	1
333	SE-SK 0472/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 1.5sqmm 27-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188503	1
334	SE-SK 0472/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 1.5sqmm 27-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188504	1
335	SE-SK 0472/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 1.5sqmm 27-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188505	1
336	SE-SK 0480/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 1.5sqmm 37-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188201	1
337	SE-SK 0480/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 1.5sqmm 37-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188202	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 11 Description	PADS No.	Cert issue
338	SE-SK 0480/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 1.5sqmm 37-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188203	1
339	SE-SK 0480/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 1.5sqmm 37-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188204	1
340	SE-SK 0480/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 1.5sqmm 37-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188205	1
341	SE-SK 0480/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 1.5sqmm 37-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188521	1
342	SE-SK 0480/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 1.5sqmm 37-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188522	1
343	SE-SK 0480/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 1.5sqmm 37-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188523	1
344	SE-SK 0480/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 1.5sqmm 37-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188524	1
345	SE-SK 0480/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 1.5sqmm 37-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188525	1
346	SE-SK 0488/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 1.5sqmm 48-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188221	1
347	SE-SK 0488/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 1.5sqmm 48-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188222	1
348	SE-SK 0488/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 1.5sqmm 48-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188223	1
349	SE-SK 0488/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 1.5sqmm 48-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188224	1
350	SE-SK 0488/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 1.5sqmm 48-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188225	1
351	SE-SK 0488/11 Rev B or later	NR P&P, Interconnect, 4m long, D2 1.5sqmm 48-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188541	1
352	SE-SK 0488/12 Rev B or later	NR P&P, Interconnect, 7.5m long, D2 1.5sqmm 48-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188542	1
353	SE-SK 0488/13 Rev B or later	NR P&P, Interconnect, 15m long, D2 1.5sqmm 48-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188543	1
354	SE-SK 0488/14 Rev B or later	NR P&P, Interconnect, 25m long, D2 1.5sqmm 48-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188544	1
355	SE-SK 0488/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, D2 1.5sqmm 48-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188545	1
356	SE-SK 0442/11 Rev B or later	NR P&P, Interconnect, 4m long, C2 6sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188581	1
357	SE-SK 0442/12 Rev B or later	NR P&P, Interconnect, 7.5m long, C2 6sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188582	1
358	SE-SK 0442/13 Rev B or later	NR P&P, Interconnect, 15m long, C2 6sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188583	1
359	SE-SK 0442/14 Rev B or later	NR P&P, Interconnect, 25m long, C2 6sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188584	1
360	SE-SK 0442/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, C2 6sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188585	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 11 Description	PADS No.	Cert issue
361	SE-SK 0427/01 Rev B or later	NR P&P, Interconnect, 4m long, B2 10sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188161	1
362	SE-SK 0427/02 Rev B or later	NR P&P, Interconnect, 7.5m long, B2 10sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188162	1
363	SE-SK 0427/03 Rev B or later	NR P&P, Interconnect, 15m long, B2 10sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188163	1
364	SE-SK 0427/04 Rev B or later	NR P&P, Interconnect, 25m long, B2 10sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188164	1
365	SE-SK 0427/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, B2 10sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188165	1
366	SE-SK 0889/01 Rev A or later	NR P&P, Interconnect, 4m long, B2 16sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190461	1
367	SE-SK 0889/02 Rev A or later	NR P&P, Interconnect, 7.5m long, B2 16sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190462	1
368	SE-SK 0889/03 Rev A or later	NR P&P, Interconnect, 15m long, B2 16sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190463	1
369	SE-SK 0889/04 Rev A or later	NR P&P, Interconnect, 25m long, B2 16sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190464	1
370	SE-SK 0889/05 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, B2 16sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190465	1
371	SE-SK 0889/11 Rev A or later	NR P&P, Interconnect, 4m long, D2 16sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190466	1
372	SE-SK 0889/12 Rev A or later	NR P&P, Interconnect, 7.5m long, D2 16sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190467	1
373	SE-SK 0889/13 Rev A or later	NR P&P, Interconnect, 15m long, D2 16sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190468	1
374	SE-SK 0889/14 Rev A or later	NR P&P, Interconnect, 25m long, D2 16sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190469	1
375	SE-SK 0889/15 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, D2 16sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190470	1
376	SE-SK 0983/01 Rev A or later	NR P&P, Interconnect, 4m long, C2 16sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190081	1
377	SE-SK 0983/02 Rev A or later	NR P&P, Interconnect, 7.5m long, C2 16sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190082	1
378	SE-SK 0983/03 Rev A or later	NR P&P, Interconnect, 15m long, C2 16sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190083	1
379	SE-SK 0983/04 Rev A or later	NR P&P, Interconnect, 25m long, C2 16sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190084	1
380	SE-SK 0983/05 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, C2 16sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190085	1
381	SE-SK 0899/21 Rev A or later	NR P&P, Interconnect, 4m long, C2 25sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188101	1
3882	SE-SK 0899/22 Rev A or later	NR P&P, Interconnect, 7.5m long, C2 25sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188102	1
383	SE-SK 0899/23 Rev A or later	NR P&P, Interconnect, 15m long, C2 25sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188103	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 11 Description	PADS No.	Cert issue
384	SE-SK 0899/24 Rev A or later	NR P&P, Interconnect, 25m long, C2 25sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188104	1
385	SE-SK 0899/25 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, C2 25sqmm 2-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188105	1
386	SE-SK 0960/01 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, BR1932, 1.27mm Twin core Data Link Cable, Plug (F) to Plug (M), Black Sheath	006/188641	1
387	SE-SK 0960/02 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, BR1932, 1.27mm Twin core Data Link Cable, Plug (F) to Plug (M), Blue Sheath	006/188646	1
388	SE-SK 0960/03 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, BR1932 ZHLS, 1.27mm Twin core Data Link Cable, Plug (F) to Plug (M), Black Sheath	006/188651	1
389	SE-SK 0960/04 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, BR1932 ZHLS, 1.27mm Twin core Data Link Cable, Plug (F) to Plug (M), Blue Sheath	006/188656	1
390	SE-SK 0960/11 Rev A or later	NR P&P, Interconnect, 4m long, BR1932, 1.27mm Twin core Data Link Cable, Plug (F) to Plug (M), Black Sheath	006/188642	1
391	SE-SK 0960/12 Rev A or later	NR P&P, Interconnect, 4m long, BR1932, 1.27mm Twin core Data Link Cable, Plug (F) to Plug (M), Blue Sheath	006/188647	1
392	SE-SK 0960/13 Rev A or later	NR P&P, Interconnect, 4m long, BR1932 ZHLS, 1.27mm Twin core Data Link Cable, Plug (F) to Plug (M), Black Sheath	006/188652	1
393	SE-SK 0960/14 Rev A or later	NR P&P, Interconnect, 4m long, BR1932 ZHLS, 1.27mm Twin core Data Link Cable, Plug (F) to Plug (M), Blue Sheath	006/188657	1
394	SE-SK 0960/21 Rev A or later	NR P&P, Interconnect, 7.5m long, BR1932, 1.27mm Twin core Data Link Cable, Plug (F) to Plug (M), Black Sheath	006/188643	1
395	SE-SK 0960/22 Rev A or later	NR P&P, Interconnect, 7.5m long, BR1932, 1.27mm Twin core Data Link Cable, Plug (F) to Plug (M), Blue Sheath	006/188648	1
396	SE-SK 0960/23 Rev A or later	NR P&P, Interconnect, 7.5m long, BR1932 ZHLS, 1.27mm Twin core Data Link Cable, Plug (F) to Plug (M), Black Sheath	006/188653	1
397	SE-SK 0960/24 Rev A or later	NR P&P, Interconnect, 7.5m long, BR1932 ZHLS, 1.27mm Twin core Data Link Cable, Plug (F) to Plug (M), Blue Sheath	006/188658	1
398	SE-SK 0960/31 Rev A or later	NR P&P, Interconnect, 15m long, BR1932, 1.27mm Twin core Data Link Cable, Plug (F) to Plug (M), Black Sheath	006/188644	1
399	SE-SK 0960/32 Rev A or later	NR P&P, Interconnect, 15m long, BR1932, 1.27mm Twin core Data Link Cable, Plug (F) to Plug (M), Blue Sheath	006/188649	1
400	SE-SK 0960/33 Rev A or later	NR P&P, Interconnect, 15m long, BR1932 ZHLS, 1.27mm Twin core Data Link Cable, Plug (F) to Plug (M), Black Sheath	006/188654	1
401	SE-SK 0960/34 Rev A or later	NR P&P, Interconnect, 15m long, BR1932 ZHLS, 1.27mm Twin core Data Link Cable, Plug (F) to Plug (M), Blue Sheath	006/188659	1
402	SE-SK 0960/41 Rev A or later	NR P&P, Interconnect, 25m long, BR1932, 1.27mm Twin core Data Link Cable, Plug (F) to Plug (M), Black Sheath	006/188645	1
403	SE-SK 0960/42 Rev A or later	NR P&P, Interconnect, 25m long, BR1932, 1.27mm Twin core Data Link Cable, Plug (F) to Plug (M), Blue Sheath	006/188650	1
404	SE-SK 0960/43 Rev A or later	NR P&P, Interconnect, 25m long, BR1932 ZHLS, 1.27mm Twin core Data Link Cable, Plug (F) to Plug (M), Black Sheath	006/188655	1

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 11 Description	PADS No.	Cert issue
405	SE-SK 0960/44 Rev A or later	NR P&P, Interconnect, 25m long, BR1932 ZHLS, 1.27mm Twin core Data Link Cable, Plug (F) to Plug (M), Blue Sheath	006/188660	1
406	SE-SK 1230/21 Rev A or later	NR P&P, Interconnect, 4m long, 0.75mm 6 Twisted Pair C2 Cable, with MIL5015 Plug (F) and MIL5015 Plug (Male)	006/193260	1
407	SE-SK 1230/22 Rev A or later	NR P&P, Interconnect, 7.5m long, 0.75mm 6 Twisted Pair C2 Cable, with MIL5015 Plug (F) and MIL5015 Plug (Male)	006/193261	1
408	SE-SK 1230/23 Rev A or later	NR P&P, Interconnect, 15m long, 0.75mm 6 Twisted Pair C2 Cable, with MIL5015 Plug (F) and MIL5015 Plug (Male)	006/193262	1
409	SE-SK 1230/24 Rev A or later	NR P&P, Interconnect, 25m long, 0.75mm 6 Twisted Pair C2 Cable, with MIL5015 Plug (F) and MIL5015 Plug (Male)	006/193263	1
410	SE-SK 1230/25 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, 0.75mm 6 Twisted Pair C2 Cable, with MIL5015 Plug (F) and MIL5015 Plug (Male)	006/193264	1
411	SE-SK 1222/01 Rev A or later	NR P&P, Interconnect, 4m long, 0.75mm 6 Twisted Pair B2 Cable, with MIL5015 Plug (F) and MIL5015 Plug (Male)	006/193240	1
412	SE-SK 1222/02 Rev A or later	NR P&P, Interconnect, 7.5m long, 0.75mm 6 Twisted Pair B2 Cable, with MIL5015 Plug (F) and MIL5015 Plug (Male)	006/193241	1
413	SE-SK 1222/03 Rev A or later	NR P&P, Interconnect, 15m long, 0.75mm 6 Twisted Pair B2 Cable, with MIL5015 Plug (F) and MIL5015 Plug (Male)	006/193242	1
414	SE-SK 1222/04 Rev A or later	NR P&P, Interconnect, 25m long, 0.75mm 6 Twisted Pair B2 Cable, with MIL5015 Plug (F) and MIL5015 Plug (Male)	006/193243	1
415	SE-SK 1222/05 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, 0.75mm 6 Twisted Pair B2 Cable, with MIL5015 Plug (F) and MIL5015 Plug (Male)	006/193244	1
416	SE-SK 1222/11 Rev A or later	NR P&P, Interconnect, 4m long, 0.75mm 6 Twisted Pair D2 Cable, with MIL5015 Plug (F) and MIL5015 Plug (Male)	006/193280	1
417	SE-SK 1222/12 Rev A or later	NR P&P, Interconnect, 7.5m long, 0.75mm 6 Twisted Pair D2 Cable, with MIL5015 Plug (F) and MIL5015 Plug (Male)	006/193281	1
418	SE-SK 1222/13 Rev A or later	NR P&P, Interconnect, 15m long, 0.75mm 6 Twisted Pair D2 Cable, with MIL5015 Plug (F) and MIL5015 Plug (Male)	006/193282	1
419	SE-SK 1222/14 Rev A or later	NR P&P, Interconnect, 25m long, 0.75mm 6 Twisted Pair D2 Cable, with MIL5015 Plug (F) and MIL5015 Plug (Male)	006/193283	1
420	SE-SK 1222/15 Rev A or later	NR P&P, Interconnect, >25m long as specified on order, 0.75mm 6 Twisted Pair D2 Cable, with MIL5015 Plug (F) and MIL5015 Plug (Male)	006/193284	1
421	SE-SK 0468/01 Rev B or later	NR P&P, Lead, 2m long, B2 2.5sqmm 19-core cable, with Free End and MIL5015 Plug (F)	006/189121	1
422	SE-SK 0468/02 Rev B or later	NR P&P, Lead, 4m long, B2 2.5sqmm 19-core cable, with Free End and MIL5015 Plug (F)	006/189122	1
423	SE-SK 0468/03 Rev B or later	NR P&P, Lead, 8m long, B2 2.5sqmm 19-core cable, with Free End and MIL5015 Plug (F)	006/189123	1
424	SE-SK 0468/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 2.5sqmm 19-core cable, with Free End and MIL5015 Plug (F)	006/189124	1
425	SE-SK 0468/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 2.5sqmm 19-core cable, with Free End and MIL5015 Plug (F)	006/189125	1
426	SE-SK 0468/11 Rev B or later	NR P&P, Lead, 2m long, D2 2.5sqmm 19-core cable, with Free End and MIL5015 Plug (F)	006/191621	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 11 Description	PADS No.	Cert issue
427	SE-SK 0468/12 Rev B or later	NR P&P, Lead, 4m long, D2 2.5sqmm 19-core cable, with Free End and MIL5015 Plug (F)	006/191622	1
428	SE-SK 0468/13 Rev B or later	NR P&P, Lead, 8m long, D2 2.5sqmm 19-core cable, with Free End and MIL5015 Plug (F)	006/191623	1
429	SE-SK 0468/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 2.5sqmm 19-core cable, with Free End and MIL5015 Plug (F)	006/191624	1
430	SE-SK 0468/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 2.5sqmm 19-core cable, with Free End and MIL5015 Plug (F)	006/191625	1
431	SE-SK 0476/01 Rev B or later	NR P&P, Lead, 2m long, B2 1.5sqmm 27-core cable, with Free End and MIL5015 Plug (F)	006/189181	1
432	SE-SK 0476/02 Rev B or later	NR P&P, Lead, 4m long, B2 1.5sqmm 27-core cable, with Free End and MIL5015 Plug (F)	006/189182	1
433	SE-SK 0476/03 Rev B or later	NR P&P, Lead, 8m long, B2 1.5sqmm 27-core cable, with Free End and MIL5015 Plug (F)	006/189183	1
434	SE-SK 0476/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 1.5sqmm 27-core cable, with Free End and MIL5015 Plug (F)	006/189184	1
435	SE-SK 0476/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 1.5sqmm 27-core cable, with Free End and MIL5015 Plug (F)	006/189185	1
436	SE-SK 0476/11 Rev B or later	NR P&P, Lead, 2m long, D2 1.5sqmm 27-core cable, with Free End and MIL5015 Plug (F)	006/189501	1
437	SE-SK 0476/12 Rev B or later	NR P&P, Lead, 4m long, D2 1.5sqmm 27-core cable, with Free End and MIL5015 Plug (F)	006/189502	1
438	SE-SK 0476/13 Rev B or later	NR P&P, Lead, 8m long, D2 1.5sqmm 27-core cable, with Free End and MIL5015 Plug (F)	006/189503	1
439	SE-SK 0476/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 1.5sqmm 27-core cable, with Free End and MIL5015 Plug (F)	006/189504	1
440	SE-SK 0476/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 1.5sqmm 27-core cable, with Free End and MIL5015 Plug (F)	006/189505	1
441	SE-SK 0484/01 Rev B or later	NR P&P, Lead, 2m long, B2 1.5sqmm 37-core cable, with Free End and MIL5015 Plug (F)	006/189201	1
442	SE-SK 0484/02 Rev B or later	NR P&P, Lead, 4m long, B2 1.5sqmm 37-core cable, with Free End and MIL5015 Plug (F)	006/189202	1
443	SE-SK 0484/03 Rev B or later	NR P&P, Lead, 8m long, B2 1.5sqmm 37-core cable, with Free End and MIL5015 Plug (F)	006/189203	1
444	SE-SK 0484/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 1.5sqmm 37-core cable, with Free End and MIL5015 Plug (F)	006/189204	1
445	SE-SK 0484/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 1.5sqmm 37-core cable, with Free End and MIL5015 Plug (F)	006/189205	1
446	SE-SK 0484/11 Rev B or later	NR P&P, Lead, 2m long, D2 1.5sqmm 37-core cable, with Free End and MIL5015 Plug (F)	006/189521	1
447	SE-SK 0484/12 Rev B or later	NR P&P, Lead, 4m long, D2 1.5sqmm 37-core cable, with Free End and MIL5015 Plug (F)	006/189522	1
448	SE-SK 0484/13 Rev B or later	NR P&P, Lead, 8m long, D2 1.5sqmm 37-core cable, with Free End and MIL5015 Plug (F)	006/189523	1
449	SE-SK 0484/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 1.5sqmm 37-core cable, with Free End and MIL5015 Plug (F)	006/189524	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 11 Description	PADS No.	Cert issue
450	SE-SK 0484/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 1.5sqmm 37-core cable, with Free End and MIL5015 Plug (F)	006/189525	1
451	SE-SK 0492/01 Rev B or later	NR P&P, Lead, 2m long, B2 1.5sqmm 48-core cable, with Free End and MIL5015 Plug (F)	006/189221	1
452	SE-SK 0492/02 Rev B or later	NR P&P, Lead, 4m long, B2 1.5sqmm 48-core cable, with Free End and MIL5015 Plug (F)	006/189222	1
453	SE-SK 0492/03 Rev B or later	NR P&P, Lead, 8m long, B2 1.5sqmm 48-core cable, with Free End and MIL5015 Plug (F)	006/189223	1
454	SE-SK 0492/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 1.5sqmm 48-core cable, with Free End and MIL5015 Plug (F)	006/189224	1
455	SE-SK 0492/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 1.5sqmm 48-core cable, with Free End and MIL5015 Plug (F)	006/189225	1
456	SE-SK 0492/11 Rev B or later	NR P&P, Lead, 2m long, D2 1.5sqmm 48-core cable, with Free End and MIL5015 Plug (F)	006/189541	1
457	SE-SK 0492/12 Rev B or later	NR P&P, Lead, 4m long, D2 1.5sqmm 48-core cable, with Free End and MIL5015 Plug (F)	006/189542	1
458	SE-SK 0492/13 Rev B or later	NR P&P, Lead, 8m long, D2 1.5sqmm 48-core cable, with Free End and MIL5015 Plug (F)	006/189543	1
459	SE-SK 0492/14 Rev B or later	NR P&P, Lead, 15.5m long, D2 1.5sqmm 48-core cable, with Free End and MIL5015 Plug (F)	006/189544	1
460	SE-SK 0492/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, D2 1.5sqmm 48-core cable, with Free End and MIL5015 Plug (F)	006/189545	1
461	SE-SK 0446/11 Rev B or later	NR P&P, Lead, 2m long, C2 6sqmm 2-core cable, with MIL5015 Plug (F) and Free End	006/189581	1
462	SE-SK 0446/12 Rev B or later	NR P&P, Lead, 4m long, C2 6sqmm 2-core cable, with MIL5015 Plug (F) and Free End	006/189582	1
463	SE-SK 0446/13 Rev B or later	NR P&P, Lead, 8m long, C2 6sqmm 2-core cable, with MIL5015 Plug (F) and Free End	006/189583	1
464	SE-SK 0446/14 Rev B or later	NR P&P, Lead, 15.5m long, C2 6sqmm 2-core cable, with MIL5015 Plug (F) and Free End	006/189584	1
465	SE-SK 0446/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 6sqmm 2-core cable, with MIL5015 Plug (F) and Free End	006/189585	1
466	SE-SK 0431/01 Rev B or later	NR P&P, Lead, 2m long, B2 10sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189161	1
467	SE-SK 0431/02 Rev B or later	NR P&P, Lead, 4m long, B2 10sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189162	1
468	SE-SK 0431/03 Rev B or later	NR P&P, Lead, 8m long, B2 10sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189163	1
469	SE-SK 0431/04 Rev B or later	NR P&P, Lead, 15.5m long, B2 10sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189164	1
470	SE-SK 0431/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, B2 10sqmm 2-core cable, with Free End and MIL5015 Plug (F)	006/189165	1
471	SE-SK 0893/01 Rev A or later	NR P&P, Lead, 2m long, B2 16sqmm 2-core cable, with MIL5015 Plug (F) and Free End	006/191461	1
472	SE-SK 0893/02 Rev A or later	NR P&P, Lead, 4m long, B2 16sqmm 2-core cable, with MIL5015 Plug (F) and Free End	006/191462	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 11 Description	PADS No.	Cert issue
473	SE-SK 0893/03 Rev A or later	NR P&P, Lead, 8m long, B2 16sqmm 2-core cable, with MIL5015 Plug (F) and Free End	006/191463	1
474	SE-SK 0893/04 Rev A or later	NR P&P, Lead, 15.5m long, B2 16sqmm 2-core cable, with MIL5015 Plug (F) and Free End	006/191464	1
475	SE-SK 0893/05 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, B2 16sqmm 2-core cable, with MIL5015 Plug (F) and Free End	006/191465	1
476	SE-SK 0893/11 Rev A or later	NR P&P, Lead, 2m long, D2 16sqmm 2-core cable, with MIL5015 Plug (F) and Free End	006/191466	1
477	SE-SK 0893/12 Rev A or later	NR P&P, Lead, 4m long, D2 16sqmm 2-core cable, with MIL5015 Plug (F) and Free End	006/191467	1
478	SE-SK 0893/13 Rev A or later	NR P&P, Lead, 8m long, D2 16sqmm 2-core cable, with MIL5015 Plug (F) and Free End	006/191468	1
479	SE-SK 0893/14 Rev A or later	NR P&P, Lead, 15.5m long, D2 16sqmm 2-core cable, with MIL5015 Plug (F) and Free End	006/191469	1
480	SE-SK 0893/15 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, D2 16sqmm 2-core cable, with MIL5015 Plug (F) and Free End	006/191470	1
481	SE-SK 0987/01 Rev A or later	NR P&P, Lead, 2m long, C2 16sqmm 2-core cable, with MIL5015 Plug (F) and Free End	006/189641	1
482	SE-SK 0987/02 Rev A or later	NR P&P, Lead, 4m long, C2 16sqmm 2-core cable, with MIL5015 Plug (F) and Free End	006/189642	1
483	SE-SK 0987/03 Rev A or later	NR P&P, Lead, 8m long, C2 16sqmm 2-core cable, with MIL5015 Plug (F) and Free End	006/189643	1
484	SE-SK 0987/04 Rev A or later	NR P&P, Lead, 15m long, C2 16sqmm 2-core cable, with MIL5015 Plug (F) and Free End	006/189644	1
485	SE-SK 0987/05 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, C2 16sqmm 2-core cable, with MIL5015 Plug (F) and Free End	006/189645	1
486	SE-SK 0903/21 Rev A or later	NR P&P, Lead, 2m long, C2 25sqmm 2-core cable, with MIL5015 Plug (F) and Free End	006/189101	1
487	SE-SK 0903/22 Rev A or later	NR P&P, Lead, 4m long, C2 25sqmm 2-core cable, with MIL5015 Plug (F) and Free End	006/189102	1
488	SE-SK 0903/23 Rev A or later	NR P&P, Lead, 8m long, C2 25sqmm 2-core cable, with MIL5015 Plug (F) and Free End	006/189103	1
489	SE-SK 0903/24 Rev A or later	NR P&P, Lead, 15.5m long, C2 25sqmm 2-core cable, with MIL5015 Plug (F) and Free End	006/189104	1
490	SE-SK 0903/25 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, C2 25sqmm 2-core cable, with MIL5015 Plug (F) and Free End	006/189105	1
491	SE-SK 0961/01 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, BR1932, 1.27mm Twin core Data Link Cable, Plug (F) to Free End, Black Sheath	006/189661	1
492	SE-SK 0961/02 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, BR1932, 1.27mm Twin core Data Link Cable, Plug (F) to Free End, Blue Sheath	006/189666	1
493	SE-SK 0961/03 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, BR1932 ZHLS, 1.27mm Twin core Data Link Cable, Plug (F) to Free End, Black Sheath	006/189671	1
494	SE-SK 0961/04 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, BR1932 ZHLS, 1.27mm Twin core Data Link Cable, Plug (F) to Free End, Blue Sheath	006/189676	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilecsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 11 Description	PADS No.	Cert issue
495	SE-SK 0961/11 Rev A or later	NR P&P, Lead, 2m, BR1932, 1.27mm Twin core Data Link Cable, Plug (F) to Free End, Black Sheath	006/189662	1
496	SE-SK 0961/12 Rev A or later	NR P&P, Lead, 2m, BR1932, 1.27mm Twin core Data Link Cable, Plug (F) to Free End, Blue Sheath	006/189667	1
497	SE-SK 0961/13 Rev A or later	NR P&P, Lead, 2m, BR1932 ZHLS, 1.27mm Twin core Data Link Cable, Plug (F) to Free End, Black Sheath	006/189672	1
498	SE-SK 0961/14 Rev A or later	NR P&P, Lead, 2m, BR1932 ZHLS, 1.27mm Twin core Data Link Cable, Plug (F) to Free End, Blue Sheath	006/189677	1
499	SE-SK 0961/21 Rev A or later	NR P&P, Lead, 4m, BR1932, 1.27mm Twin core Data Link Cable, Plug (F) to Free End, Black Sheath	006/189663	1
500	SE-SK 0961/22 Rev A or later	NR P&P, Lead, 4m, BR1932, 1.27mm Twin core Data Link Cable, Plug (F) to Free End, Blue Sheath	006/189668	1
501	SE-SK 0961/23 Rev A or later	NR P&P, Lead, 4m, BR1932 ZHLS, 1.27mm Twin core Data Link Cable, Plug (F) to Free End, Black Sheath	006/189673	1
502	SE-SK 0961/24 Rev A or later	NR P&P, Lead, 4m, BR1932 ZHLS, 1.27mm Twin core Data Link Cable, Plug (F) to Free End, Blue Sheath	006/189678	1
503	SE-SK 0961/31 Rev A or later	NR P&P, Lead, 8m, BR1932, 1.27mm Twin core Data Link Cable, Plug (F) to Free End, Black Sheath	006/189664	1
504	SE-SK 0961/32 Rev A or later	NR P&P, Lead, 8m, BR1932, 1.27mm Twin core Data Link Cable, Plug (F) to Free End, Blue Sheath	006/189669	1
505	SE-SK 0961/33 Rev A or later	NR P&P, Lead, 8m, BR1932 ZHLS, 1.27mm Twin core Data Link Cable, Plug (F) to Free End, Black Sheath	006/189674	1
506	SE-SK 0961/34 Rev A or later	NR P&P, Lead, 8m, BR1932 ZHLS, 1.27mm Twin core Data Link Cable, Plug (F) to Free End, Blue Sheath	006/189679	1
507	SE-SK 0961/41 Rev A or later	NR P&P, Lead, 15.5m, BR1932, 1.27mm Twin core Data Link Cable, Plug (F) to Free End, Black Sheath	006/189665	1
508	SE-SK 0961/42 Rev A or later	NR P&P, Lead, 15.5m, BR1932, 1.27mm Twin core Data Link Cable, Plug (F) to Free End, Blue Sheath	006/189670	1
509	SE-SK 0961/43 Rev A or later	NR P&P, Lead, 15.5m, BR1932 ZHLS, 1.27mm Twin core Data Link Cable, Plug (F) to Free End, Black Sheath	006/189675	1
510	SE-SK 0961/44 Rev A or later	NR P&P, Lead, 15.5m, BR1932 ZHLS, 1.27mm Twin core Data Link Cable, Plug (F) to Free End, Blue Sheath	006/189680	1
511	SE-SK 1234/21 Rev A or later	NR P&P, Lead, 2m long, 0.75mm 6 Twisted Pair C2 Cable, with MIL5015 Plug (F) and Free End	006/194260	1
512	SE-SK 1234/22 Rev A or later	NR P&P, Lead, 4m long, 0.75mm 6 Twisted Pair C2 Cable, with MIL5015 Plug (F) and Free End	006/194261	1
513	SE-SK 1234/23 Rev A or later	NR P&P, Lead, 8m long, 0.75mm 6 Twisted Pair C2 Cable, with MIL5015 Plug (F) and Free End	006/194262	1
514	SE-SK 1234/24 Rev A or later	NR P&P, Lead, 15.5m long, 0.75mm 6 Twisted Pair C2 Cable, with MIL5015 Plug (F) and Free End	006/194263	1
515	SE-SK 1234/25 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, 0.75mm 6 Twisted Pair C2 Cable, with MIL5015 Plug (F) and Free End	006/194264	1
516	SE-SK 1226/01 Rev A or later	NR P&P, Lead, 2m long, 0.75mm 6 Twisted Pair B2 Cable, with MIL5015 Plug (F) and Free End	006/194240	1
517	SE-SK 1226/02 Rev A or later	NR P&P, Lead, 4m long, 0.75mm 6 Twisted Pair B2 Cable, with MIL5015 Plug (F) and Free End	006/194241	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilecsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 11 Description	PADS No.	Cert issue
518	SE-SK 1226/03 Rev A or later	NR P&P, Lead, 8m long, 0.75mm 6 Twisted Pair B2 Cable, with MIL5015 Plug (F) and Free End	006/194242	1
519	SE-SK 1226/04 Rev A or later	NR P&P, Lead, 15.5m long, 0.75mm 6 Twisted Pair B2 Cable, with MIL5015 Plug (F) and Free End	006/194243	1
520	SE-SK 1226/05 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, 0.75mm 6 Twisted Pair B2 Cable, with MIL5015 Plug (F) and Free End	006/194244	1
521	SE-SK 1226/11 Rev A or later	NR P&P, Lead, 2m long, 0.75mm 6 Twisted Pair D2 Cable, with MIL5015 Plug (F) and Free End	006/194280	1
522	SE-SK 1226/12 Rev A or later	NR P&P, Lead, 4m long, 0.75mm 6 Twisted Pair D2 Cable, with MIL5015 Plug (F) and Free End	006/194281	1
523	SE-SK 1226/13 Rev A or later	NR P&P, Lead, 8m long, 0.75mm 6 Twisted Pair D2 Cable, with MIL5015 Plug (F) and Free End	006/194282	1
524	SE-SK 1226/14 Rev A or later	NR P&P, Lead, 15.5m long, 0.75mm 6 Twisted Pair D2 Cable, with MIL5015 Plug (F) and Free End	006/194283	1
525	SE-SK 1226/15 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, 0.75mm 6 Twisted Pair D2 Cable, with MIL5015 Plug (F) and Free End	006/194284	1
526	SE-SK 1235/21 Rev A or later	NR P&P, Lead, 2m long, 0.75mm 6 Twisted Pair C2 Cable, with Free End and MIL5015 Plug (M)	006/194265	1
527	SE-SK 1235/22 Rev A or later	NR P&P, Lead, 4m long, 0.75mm 6 Twisted Pair C2 Cable, with Free End and MIL5015 Plug (M)	006/194266	1
528	SE-SK 1235/23 Rev A or later	NR P&P, Lead, 8m long, 0.75mm 6 Twisted Pair C2 Cable, with Free End and MIL5015 Plug (M)	006/194267	1
529	SE-SK 1235/24 Rev A or later	NR P&P, Lead, 15.5m long, 0.75mm 6 Twisted Pair C2 Cable, with Free End and MIL5015 Plug (M)	006/194268	1
530	SE-SK 1235/25 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, 0.75mm 6 Twisted Pair C2 Cable, with Free End and MIL5015 Plug (M)	006/194269	1
531	SE-SK 1227/01 Rev A or later	NR P&P, Lead, 2m long, 0.75mm 6 Twisted Pair B2 Cable, with Free End and MIL5015 Plug (M)	006/194245	1
532	SE-SK 1227/02 Rev A or later	NR P&P, Lead, 4m long, 0.75mm 6 Twisted Pair B2 Cable, with Free End and MIL5015 Plug (M)	006/194246	1
533	SE-SK 1227/03 Rev A or later	NR P&P, Lead, 8m long, 0.75mm 6 Twisted Pair B2 Cable, with Free End and MIL5015 Plug (M)	006/194247	1
534	SE-SK 1227/04 Rev A or later	NR P&P, Lead, 15.5m long, 0.75mm 6 Twisted Pair B2 Cable, with Free End and MIL5015 Plug (M)	006/194248	1
535	SE-SK 1227/05 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, 0.75mm 6 Twisted Pair B2 Cable, with Free End and MIL5015 Plug (M)	006/194249	1
536	SE-SK 1227/11 Rev A or later	NR P&P, Lead, 2m long, 0.75mm 6 Twisted Pair D2 Cable, with Free End and MIL5015 Plug (M)	006/194285	1
537	SE-SK 1227/12 Rev A or later	NR P&P, Lead, 4m long, 0.75mm 6 Twisted Pair D2 Cable, with Free End and MIL5015 Plug (M)	006/194286	1
558	SE-SK 1227/13 Rev A or later	NR P&P, Lead, 8m long, 0.75mm 6 Twisted Pair D2 Cable, with Free End and MIL5015 Plug (M)	006/194287	1
539	SE-SK 1227/14 Rev A or later	NR P&P, Lead, 15.5m long, 0.75mm 6 Twisted Pair D2 Cable, with Free End and MIL5015 Plug (M)	006/194288	1
540	SE-SK 1227/15 Rev A or later	NR P&P, Lead, >15.5m long as specified on order, 0.75mm 6 Twisted Pair D2 Cable, with Free End and MIL5015 Plug (M)	006/194289	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

**Table 12 Interconnects and Leads
Plug & Play Module 7
Appendix J2 – Lineside AzLM and Quad Cabling**

Ref	Network Rail Part No.	TABLE 12 Description	PADS No.	Cert issue
1	SE-SK 1107/01 Rev B or later	NR P&P, Lead, 2m long, 0.9mm 2 Pair AzLM Axle Counter XPS Cable, with MIL5015 Receptacle (F) and Free End	006/194060	1
2	SE-SK 1107/02 Rev B or later	NR P&P, Lead, 4m long, 0.9mm 2 Pair AzLM Axle Counter XPS Cable, with MIL5015 Receptacle (F) and Free End	006/194061	1
3	SE-SK 1107/03 Rev B or later	NR P&P, Lead, 8m long, 0.9mm 2 Pair AzLM Axle Counter XPS Cable, with MIL5015 Receptacle (F) and Free End	006/194062	1
4	SE-SK 1107/04 Rev B or later	NR P&P, Lead, 15.5m long, 0.9mm 2 Pair AzLM Axle Counter XPS Cable, with MIL5015 Receptacle (F) and Free End	006/194063	1
5	SE-SK 1107/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 0.9mm 2 Pair AzLM Axle Counter XPS Cable, with MIL5015 Receptacle (F) and Free End	006/194064	1
6	SE-SK 1107/11 Rev B or later	NR P&P, Lead, 2m long, 0.9mm 2 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Receptacle (F) and Free End	006/194065	1
7	SE-SK 1107/12 Rev B or later	NR P&P, Lead, 4m long, 0.9mm 2 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Receptacle (F) and Free End	006/194066	1
8	SE-SK 1107/13 Rev B or later	NR P&P, Lead, 8m long, 0.9mm 2 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Receptacle (F) and Free End	006/194067	1
9	SE-SK 1107/14 Rev B or later	NR P&P, Lead, 15.5m long, 0.9mm 2 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Receptacle (F) and Free End	006/194068	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 12 Description	PADS No.	Cert issue
10	SE-SK 1107/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 0.9mm 2 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Receptacle (F) and Free End	006/194069	1
11	SE-SK 1107/21 Rev B or later	NR P&P, Lead, 2m long, 0.9mm 2 Pair AzLM Axle Counter XQS Cable, with MIL5015 Receptacle (F) and Free End	006/194070	1
12	SE-SK 1107/22 Rev B or later	NR P&P, Lead, 4m long, 0.9mm 2 Pair AzLM Axle Counter XQS Cable, with MIL5015 Receptacle (F) and Free End	006/194071	1
13	SE-SK 1107/23 Rev B or later	NR P&P, Lead, 8m long, 0.9mm 2 Pair AzLM Axle Counter XQS Cable, with MIL5015 Receptacle (F) and Free End	006/194072	1
14	SE-SK 1107/24 Rev B or later	NR P&P, Lead, 15.5m long, 0.9mm 2 Pair AzLM Axle Counter XQS Cable, with MIL5015 Receptacle (F) and Free End	006/194073	1
15	SE-SK 1107/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 0.9mm 2 Pair AzLM Axle Counter XQS Cable, with MIL5015 Receptacle (F) and Free End	006/194074	1
16	SE-SK 1107/31 Rev B or later	NR P&P, Lead, 2m long, 2 Pair 0.9mm 2 Pair AzLM Axle Counter XQZ Cable, with MIL5015 Receptacle (F) and Free End	006/194075	1
17	SE-SK 1107/32 Rev B or later	NR P&P, Lead, 4m long, 2 Pair 0.9mm 2 Pair AzLM Axle Counter XQZ Cable, with MIL5015 Receptacle (F) and Free End	006/194076	1
18	SE-SK 1107/33 Rev B or later	NR P&P, Lead, 8m long, 2 Pair 0.9mm 2 Pair AzLM Axle Counter XQZ Cable, with MIL5015 Receptacle (F) and Free End	006/194077	1
19	SE-SK 1107/34 Rev B or later	NR P&P, Lead, 15.5m long, 2 Pair 0.9mm 2 Pair AzLM Axle Counter XQZ Cable, with MIL5015 Receptacle (F) and Free End	006/194078	1
20	SE-SK 1107/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 2 Pair 0.9mm 2 Pair AzLM Axle Counter XQZ Cable, with MIL5015 Receptacle (F) and Free End	006/194079	1
21	SE-SK 1115/01 Rev B or later	NR P&P, Lead, 2m long, 1.4mm 2 Pair AzLM Axle Counter XPS Cable, with MIL5015 Receptacle (F) and Free End	006/194180	1
22	SE-SK 1115/02 Rev B or later	NR P&P, Lead, 4m long, 1.4mm 2 Pair AzLM Axle Counter XPS Cable, with MIL5015 Receptacle (F) and Free End	006/194181	1
23	SE-SK 1115/03 Rev B or later	NR P&P, Lead, 8m long, 1.4mm 2 Pair AzLM Axle Counter XPS Cable, with MIL5015 Receptacle (F) and Free End	006/194182	1
24	SE-SK 1115/04 Rev B or later	NR P&P, Lead, 15.5m long, 1.4mm 2 Pair AzLM Axle Counter XPS Cable, with MIL5015 Receptacle (F) and Free End	006/194183	1
25	SE-SK 1115/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 1.4mm 2 Pair AzLM Axle Counter XPS Cable, with MIL5015 Receptacle (F) and Free End	006/194184	1
26	SE-SK 1115/11 Rev B or later	NR P&P, Lead, 2m long, 1.4mm 2 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Receptacle (F) and Free End	006/194185	1
27	SE-SK 1115/12 Rev B or later	NR P&P, Lead, 4m long, 1.4mm 2 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Receptacle (F) and Free End	006/194186	1
28	SE-SK 1115/13 Rev B or later	NR P&P, Lead, 8m long, 1.4mm 2 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Receptacle (F) and Free End	006/194187	1
29	SE-SK 1115/14 Rev B or later	NR P&P, Lead, 15.5m long, 1.4mm 2 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Receptacle (F) and Free End	006/194188	1
30	SE-SK 1115/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 1.4mm 2 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Receptacle (F) and Free End	006/194189	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 12 Description	PADS No.	Cert issue
31	SE-SK 1115/21 Rev B or later	NR P&P, Lead, 2m long, 1.4mm 2 Pair AzLM Axle Counter XQS Cable, with MIL5015 Receptacle (F) and Free End	006/194190	1
32	SE-SK 1115/22 Rev B or later	NR P&P, Lead, 4m long, 1.4mm 2 Pair AzLM Axle Counter XQS Cable, with MIL5015 Receptacle (F) and Free End	006/194191	1
33	SE-SK 1115/23 Rev B or later	NR P&P, Lead, 8m long, 1.4mm 2 Pair AzLM Axle Counter XQS Cable, with MIL5015 Receptacle (F) and Free End	006/194192	1
34	SE-SK 1115/24 Rev B or later	NR P&P, Lead, 15.5m long, 1.4mm 2 Pair AzLM Axle Counter XQS Cable, with MIL5015 Receptacle (F) and Free End	006/194193	1
35	SE-SK 1115/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 1.4mm 2 Pair AzLM Axle Counter XQS Cable, with MIL5015 Receptacle (F) and Free End	006/194194	1
36	SE-SK 1115/31 Rev B or later	NR P&P, Lead, 2m long, 1.4mm 2 Pair AzLM Axle Counter XQZ Cable, with MIL5015 Receptacle (F) and Free End	006/194195	1
37	SE-SK 1115/32 Rev B or later	NR P&P, Lead, 4m long, 1.4mm 2 Pair AzLM Axle Counter XQZ Cable, with MIL5015 Receptacle (F) and Free End	006/194196	1
38	SE-SK 1115/33 Rev B or later	NR P&P, Lead, 8m long, 1.4mm 2 Pair AzLM Axle Counter XQZ Cable, with MIL5015 Receptacle (F) and Free End	006/194197	1
39	SE-SK 1115/34 Rev B or later	NR P&P, Lead, 15.5m long, 1.4mm 2 Pair AzLM Axle Counter XQZ Cable, with MIL5015 Receptacle (F) and Free End	006/194198	1
40	SE-SK 1115/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 1.4mm 2 Pair AzLM Axle Counter XQZ Cable, with MIL5015 Receptacle (F) and Free End	006/194199	1
41	SE-SK 1123/01 Rev B or later	NR P&P, Lead, 2m long, 0.9mm 10 Pair AzLM Axle Counter XPS Cable, with MIL5015 Receptacle (F) and Free End	006/194110	1
42	SE-SK 1123/02 Rev B or later	NR P&P, Lead, 4m long, 0.9mm 10 Pair AzLM Axle Counter XPS Cable, with MIL5015 Receptacle (F) and Free End	006/194111	1
43	SE-SK 1123/03 Rev B or later	NR P&P, Lead, 8m long, 0.9mm 10 Pair AzLM Axle Counter XPS Cable, with MIL5015 Receptacle (F) and Free End	006/194112	1
44	SE-SK 1123/04 Rev B or later	NR P&P, Lead, 15.5m long, 0.9mm 10 Pair AzLM Axle Counter XPS Cable, with MIL5015 Receptacle (F) and Free End	006/194113	1
45	SE-SK 1123/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 0.9mm 10 Pair AzLM Axle Counter XPS Cable, with MIL5015 Receptacle (F) and Free End	006/194114	1
46	SE-SK 1123/11 Rev B or later	NR P&P, Lead, 2m long, 0.9mm 10 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Receptacle (F) and Free End	006/194115	1
47	SE-SK 1123/12 Rev B or later	NR P&P, Lead, 4m long, 0.9mm 10 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Receptacle (F) and Free End	006/194116	1
48	SE-SK 1123/13 Rev B or later	NR P&P, Lead, 8m long, 0.9mm 10 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Receptacle (F) and Free End	006/194117	1
49	SE-SK 1123/14 Rev B or later	NR P&P, Lead, 15.5m long, 0.9mm 10 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Receptacle (F) and Free End	006/194118	1
50	SE-SK 1123/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 0.9mm 10 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Receptacle (F) and Free End	006/194119	1
51	SE-SK 1131/01 Rev B or later	NR P&P, Lead, 2m long, 1.4mm 10 Pair AzLM Axle Counter XPS Cable, with MIL5015 Receptacle (F) and Free End	006/194230	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 12 Description	PADS No.	Cert issue
52	SE-SK 1131/02 Rev B or later	NR P&P, Lead, 4m long, 1.4mm 10 Pair AzLM Axle Counter XPS Cable, with MIL5015 Receptacle (F) and Free End	006/194231	1
53	SE-SK 1131/03 Rev B or later	NR P&P, Lead, 8m long, 1.4mm 10 Pair AzLM Axle Counter XPS Cable, with MIL5015 Receptacle (F) and Free End	006/194232	1
54	SE-SK 1131/04 Rev B or later	NR P&P, Lead, 15.5m long, 1.4mm 10 Pair AzLM Axle Counter XPS Cable, with MIL5015 Receptacle (F) and Free End	006/194233	1
55	SE-SK 1131/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 1.4mm 10 Pair AzLM Axle Counter XPS Cable, with MIL5015 Receptacle (F) and Free End	006/194234	1
56	SE-SK 1131/11 Rev B or later	NR P&P, Lead, 2m long, 1.4mm 10 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Receptacle (F) and Free End	006/194235	1
57	SE-SK 1131/12 Rev B or later	NR P&P, Lead, 4m long, 1.4mm 10 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Receptacle (F) and Free End	006/194236	1
58	SE-SK 1131/13 Rev B or later	NR P&P, Lead, 8m long, 1.4mm 10 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Receptacle (F) and Free End	006/194237	1
59	SE-SK 1131/14 Rev B or later	NR P&P, Lead, 15.5m long, 1.4mm 10 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Receptacle (F) and Free End	006/194238	1
60	SE-SK 1131/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 1.4mm 10 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Receptacle (F) and Free End	006/194239	1
61	SE-SK 0396/01 Rev C or later	NR P&P, Lead, 2m long, 1 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and Free End	006/191916	1
62	SE-SK 0396/02 Rev C or later	NR P&P, Lead, 4m long, 1 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and Free End	006/191917	1
63	SE-SK 0396/03 Rev C or later	NR P&P, Lead, 8m long, 1 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and Free End	006/191918	1
64	SE-SK 0396/04 Rev C or later	NR P&P, Lead, 15.5m long, 1 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and Free End	006/191919	1
65	SE-SK 0396/05 Rev C or later	NR P&P, Lead, >15.5m long as specified on order, 1 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and Free End	006/191920	1
66	SE-SK 0396/11 Rev C or later	NR P&P, Lead, 2m long, 1 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Receptacle (F) and Free End	006/191186	1
67	SE-SK 0396/12 Rev C or later	NR P&P, Lead, 4m long, 1 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Receptacle (F) and Free End	006/191187	1
68	SE-SK 0396/13 Rev C or later	NR P&P, Lead, 8m long, 1 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Receptacle (F) and Free End	006/191188	1
69	SE-SK 0396/14 Rev C or later	NR P&P, Lead, 15.5m long, 1 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Receptacle (F) and Free End	006/191189	1
70	SE-SK 0396/15 Rev C or later	NR P&P, Lead, >15.5m long as specified on order, 1 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Receptacle (F) and Free End	006/191190	1
71	SE-SK 0770/01 Rev C or later	NR P&P, Lead, 2m long, 3 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and Free End	006/191931	1
72	SE-SK 0770/02 Rev C or later	NR P&P, Lead, 4m long, 3 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and Free End	006/191932	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 12 Description	PADS No.	Cert issue
73	SE-SK 0770/03 Rev C or later	NR P&P, Lead, 8m long, 3 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and Free End	006/191933	1
74	SE-SK 0770/04 Rev C or later	NR P&P, Lead, 15.5m long, 3 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and Free End	006/191934	1
75	SE-SK 0770/05 Rev C or later	NR P&P, Lead, >15.5m long as specified on order, 3 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and Free End	006/191935	1
76	SE-SK 0770/11 Rev C or later	NR P&P, Lead, 2m long, 3 x 0.9mm Star Quad ZHLS DB LH 416.0115 cable, with MIL5015 Receptacle (F) and Free End	006/191731	1
77	SE-SK 0770/12 Rev C or later	NR P&P, Lead, 4m long, 3 x 0.9mm Star Quad ZHLS DB LH 416.0115 cable, with MIL5015 Receptacle (F) and Free End	006/191732	1
78	SE-SK 0770/13 Rev C or later	NR P&P, Lead, 8m long, 3 x 0.9mm Star Quad ZHLS DB LH 416.0115 cable, with MIL5015 Receptacle (F) and Free End	006/191733	1
79	SE-SK 0770/14 Rev C or later	NR P&P, Lead, 15.5m long, 3 x 0.9mm Star Quad ZHLS DB LH 416.0115 cable, with MIL5015 Receptacle (F) and Free End	006/191734	1
80	SE-SK 0770/15 Rev C or later	NR P&P, Lead, >15.5m long as specified on order, 3 x 0.9mm Star Quad ZHLS DB LH 416.0115 cable, with MIL5015 Receptacle (F) and Free End	006/191735	1
81	SE-SK 0776/01 Rev B or later	NR P&P, Lead, 2m long, 5 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and Free End	006/191946	1
82	SE-SK 0776/02 Rev B or later	NR P&P, Lead, 4m long, 5 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and Free End	006/191947	1
83	SE-SK 0776/03 Rev B or later	NR P&P, Lead, 8m long, 5 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and Free End	006/191948	1
84	SE-SK 0776/04 Rev B or later	NR P&P, Lead, 15.5m long, 5 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and Free End	006/191949	1
85	SE-SK 0776/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 5 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and Free End	006/191950	1
86	SE-SK 0776/11 Rev B or later	NR P&P, Lead, 2m long, 5 x 0.9mm ZHLS Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and Free End	006/191751	1
87	SE-SK 0776/12 Rev B or later	NR P&P, Lead, 4m long, 5 x 0.9mm ZHLS Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and Free End	006/191752	1
88	SE-SK 0776/13 Rev B or later	NR P&P, Lead, 8m long, 5 x 0.9mm ZHLS Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and Free End	006/191753	1
89	SE-SK 0776/14 Rev B or later	NR P&P, Lead, 15.5m long, 5 x 0.9mm ZHLS Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and Free End	006/191754	1
90	SE-SK 0776/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 5 x 0.9mm ZHLS Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and Free End	006/191755	1
91	SE-SK 0782/01 Rev C or later	NR P&P, Lead, 2m long, 7 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and Free End	006/191966	1
92	SE-SK 0782/02 Rev C or later	NR P&P, Lead, 4m long, 7 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and Free End	006/191967	1
93	SE-SK 0782/03 Rev C or later	NR P&P, Lead, 8m long, 7 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and Free End	006/191968	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 12 Description	PADS No.	Cert issue
94	SE-SK 0782/04 Rev C or later	NR P&P, Lead, 15.5m long, 7 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and Free End	006/191969	1
95	SE-SK 0782/05 Rev C or later	NR P&P, Lead, >15.5m long as specified on order, 7 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and Free End	006/191970	1
96	SE-SK 0782/11 Rev C or later	NR P&P, Lead, 2m long, 7 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Receptacle (F) and Free End	006/191771	1
97	SE-SK 0782/12 Rev C or later	NR P&P, Lead, 4m long, 7 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Receptacle (F) and Free End	006/191772	1
98	SE-SK 0782/13 Rev C or later	NR P&P, Lead, 8m long, 7 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Receptacle (F) and Free End	006/191773	1
99	SE-SK 0782/14 Rev C or later	NR P&P, Lead, 15.5m long, 7 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Receptacle (F) and Free End	006/191774	1
100	SE-SK 0782/15 Rev C or later	NR P&P, Lead, >15.5m long as specified on order, 7 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Receptacle (F) and Free End	006/191775	1
101	SE-SK 0787/01 Rev C or later	NR P&P, Lead, 2m long, 10 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and Free End	006/191986	1
102	SE-SK 0787/02 Rev C or later	NR P&P, Lead, 4m long, 10 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and Free End	006/191987	1
103	SE-SK 0787/03 Rev C or later	NR P&P, Lead, 8m long, 10 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and Free End	006/191988	1
104	SE-SK 0787/04 Rev C or later	NR P&P, Lead, 15.5m long, 10 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and Free End	006/191989	1
105	SE-SK 0787/05 Rev C or later	NR P&P, Lead, >15.5m long as specified on order, 10 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and Free End	006/191990	1
106	SE-SK 0787/11 Rev C or later	NR P&P, Lead, 2m long, 10 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Receptacle (F) and Free End	006/191791	1
107	SE-SK 0787/12 Rev C or later	NR P&P, Lead, 4m long, 10 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Receptacle (F) and Free End	006/191792	1
108	SE-SK 0787/13 Rev C or later	NR P&P, Lead, 8m long, 10 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Receptacle (F) and Free End	006/191793	1
109	SE-SK 0787/14 Rev C or later	NR P&P, Lead, 15.5m long, 10 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Receptacle (F) and Free End	006/191794	1
110	SE-SK 0787/15 Rev C or later	NR P&P, Lead, >15.5m long as specified on order, 10 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Receptacle (F) and Free End	006/191795	1
111	SE-SK 1102/01 Rev B or later	NR P&P, Interconnect, 4m long, 0.9mm 2 Pair AzLM Axle Counter XPS Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193040	1
112	SE-SK 1102/02 Rev B or later	NR P&P, Interconnect, 7.5m long, 0.9mm 2 Pair AzLM Axle Counter XPS Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193041	1
113	SE-SK 1102/03 Rev B or later	NR P&P, Interconnect, 15m long, 0.9mm 2 Pair AzLM Axle Counter XPS Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193042	1
114	SE-SK 1102/04 Rev B or later	NR P&P, Interconnect, 25m long, 0.9mm 2 Pair AzLM Axle Counter XPS Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193043	1

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 12 Description	PADS No.	Cert issue
115	SE-SK 1102/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, 0.9mm 2 Pair AzLM Axle Counter XPS Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193044	1
116	SE-SK 1102/11 Rev B or later	NR P&P, Interconnect, 4m long, 0.9mm 2 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193045	1
117	SE-SK 1102/12 Rev B or later	NR P&P, Interconnect, 7.5m long, 0.9mm 2 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193046	1
118	SE-SK 1102/13 Rev B or later	NR P&P, Interconnect, 15m long, 0.9mm 2 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193047	1
119	SE-SK 1102/14 Rev B or later	NR P&P, Interconnect, 25m long, 0.9mm 2 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193048	1
120	SE-SK 1102/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, 0.9mm 2 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193049	1
121	SE-SK 1102/21 Rev B or later	NR P&P, Interconnect, 4m long, 0.9mm 2 Pair AzLM Axle Counter XQS Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193050	1
122	SE-SK 1102/22 Rev B or later	NR P&P, Interconnect, 7.5m long, 0.9mm 2 Pair AzLM Axle Counter XQS Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193051	1
123	SE-SK 1102/23 Rev B or later	NR P&P, Interconnect, 15m long, 0.9mm 2 Pair AzLM Axle Counter XQS Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193052	1
124	SE-SK 1102/24 Rev B or later	NR P&P, Interconnect, 25m long, 0.9mm 2 Pair AzLM Axle Counter XQS Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193053	1
125	SE-SK 1102/25 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, 0.9mm 2 Pair AzLM Axle Counter XQS Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193054	1
126	SE-SK 1102/31 Rev B or later	NR P&P, Interconnect, 4m long, 2 Pair 0.9mm 2 Pair AzLM Axle Counter XQZ Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193055	1
127	SE-SK 1102/32 Rev B or later	NR P&P, Interconnect, 7.5m long, 2 Pair 0.9mm 2 Pair AzLM Axle Counter XQZ Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193056	1
128	SE-SK 1102/33 Rev B or later	NR P&P, Interconnect, 15m long, 2 Pair 0.9mm 2 Pair AzLM Axle Counter XQZ Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193057	1
129	SE-SK 1102/34 Rev B or later	NR P&P, Interconnect, 25m long, 2 Pair 0.9mm 2 Pair AzLM Axle Counter XQZ Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193058	1
130	SE-SK 1102/35 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, 2 Pair 0.9mm 2 Pair AzLM Axle Counter XQZ Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193059	1
131	SE-SK 1110/01 Rev B or later	NR P&P, Interconnect, 4m long, 1.4mm 2 Pair AzLM Axle Counter XPS Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193160	1
132	SE-SK 1110/02 Rev B or later	NR P&P, Interconnect, 7.5m long, 1.4mm 2 Pair AzLM Axle Counter XPS Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193161	1
133	SE-SK 1110/03 Rev B or later	NR P&P, Interconnect, 15m long, 1.4mm 2 Pair AzLM Axle Counter XPS Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193162	1
134	SE-SK 1110/04 Rev B or later	NR P&P, Interconnect, 25m long, 1.4mm 2 Pair AzLM Axle Counter XPS Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193163	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 12 Description	PADS No.	Cert issue
135	SE-SK 1110/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, 1.4mm 2 Pair AzLM Axle Counter XPS Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193164	1
136	SE-SK 1110/11 Rev B or later	NR P&P, Interconnect, 4m long, 1.4mm 2 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193165	1
137	SE-SK 1110/12 Rev B or later	NR P&P, Interconnect, 7.5m long, 1.4mm 2 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193166	1
138	SE-SK 1110/13 Rev B or later	NR P&P, Interconnect, 15m long, 1.4mm 2 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193167	1
139	SE-SK 1110/14 Rev B or later	NR P&P, Interconnect, 25m long, 1.4mm 2 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193168	1
140	SE-SK 1110/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, 1.4mm 2 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193169	1
141	SE-SK 1110/21 Rev B or later	NR P&P, Interconnect, 4m long, 1.4mm 2 Pair AzLM Axle Counter XQS Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193170	1
142	SE-SK 1110/22 Rev B or later	NR P&P, Interconnect, 7.5m long, 1.4mm 2 Pair AzLM Axle Counter XQS Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193171	1
143	SE-SK 1110/23 Rev B or later	NR P&P, Interconnect, 15m long, 1.4mm 2 Pair AzLM Axle Counter XQS Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193172	1
144	SE-SK 1110/24 Rev B or later	NR P&P, Interconnect, 25m long, 1.4mm 2 Pair AzLM Axle Counter XQS Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193173	1
145	SE-SK 1110/25 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, 1.4mm 2 Pair AzLM Axle Counter XQS Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193174	1
146	SE-SK 1110/31 Rev B or later	NR P&P, Interconnect, 4m long, 2 Pair 1.4mm 2 Pair AzLM Axle Counter XQZ Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193175	1
147	SE-SK 1110/32 Rev B or later	NR P&P, Interconnect, 7.5m long, 2 Pair 1.4mm 2 Pair AzLM Axle Counter XQZ Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193176	1
148	SE-SK 1110/33 Rev B or later	NR P&P, Interconnect, 15m long, 2 Pair 1.4mm 2 Pair AzLM Axle Counter XQZ Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193177	1
149	SE-SK 1110/34 Rev B or later	NR P&P, Interconnect, 25m long, 2 Pair 1.4mm 2 Pair AzLM Axle Counter XQZ Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193178	1
150	SE-SK 1110/35 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, 2 Pair 1.4mm 2 Pair AzLM Axle Counter XQZ Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193179	1
151	SE-SK 1118/01 Rev B or later	NR P&P, Interconnect, 4m long, 0.9mm 10 Pair AzLM Axle Counter XPS Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193100	1
152	SE-SK 1118/02 Rev B or later	NR P&P, Interconnect, 7.5m long, 0.9mm 10 Pair AzLM Axle Counter XPS Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193101	1
153	SE-SK 1118/03 Rev B or later	NR P&P, Interconnect, 15m long, 0.9mm 10 Pair AzLM Axle Counter XPS Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193102	1
154	SE-SK 1118/04 Rev B or later	NR P&P, Interconnect, 25m long, 0.9mm 10 Pair AzLM Axle Counter XPS Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193103	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 12 Description	PADS No.	Cert issue
155	SE-SK 1118/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, 0.9mm 10 Pair AzLM Axle Counter XPS Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193104	1
156	SE-SK 1118/11 Rev B or later	NR P&P, Interconnect, 4m long, 0.9mm 10 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193105	1
157	SE-SK 1118/12 Rev B or later	NR P&P, Interconnect, 7.5m long, 0.9mm 10 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193106	1
158	SE-SK 1118/13 Rev B or later	NR P&P, Interconnect, 15m long, 0.9mm 10 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193107	1
159	SE-SK 1118/14 Rev B or later	NR P&P, Interconnect, 25m long, 0.9mm 10 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193108	1
160	SE-SK 1118/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, 0.9mm 10 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/193109	1
161	SE-SK 1126/01 Rev B or later	NR P&P, Interconnect, 4m long, 1.4mm 10 Pair AzLM Axle Counter XPS Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (Male)	006/193220	1
162	SE-SK 1126/02 Rev B or later	NR P&P, Interconnect, 7.5m long, 1.4mm 10 Pair AzLM Axle Counter XPS Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (Male)	006/193221	1
163	SE-SK 1126/03 Rev B or later	NR P&P, Interconnect, 15m long, 1.4mm 10 Pair AzLM Axle Counter XPS Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (Male)	006/193222	1
164	SE-SK 1126/04 Rev B or later	NR P&P, Interconnect, 25m long, 1.4mm 10 Pair AzLM Axle Counter XPS Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (Male)	006/193223	1
165	SE-SK 1126/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, 1.4mm 10 Pair AzLM Axle Counter XPS Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (Male)	006/193224	1
166	SE-SK 1126/11 Rev B or later	NR P&P, Interconnect, 4m long, 1.4mm 10 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (Male)	006/193225	1
167	SE-SK 1126/12 Rev B or later	NR P&P, Interconnect, 7.5m long, 1.4mm 10 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (Male)	006/193226	1
168	SE-SK 1126/13 Rev B or later	NR P&P, Interconnect, 15m long, 1.4mm 10 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (Male)	006/193227	1
169	SE-SK 1126/14 Rev B or later	NR P&P, Interconnect, 25m long, 1.4mm 10 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (Male)	006/193228	1
170	SE-SK 1126/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, 1.4mm 10 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Receptacle (F) and MIL5015 Plug (Male)	006/193229	1
171	SE-SK 0395/01 Rev C or later	NR P&P, Interconnect, 4m long, 1 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190911	1
172	SE-SK 0395/02 Rev C or later	NR P&P, Interconnect, 7.5m long, 1 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190912	1
173	SE-SK 0395/03 Rev C or later	NR P&P, Interconnect, 15m long, 1 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190913	1
174	SE-SK 0395/04 Rev C or later	NR P&P, Interconnect, 25m long, 1 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190914	1
175	SE-SK 0395/05 Rev C or later	NR P&P, Interconnect, >25m long as specified on order, 1 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190915	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 12 Description	PADS No.	Cert issue
176	SE-SK 0395/11 Rev C or later	NR P&P, Interconnect, 4m long, 1 x 0.9mm Star Quad DB LH 416.0115 ZHLS czble, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190181	1
177	SE-SK 0395/12 Rev C or later	NR P&P, Interconnect, 7.5m long, 1 x 0.9mm Star Quad DB LH 416.0115 ZHLS czble, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190182	1
178	SE-SK 0395/13 Rev C or later	NR P&P, Interconnect, 15m long, 1 x 0.9mm Star Quad DB LH 416.0115 ZHLS czble, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190183	1
179	SE-SK 0395/14 Rev C or later	NR P&P, Interconnect, 25m long, 1 x 0.9mm Star Quad DB LH 416.0115 ZHLS czble, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190184	1
180	SE-SK 0395/15 Rev C or later	NR P&P, Interconnect, >25m long as specified on order, 1 x 0.9mm Star Quad DB LH 416.0115 ZHLS czble, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190185	1
181	SE-SK 0767/01 Rev C or later	NR P&P, Interconnect, 4m long, 3 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190926	1
182	SE-SK 0767/02 Rev C or later	NR P&P, Interconnect, 7.5m long, 3 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190927	1
183	SE-SK 0767/03 Rev C or later	NR P&P, Interconnect, 15m long, 3 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190928	1
184	SE-SK 0767/04 Rev C or later	NR P&P, Interconnect, 25m long, 3 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190929	1
185	SE-SK 0767/05 Rev C or later	NR P&P, Interconnect, >25m long as specified on order, 3 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190930	1
186	SE-SK 0767/11 Rev C or later	NR P&P, Interconnect, 4m long, 3 x 0.9mm Star Quad ZHLS DB LH 416.0115 cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190726	1
187	SE-SK 0767/12 Rev C or later	NR P&P, Interconnect, 7.5m long, 3 x 0.9mm Star Quad ZHLS DB LH 416.0115 cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190727	1
188	SE-SK 0767/13 Rev C or later	NR P&P, Interconnect, 15m long, 3 x 0.9mm Star Quad ZHLS DB LH 416.0115 cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190728	1
189	SE-SK 0767/14 Rev C or later	NR P&P, Interconnect, 25m long, 3 x 0.9mm Star Quad ZHLS DB LH 416.0115 cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190729	1
190	SE-SK 0767/15 Rev C or later	NR P&P, Interconnect, >25m long as specified on order, 3 x 0.9mm Star Quad ZHLS DB LH 416.0115 cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190730	1
191	SE-SK 0773/01 Rev B or later	NR P&P, Interconnect, 4m long, 5 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190946	1
192	SE-SK 0773/02 Rev B or later	NR P&P, Interconnect, 7.5m long, 5 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190947	1
193	SE-SK 0773/03 Rev B or later	NR P&P, Interconnect, 15m long, 5 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190948	1
194	SE-SK 0773/04 Rev B or later	NR P&P, Interconnect, 25m long, 5 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190949	1
195	SE-SK 0773/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, 5 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190950	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 12 Description	PADS No.	Cert issue
196	SE-SK 0773/11 Rev B or later	NR P&P, Interconnect, 4m long, 5 x 0.9mm ZHLS Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190746	1
197	SE-SK 0773/12 Rev B or later	NR P&P, Interconnect, 7.5m long, 5 x 0.9mm ZHLS Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190747	1
198	SE-SK 0773/13 Rev B or later	NR P&P, Interconnect, 15m long, 5 x 0.9mm ZHLS Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190748	1
199	SE-SK 0773/14 Rev B or later	NR P&P, Interconnect, 25m long, 5 x 0.9mm ZHLS Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190749	1
200	SE-SK 0773/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, 5 x 0.9mm ZHLS Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190750	1
201	SE-SK 0779/01 Rev C or later	NR P&P, Interconnect, 4m long, 7 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190971	1
202	SE-SK 0779/02 Rev C or later	NR P&P, Interconnect, 7.5m long, 7 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190972	1
203	SE-SK 0779/03 Rev C or later	NR P&P, Interconnect, 15m long, 7 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190973	1
204	SE-SK 0779/04 Rev C or later	NR P&P, Interconnect, 25m long, 7 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190974	1
205	SE-SK 0779/05 Rev C or later	NR P&P, Interconnect, >25m long as specified on order, 7 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190975	1
206	SE-SK 0779/11 Rev C or later	NR P&P, Interconnect, 4m long, 7 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190766	1
207	SE-SK 0779/12 Rev C or later	NR P&P, Interconnect, 7.5m long, 7 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190767	1
208	SE-SK 0779/13 Rev C or later	NR P&P, Interconnect, 15m long, 7 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190768	1
209	SE-SK 0779/14 Rev C or later	NR P&P, Interconnect, 25m long, 7 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190769	1
210	SE-SK 0779/15 Rev C or later	NR P&P, Interconnect, >25m long as specified on order, 7 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190770	1
211	SE-SK 0784/01 Rev C or later	NR P&P, Interconnect, 4m long, 10 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190991	1
212	SE-SK 0784/02 Rev C or later	NR P&P, Interconnect, 7.5m long, 10 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190992	1
213	SE-SK 0784/03 Rev C or later	NR P&P, Interconnect, 15m long, 10 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190993	1
214	SE-SK 0784/04 Rev C or later	NR P&P, Interconnect, 25m long, 10 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190994	1
215	SE-SK 0784/05 Rev C or later	NR P&P, Interconnect, >25m long as specified on order, 10 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190995	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 12 Description	PADS No.	Cert issue
216	SE-SK 0784/11 Rev C or later	NR P&P, Interconnect, 4m long, 10 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190786	1
217	SE-SK 0784/12 Rev C or later	NR P&P, Interconnect, 7.5m long, 10 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190787	1
218	SE-SK 0784/13 Rev C or later	NR P&P, Interconnect, 15m long, 10 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190788	1
219	SE-SK 0784/14 Rev C or later	NR P&P, Interconnect, 25m long, 10 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190789	1
220	SE-SK 0784/15 Rev C or later	NR P&P, Interconnect, >25m long as specified on order, 10 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Receptacle (F) and MIL5015 Plug (M)	006/190790	1
221	SE-SK 1105/01 Rev B or later	NR P&P, Lead, 2m long, 0.9mm 2 Pair AzLM Axle Counter XPS Cable, with Free End and MIL5015 Plug (M)	006/194020	1
222	SE-SK 1105/02 Rev B or later	NR P&P, Lead, 4m long, 0.9mm 2 Pair AzLM Axle Counter XPS Cable, with Free End and MIL5015 Plug (M)	006/194021	1
223	SE-SK 1105/03 Rev B or later	NR P&P, Lead, 8m long, 0.9mm 2 Pair AzLM Axle Counter XPS Cable, with Free End and MIL5015 Plug (M)	006/194022	1
224	SE-SK 1105/04 Rev B or later	NR P&P, Lead, 15.5m long, 0.9mm 2 Pair AzLM Axle Counter XPS Cable, with Free End and MIL5015 Plug (M)	006/194023	1
225	SE-SK 1105/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 0.9mm 2 Pair AzLM Axle Counter XPS Cable, with Free End and MIL5015 Plug (M)	006/194024	1
226	SE-SK 1105/11 Rev B or later	NR P&P, Lead, 2m long, 0.9mm 2 Pair AzLM Axle Counter XPZ Cable, with Free End and MIL5015 Plug (M)	006/194025	1
227	SE-SK 1105/12 Rev B or later	NR P&P, Lead, 4m long, 0.9mm 2 Pair AzLM Axle Counter XPZ Cable, with Free End and MIL5015 Plug (M)	006/194026	1
228	SE-SK 1105/13 Rev B or later	NR P&P, Lead, 8m long, 0.9mm 2 Pair AzLM Axle Counter XPZ Cable, with Free End and MIL5015 Plug (M)	006/194027	1
229	SE-SK 1105/14 Rev B or later	NR P&P, Lead, 15.5m long, 0.9mm 2 Pair AzLM Axle Counter XPZ Cable, with Free End and MIL5015 Plug (M)	006/194028	1
230	SE-SK 1105/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 0.9mm 2 Pair AzLM Axle Counter XPZ Cable, with Free End and MIL5015 Plug (M)	006/194029	1
231	SE-SK 1105/21 Rev B or later	NR P&P, Lead, 2m long, 0.9mm 2 Pair AzLM Axle Counter XQS Cable, with Free End and MIL5015 Plug (M)	006/194030	1
232	SE-SK 1105/22 Rev B or later	NR P&P, Lead, 4m long, 0.9mm 2 Pair AzLM Axle Counter XQS Cable, with Free End and MIL5015 Plug (M)	006/194031	1
233	SE-SK 1105/23 Rev B or later	NR P&P, Lead, 8m long, 0.9mm 2 Pair AzLM Axle Counter XQS Cable, with Free End and MIL5015 Plug (M)	006/194032	1
234	SE-SK 1105/24 Rev B or later	NR P&P, Lead, 15.5m long, 0.9mm 2 Pair AzLM Axle Counter XQS Cable, with Free End and MIL5015 Plug (M)	006/194033	1
235	SE-SK 1105/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 0.9mm 2 Pair AzLM Axle Counter XQS Cable, with Free End and MIL5015 Plug (M)	006/194034	1
236	SE-SK 1105/31 Rev B or later	NR P&P, Lead, 2m long, 2 Pair 0.9mm 2 Pair AzLM Axle Counter XQZ Cable, with Free End and MIL5015 Plug (M)	006/194035	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 12 Description	PADS No.	Cert issue
237	SE-SK 1105/32 Rev B or later	NR P&P, Lead, 4m long, 2 Pair 0.9mm 2 Pair AzLM Axle Counter XQZ Cable, with Free End and MIL5015 Plug (M)	006/194036	1
238	SE-SK 1105/33 Rev B or later	NR P&P, Lead, 8m long, 2 Pair 0.9mm 2 Pair AzLM Axle Counter XQZ Cable, with Free End and MIL5015 Plug (M)	006/194037	1
239	SE-SK 1105/34 Rev B or later	NR P&P, Lead, 15.5m long, 2 Pair 0.9mm 2 Pair AzLM Axle Counter XQZ Cable, with Free End and MIL5015 Plug (M)	006/194038	1
240	SE-SK 1105/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 2 Pair 0.9mm 2 Pair AzLM Axle Counter XQZ Cable, with Free End and MIL5015 Plug (M)	006/194039	1
241	SE-SK 1113/01 Rev B or later	NR P&P, Lead, 2m long, 1.4mm 2 Pair AzLM Axle Counter XPS Cable, with Free End and MIL5015 Plug (M)	006/194140	1
242	SE-SK 1113/02 Rev B or later	NR P&P, Lead, 4m long, 1.4mm 2 Pair AzLM Axle Counter XPS Cable, with Free End and MIL5015 Plug (M)	006/194141	1
243	SE-SK 1113/03 Rev B or later	NR P&P, Lead, 8m long, 1.4mm 2 Pair AzLM Axle Counter XPS Cable, with Free End and MIL5015 Plug (M)	006/194142	1
244	SE-SK 1113/04 Rev B or later	NR P&P, Lead, 15.5m long, 1.4mm 2 Pair AzLM Axle Counter XPS Cable, with Free End and MIL5015 Plug (M)	006/194143	1
245	SE-SK 1113/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 1.4mm 2 Pair AzLM Axle Counter XPS Cable, with Free End and MIL5015 Plug (M)	006/194144	1
246	SE-SK 1113/11 Rev B or later	NR P&P, Lead, 2m long, 1.4mm 2 Pair AzLM Axle Counter XPZ Cable, with Free End and MIL5015 Plug (M)	006/194145	1
247	SE-SK 1113/12 Rev B or later	NR P&P, Lead, 4m long, 1.4mm 2 Pair AzLM Axle Counter XPZ Cable, with Free End and MIL5015 Plug (M)	006/194146	1
248	SE-SK 1113/13 Rev B or later	NR P&P, Lead, 8m long, 1.4mm 2 Pair AzLM Axle Counter XPZ Cable, with Free End and MIL5015 Plug (M)	006/194147	1
249	SE-SK 1113/14 Rev B or later	NR P&P, Lead, 15.5m long, 1.4mm 2 Pair AzLM Axle Counter XPZ Cable, with Free End and MIL5015 Plug (M)	006/194148	1
250	SE-SK 1113/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 1.4mm 2 Pair AzLM Axle Counter XPZ Cable, with Free End and MIL5015 Plug (M)	006/194149	1
251	SE-SK 1113/21 Rev B or later	NR P&P, Lead, 2m long, 1.4mm 2 Pair AzLM Axle Counter XQS Cable, with Free End and MIL5015 Plug (M)	006/194150	1
252	SE-SK 1113/22 Rev B or later	NR P&P, Lead, 4m long, 1.4mm 2 Pair AzLM Axle Counter XQS Cable, with Free End and MIL5015 Plug (M)	006/194151	1
253	SE-SK 1113/23 Rev B or later	NR P&P, Lead, 8m long, 1.4mm 2 Pair AzLM Axle Counter XQS Cable, with Free End and MIL5015 Plug (M)	006/194152	1
254	SE-SK 1113/24 Rev B or later	NR P&P, Lead, 15.5m long, 1.4mm 2 Pair AzLM Axle Counter XQS Cable, with Free End and MIL5015 Plug (M)	006/194153	1
255	SE-SK 1113/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 1.4mm 2 Pair AzLM Axle Counter XQS Cable, with Free End and MIL5015 Plug (M)	006/194154	1
256	SE-SK 1113/31 Rev B or later	NR P&P, Lead, 2m long, 2 Pair 1.4mm 2 Pair AzLM Axle Counter XQZ Cable, with Free End and MIL5015 Plug (M)	006/194155	1
257	SE-SK 1113/32 Rev B or later	NR P&P, Lead, 4m long, 2 Pair 1.4mm 2 Pair AzLM Axle Counter XQZ Cable, with Free End and MIL5015 Plug (M)	006/194156	1
258	SE-SK 1113/33 Rev B or later	NR P&P, Lead, 8m long, 2 Pair 1.4mm 2 Pair AzLM Axle Counter XQZ Cable, with Free End and MIL5015 Plug (M)	006/194157	1
259	SE-SK 1113/34 Rev B or later	NR P&P, Lead, 15.5m long, 2 Pair 1.4mm 2 Pair AzLM Axle Counter XQZ Cable, with Free End and MIL5015 Plug (M)	006/194158	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 12 Description	PADS No.	Cert issue
260	SE-SK 1113/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 2 Pair 1.4mm 2 Pair AzLM Axle Counter XQZ Cable, with Free End and MIL5015 Plug (M)	006/194159	1
261	SE-SK 1121/01 Rev B or later	NR P&P, Lead, 2m long, 0.9mm 10 Pair AzLM Axle Counter XPS Cable, with Free End and MIL5015 Plug (M)	006/194090	1
262	SE-SK 1121/02 Rev B or later	NR P&P, Lead, 4m long, 0.9mm 10 Pair AzLM Axle Counter XPS Cable, with Free End and MIL5015 Plug (M)	006/194091	1
263	SE-SK 1121/03 Rev B or later	NR P&P, Lead, 8m long, 0.9mm 10 Pair AzLM Axle Counter XPS Cable, with Free End and MIL5015 Plug (M)	006/194092	1
264	SE-SK 1121/04 Rev B or later	NR P&P, Lead, 15.5m long, 0.9mm 10 Pair AzLM Axle Counter XPS Cable, with Free End and MIL5015 Plug (M)	006/194093	1
265	SE-SK 1121/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 0.9mm 10 Pair AzLM Axle Counter XPS Cable, with Free End and MIL5015 Plug (M)	006/194094	1
266	SE-SK 1121/11 Rev B or later	NR P&P, Lead, 2m long, 0.9mm 10 Pair AzLM Axle Counter XPZ Cable, with Free End and MIL5015 Plug (M)	006/194095	1
267	SE-SK 1121/12 Rev B or later	NR P&P, Lead, 4m long, 0.9mm 10 Pair AzLM Axle Counter XPZ Cable, with Free End and MIL5015 Plug (M)	006/194096	1
268	SE-SK 1121/13 Rev B or later	NR P&P, Lead, 8m long, 0.9mm 10 Pair AzLM Axle Counter XPZ Cable, with Free End and MIL5015 Plug (M)	006/194097	1
269	SE-SK 1121/14 Rev B or later	NR P&P, Lead, 15.5m long, 0.9mm 10 Pair AzLM Axle Counter XPZ Cable, with Free End and MIL5015 Plug (M)	006/194098	1
270	SE-SK 1121/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 0.9mm 10 Pair AzLM Axle Counter XPZ Cable, with Free End and MIL5015 Plug (M)	006/194099	1
271	SE-SK 1129/01 Rev B or later	NR P&P, Lead, 2m long, 1.4mm 10 Pair AzLM Axle Counter XPS Cable, with Free End and MIL5015 Plug (M)	006/194210	1
272	SE-SK 1129/02 Rev B or later	NR P&P, Lead, 4m long, 1.4mm 10 Pair AzLM Axle Counter XPS Cable, with Free End and MIL5015 Plug (M)	006/194211	1
273	SE-SK 1129/03 Rev B or later	NR P&P, Lead, 8m long, 1.4mm 10 Pair AzLM Axle Counter XPS Cable, with Free End and MIL5015 Plug (M)	006/194212	1
274	SE-SK 1129/04 Rev B or later	NR P&P, Lead, 15.5m long, 1.4mm 10 Pair AzLM Axle Counter XPS Cable, with Free End and MIL5015 Plug (M)	006/194213	1
275	SE-SK 1129/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 1.4mm 10 Pair AzLM Axle Counter XPS Cable, with Free End and MIL5015 Plug (M)	006/194214	1
276	SE-SK 1129/11 Rev B or later	NR P&P, Lead, 2m long, 1.4mm 10 Pair AzLM Axle Counter XPZ Cable, with Free End and MIL5015 Plug (M)	006/194215	1
277	SE-SK 1129/12 Rev B or later	NR P&P, Lead, 4m long, 1.4mm 10 Pair AzLM Axle Counter XPZ Cable, with Free End and MIL5015 Plug (M)	006/194216	1
278	SE-SK 1129/13 Rev B or later	NR P&P, Lead, 8m long, 1.4mm 10 Pair AzLM Axle Counter XPZ Cable, with Free End and MIL5015 Plug (M)	006/194217	1
279	SE-SK 1129/14 Rev B or later	NR P&P, Lead, 15.5m long, 1.4mm 10 Pair AzLM Axle Counter XPZ Cable, with Free End and MIL5015 Plug (M)	006/194218	1
280	SE-SK 1129/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 1.4mm 10 Pair AzLM Axle Counter XPZ Cable, with Free End and MIL5015 Plug (M)	006/194219	1
281	SE-SK 0398/01 Rev C or later	NR P&P, Lead, 2m long, 1 x 0.9mm Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191906	1
282	SE-SK 0398/02 Rev C or later	NR P&P, Lead, 4m long, 1 x 0.9mm Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191907	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 12 Description	PADS No.	Cert issue
283	SE-SK 0398/03 Rev C or later	NR P&P, Lead, 8m long, 1 x 0.9mm Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191908	1
284	SE-SK 0398/04 Rev C or later	NR P&P, Lead, 15.5m long, 1 x 0.9mm Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191909	1
285	SE-SK 0398/05 Rev C or later	NR P&P, Lead, >15.5m long as specified on order, 1 x 0.9mm Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191910	1
286	SE-SK 0398/11 Rev C or later	NR P&P, Lead, 2m long, 1 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with Free End and MIL5015 Plug (M)	006/191191	1
287	SE-SK 0398/12 Rev C or later	NR P&P, Lead, 4m long, 1 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with Free End and MIL5015 Plug (M)	006/191192	1
288	SE-SK 0398/13 Rev C or later	NR P&P, Lead, 8m long, 1 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with Free End and MIL5015 Plug (M)	006/191193	1
289	SE-SK 0398/14 Rev C or later	NR P&P, Lead, 15.5m long, 1 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with Free End and MIL5015 Plug (M)	006/191194	1
290	SE-SK 0398/15 Rev C or later	NR P&P, Lead, >15.5m long as specified on order, 1 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with Free End and MIL5015 Plug (M)	006/191195	1
291	SE-SK 0768/01 Rev C or later	NR P&P, Lead, 2m long, 3 x 0.9mm Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191921	1
292	SE-SK 0768/02 Rev C or later	NR P&P, Lead, 4m long, 3 x 0.9mm Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191922	1
293	SE-SK 0768/03 Rev C or later	NR P&P, Lead, 8m long, 3 x 0.9mm Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191923	1
294	SE-SK 0768/04 Rev C or later	NR P&P, Lead, 15.5m long, 3 x 0.9mm Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191924	1
295	SE-SK 0768/05 Rev C or later	NR P&P, Lead, >15.5m long as specified on order, 3 x 0.9mm Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191925	1
296	SE-SK 0768/11 Rev C or later	NR P&P, Lead, 2m long, 3 x 0.9mm Star Quad ZHLS DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191721	1
297	SE-SK 0768/12 Rev C or later	NR P&P, Lead, 4m long, 3 x 0.9mm Star Quad ZHLS DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191722	1
298	SE-SK 0768/13 Rev C or later	NR P&P, Lead, 8m long, 3 x 0.9mm Star Quad ZHLS DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191723	1
299	SE-SK 0768/14 Rev C or later	NR P&P, Lead, 15.5m long, 3 x 0.9mm Star Quad ZHLS DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191724	1
300	SE-SK 0768/15 Rev C or later	NR P&P, Lead, >15.5m long as specified on order, 3 x 0.9mm Star Quad ZHLS DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191725	1
301	SE-SK 0774/01 Rev B or later	NR P&P, Lead, 2m long, 5 x 0.9mm Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191951	1
302	SE-SK 0774/02 Rev B or later	NR P&P, Lead, 4m long, 5 x 0.9mm Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191952	1
303	SE-SK 0774/03 Rev B or later	NR P&P, Lead, 8m long, 5 x 0.9mm Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191953	1
304	SE-SK 0774/04 Rev B or later	NR P&P, Lead, 15.5m long, 5 x 0.9mm Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191954	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 12 Description	PADS No.	Cert issue
305	SE-SK 0774/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 5 x 0.9mm Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191955	1
306	SE-SK 0774/11 Rev B or later	NR P&P, Lead, 2m long, 5 x 0.9mm ZHLS Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191741	1
307	SE-SK 0774/12 Rev B or later	NR P&P, Lead, 4m long, 5 x 0.9mm ZHLS Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191742	1
308	SE-SK 0774/13 Rev B or later	NR P&P, Lead, 8m long, 5 x 0.9mm ZHLS Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191743	
309	SE-SK 0774/14 Rev B or later	NR P&P, Lead, 15.5m long, 5 x 0.9mm ZHLS Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191744	1
310	SE-SK 0774/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 5 x 0.9mm ZHLS Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191745	1
311	SE-SK 0780/01 Rev C or later	NR P&P, Lead, 2m long, 7 x 0.9mm Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191961	1
312	SE-SK 0780/02 Rev C or later	NR P&P, Lead, 4m long, 7 x 0.9mm Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191962	1
313	SE-SK 0780/03 Rev C or later	NR P&P, Lead, 8m long, 7 x 0.9mm Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191963	1
314	SE-SK 0780/04 Rev C or later	NR P&P, Lead, 15.5m long, 7 x 0.9mm Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191964	1
315	SE-SK 0780/05 Rev C or later	NR P&P, Lead, >15.5m long as specified on order, 7 x 0.9mm Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191965	1
316	SE-SK 0780/11 Rev C or later	NR P&P, Lead, 2m long, 7 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with Free End and MIL5015 Plug (M)	006/191761	1
317	SE-SK 0780/12 Rev C or later	NR P&P, Lead, 4m long, 7 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with Free End and MIL5015 Plug (M)	006/191762	1
318	SE-SK 0780/13 Rev C or later	NR P&P, Lead, 8m long, 7 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with Free End and MIL5015 Plug (M)	006/191763	1
319	SE-SK 0780/14 Rev C or later	NR P&P, Lead, 15.5m long, 7 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with Free End and MIL5015 Plug (M)	006/191764	1
320	SE-SK 0780/15 Rev C or later	NR P&P, Lead, >15.5m long as specified on order, 7 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with Free End and MIL5015 Plug (M)	006/191765	1
321	SE-SK 0785/01 Rev C or later	NR P&P, Lead, 2m long, 10 x 0.9mm Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191981	1
322	SE-SK 0785/02 Rev C or later	NR P&P, Lead, 4m long, 10 x 0.9mm Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191982	1
323	SE-SK 0785/03 Rev C or later	NR P&P, Lead, 8m long, 10 x 0.9mm Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191983	1
324	SE-SK 0785/04 Rev C or later	NR P&P, Lead, 15.5m long, 10 x 0.9mm Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191984	1
325	SE-SK 0785/05 Rev C or later	NR P&P, Lead, >15.5m long as specified on order, 10 x 0.9mm Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191985	1
326	SE-SK 0785/11 Rev C or later	NR P&P, Lead, 2m long, 10 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with Free End and MIL5015 Plug (M)	006/191781	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilecsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 12 Description	PADS No.	Cert issue
327	SE-SK 0785/12 Rev C or later	NR P&P, Lead, 4m long, 10 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with Free End and MIL5015 Plug (M)	006/191782	1
328	SE-SK 0785/13 Rev C or later	NR P&P, Lead, 8m long, 10 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with Free End and MIL5015 Plug (M)	006/191783	1
329	SE-SK 0785/14 Rev C or later	NR P&P, Lead, 15.5m long, 10 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with Free End and MIL5015 Plug (M)	006/191784	1
330	SE-SK 0785/15 Rev C or later	NR P&P, Lead, >15.5m long as specified on order, 10 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with Free End and MIL5015 Plug (M)	006/191785	1
331	SE-SK 1100/01 Rev B or later	NR P&P, Interconnect, 4m long, 0.9mm 2 Pair AzLM Axle Counter XPS Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193000	1
332	SE-SK 1100/02 Rev B or later	NR P&P, Interconnect, 7.5m long, 0.9mm 2 Pair AzLM Axle Counter XPS Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193001	1
333	SE-SK 1100/03 Rev B or later	NR P&P, Interconnect, 15m long, 0.9mm 2 Pair AzLM Axle Counter XPS Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193002	1
334	SE-SK 1100/04 Rev B or later	NR P&P, Interconnect, 25m long, 0.9mm 2 Pair AzLM Axle Counter XPS Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193003	1
335	SE-SK 1100/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, 0.9mm 2 Pair AzLM Axle Counter XPS Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193004	1
336	SE-SK 1100/11 Rev B or later	NR P&P, Interconnect, 4m long, 0.9mm 2 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193005	1
337	SE-SK 1100/12 Rev B or later	NR P&P, Interconnect, 7.5m long, 0.9mm 2 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193006	1
338	SE-SK 1100/13 Rev B or later	NR P&P, Interconnect, 15m long, 0.9mm 2 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193007	1
339	SE-SK 1100/14 Rev B or later	NR P&P, Interconnect, 25m long, 0.9mm 2 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193008	1
340	SE-SK 1100/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, 0.9mm 2 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193009	1
341	SE-SK 1100/21 Rev B or later	NR P&P, Interconnect, 4m long, 0.9mm 2 Pair AzLM Axle Counter XQS Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193010	1
342	SE-SK 1100/22 Rev B or later	NR P&P, Interconnect, 7.5m long, 0.9mm 2 Pair AzLM Axle Counter XQS Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193011	1
343	SE-SK 1100/23 Rev B or later	NR P&P, Interconnect, 15m long, 0.9mm 2 Pair AzLM Axle Counter XQS Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193012	1
344	SE-SK 1100/24 Rev B or later	NR P&P, Interconnect, 25m long, 0.9mm 2 Pair AzLM Axle Counter XQS Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193013	1
345	SE-SK 1100/25 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, 0.9mm 2 Pair AzLM Axle Counter XQS Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193014	1
346	SE-SK 1100/31 Rev B or later	NR P&P, Interconnect, 4m long, 2 Pair 0.9mm 2 Pair AzLM Axle Counter XQZ Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193015	1
347	SE-SK 1100/32 Rev B or later	NR P&P, Interconnect, 7.5m long, 2 Pair 0.9mm 2 Pair AzLM Axle Counter XQZ Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193016	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 12 Description	PADS No.	Cert issue
348	SE-SK 1100/33 Rev B or later	NR P&P, Interconnect, 15m long, 2 Pair 0.9mm 2 Pair AzLM Axle Counter XQZ Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193017	1
349	SE-SK 1100/34 Rev B or later	NR P&P, Interconnect, 25m long, 2 Pair 0.9mm 2 Pair AzLM Axle Counter XQZ Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193018	1
350	SE-SK 1100/35 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, 2 Pair 0.9mm 2 Pair AzLM Axle Counter XQZ Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193019	1
351	SE-SK 1108/01 Rev B or later	NR P&P, Interconnect, 4m long, 1.4mm 2 Pair AzLM Axle Counter XPS Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193120	1
352	SE-SK 1108/02 Rev B or later	NR P&P, Interconnect, 7.5m long, 1.4mm 2 Pair AzLM Axle Counter XPS Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193121	1
353	SE-SK 1108/03 Rev B or later	NR P&P, Interconnect, 15m long, 1.4mm 2 Pair AzLM Axle Counter XPS Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193122	1
354	SE-SK 1108/04 Rev B or later	NR P&P, Interconnect, 25m long, 1.4mm 2 Pair AzLM Axle Counter XPS Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193123	1
355	SE-SK 1108/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, 1.4mm 2 Pair AzLM Axle Counter XPS Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193124	1
356	SE-SK 1108/11 Rev B or later	NR P&P, Interconnect, 4m long, 1.4mm 2 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193125	1
357	SE-SK 1108/12 Rev B or later	NR P&P, Interconnect, 7.5m long, 1.4mm 2 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193126	1
358	SE-SK 1108/13 Rev B or later	NR P&P, Interconnect, 15m long, 1.4mm 2 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193127	1
359	SE-SK 1108/14 Rev B or later	NR P&P, Interconnect, 25m long, 1.4mm 2 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193128	1
360	SE-SK 1108/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, 1.4mm 2 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193129	1
361	SE-SK 1108/21 Rev B or later	NR P&P, Interconnect, 4m long, 1.4mm 2 Pair AzLM Axle Counter XQS Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193130	1
362	SE-SK 1108/22 Rev B or later	NR P&P, Interconnect, 7.5m long, 1.4mm 2 Pair AzLM Axle Counter XQS Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193131	1
363	SE-SK 1108/23 Rev B or later	NR P&P, Interconnect, 15m long, 1.4mm 2 Pair AzLM Axle Counter XQS Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193132	1
364	SE-SK 1108/24 Rev B or later	NR P&P, Interconnect, 25m long, 1.4mm 2 Pair AzLM Axle Counter XQS Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193133	1
365	SE-SK 1108/25 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, 1.4mm 2 Pair AzLM Axle Counter XQS Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193134	1
366	SE-SK 1108/31 Rev B or later	NR P&P, Interconnect, 4m long, 2 Pair 1.4mm 2 Pair AzLM Axle Counter XQZ Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193135	1
367	SE-SK 1108/32 Rev B or later	NR P&P, Interconnect, 7.5m long, 2 Pair 1.4mm 2 Pair AzLM Axle Counter XQZ Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193136	1
368	SE-SK 1108/33 Rev B or later	NR P&P, Interconnect, 15m long, 2 Pair 1.4mm 2 Pair AzLM Axle Counter XQZ Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193137	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 12 Description	PADS No.	Cert issue
369	SE-SK 1108/34 Rev B or later	NR P&P, Interconnect, 25m long, 2 Pair 1.4mm 2 Pair AzLM Axle Counter XQZ Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193138	1
370	SE-SK 1108/35 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, 2 Pair 1.4mm 2 Pair AzLM Axle Counter XQZ Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193139	1
371	SE-SK 1116/01 Rev B or later	NR P&P, Interconnect, 4m long, 0.9mm 10 Pair AzLM Axle Counter XPS Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193080	1
372	SE-SK 1116/02 Rev B or later	NR P&P, Interconnect, 7.5m long, 0.9mm 10 Pair AzLM Axle Counter XPS Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193081	1
373	SE-SK 1116/03 Rev B or later	NR P&P, Interconnect, 15m long, 0.9mm 10 Pair AzLM Axle Counter XPS Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193082	1
374	SE-SK 1116/04 Rev B or later	NR P&P, Interconnect, 25m long, 0.9mm 10 Pair AzLM Axle Counter XPS Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193083	1
375	SE-SK 1116/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, 0.9mm 10 Pair AzLM Axle Counter XPS Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193084	1
376	SE-SK 1116/11 Rev B or later	NR P&P, Interconnect, 4m long, 0.9mm 10 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193085	1
377	SE-SK 1116/12 Rev B or later	NR P&P, Interconnect, 7.5m long, 0.9mm 10 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193086	1
378	SE-SK 1116/13 Rev B or later	NR P&P, Interconnect, 15m long, 0.9mm 10 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193087	1
379	SE-SK 1116/14 Rev B or later	NR P&P, Interconnect, 25m long, 0.9mm 10 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193088	1
380	SE-SK 1116/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, 0.9mm 10 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193089	1
381	SE-SK 1124/01 Rev B or later	NR P&P, Interconnect, 4m long, 1.4mm 10 Pair AzLM Axle Counter XPS Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193200	1
382	SE-SK 1124/02 Rev B or later	NR P&P, Interconnect, 7.5m long, 1.4mm 10 Pair AzLM Axle Counter XPS Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193201	1
383	SE-SK 1124/03 Rev B or later	NR P&P, Interconnect, 15m long, 1.4mm 10 Pair AzLM Axle Counter XPS Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193202	1
384	SE-SK 1124/04 Rev B or later	NR P&P, Interconnect, 25m long, 1.4mm 10 Pair AzLM Axle Counter XPS Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193203	1
385	SE-SK 1124/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, 1.4mm 10 Pair AzLM Axle Counter XPS Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193204	1
386	SE-SK 1124/11 Rev B or later	NR P&P, Interconnect, 4m long, 1.4mm 10 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193205	1
387	SE-SK 1124/12 Rev B or later	NR P&P, Interconnect, 7.5m long, 1.4mm 10 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193206	1
388	SE-SK 1124/13 Rev B or later	NR P&P, Interconnect, 15m long, 1.4mm 10 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193207	1
389	SE-SK 1124/14 Rev B or later	NR P&P, Interconnect, 25m long, 1.4mm 10 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193208	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilecsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 12 Description	PADS No.	Cert issue
390	SE-SK 1124/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, 1.4mm 10 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/193209	1
391	SE-SK 0680/01 Rev C or later	NR P&P, Interconnect, 4m long, 1 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190901	1
392	SE-SK 0680/02 Rev C or later	NR P&P, Interconnect, 7.5m long, 1 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190902	1
393	SE-SK 0680/03 Rev C or later	NR P&P, Interconnect, 15m long, 1 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190903	1
394	SE-SK 0680/04 Rev C or later	NR P&P, Interconnect, 25m long, 1 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190904	1
395	SE-SK 0680/05 Rev C or later	NR P&P, Interconnect, >25m long as specified on order, 1 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190905	1
396	SE-SK 0680/11 Rev C or later	NR P&P, Interconnect, 4m long, 1 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190186	1
397	SE-SK 0680/12 Rev C or later	NR P&P, Interconnect, 7.5m long, 1 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190187	1
398	SE-SK 0680/13 Rev C or later	NR P&P, Interconnect, 15m long, 1 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190188	1
399	SE-SK 0680/14 Rev C or later	NR P&P, Interconnect, 25m long, 1 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190189	1
400	SE-SK 0680/15 Rev C or later	NR P&P, Interconnect, >25m long as specified on order, 1 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190190	1
401	SE-SK 0766/01 Rev C or later	NR P&P, Interconnect, 4m long, 3 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190921	1
402	SE-SK 0766/02 Rev C or later	NR P&P, Interconnect, 7.5m long, 3 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190922	1
403	SE-SK 0766/03 Rev C or later	NR P&P, Interconnect, 15m long, 3 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190923	1
404	SE-SK 0766/04 Rev C or later	NR P&P, Interconnect, 25m long, 3 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190924	1
405	SE-SK 0766/05 Rev C or later	NR P&P, Interconnect, >25m long as specified on order, 3 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190925	1
406	SE-SK 0766/11 Rev C or later	NR P&P, Interconnect, 4m long, 3 x 0.9mm Star Quad ZHLS DB LH 416.0115 cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190721	1
407	SE-SK 0766/12 Rev C or later	NR P&P, Interconnect, 7.5m long, 3 x 0.9mm Star Quad ZHLS DB LH 416.0115 cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190722	1
408	SE-SK 0766/13 Rev C or later	NR P&P, Interconnect, 15m long, 3 x 0.9mm Star Quad ZHLS DB LH 416.0115 cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190723	1
409	SE-SK 0766/14 Rev C or later	NR P&P, Interconnect, 25m long, 3 x 0.9mm Star Quad ZHLS DB LH 416.0115 cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190724	1
410	SE-SK 0766/15 Rev C or later	NR P&P, Interconnect, >25m long as specified on order, 3 x 0.9mm Star Quad ZHLS DB LH 416.0115 cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190725	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 12 Description	PADS No.	Cert issue
411	SE-SK 0772/01 Rev B or later	NR P&P, Interconnect, 4m long, 5 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190941	1
412	SE-SK 0772/02 Rev B or later	NR P&P, Interconnect, 7.5m long, 5 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190942	1
413	SE-SK 0772/03 Rev B or later	NR P&P, Interconnect, 15m long, 5 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190943	1
414	SE-SK 0772/04 Rev B or later	NR P&P, Interconnect, 25m long, 5 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190944	1
415	SE-SK 0772/05 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, 5 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190945	1
416	SE-SK 0772/11 Rev B or later	NR P&P, Interconnect, 4m long, 5 x 0.9mm Star Quad DB LH 416.0115 ZHLS Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190741	1
417	SE-SK 0772/12 Rev B or later	NR P&P, Interconnect, 7.5m long, 5 x 0.9mm Star Quad DB LH 416.0115 ZHLS Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190742	1
418	SE-SK 0772/13 Rev B or later	NR P&P, Interconnect, 15m long, 5 x 0.9mm Star Quad DB LH 416.0115 ZHLS Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190743	1
419	SE-SK 0772/14 Rev B or later	NR P&P, Interconnect, 25m long, 5 x 0.9mm Star Quad DB LH 416.0115 ZHLS Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190744	1
420	SE-SK 0772/15 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, 5 x 0.9mm Star Quad DB LH 416.0115 ZHLS Cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190745	1
421	SE-SK 0778/01 Rev C or later	NR P&P, Interconnect, 4m long, 7 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190961	1
422	SE-SK 0778/02 Rev C or later	NR P&P, Interconnect, 7.5m long, 7 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190962	1
423	SE-SK 0778/03 Rev C or later	NR P&P, Interconnect, 15m long, 7 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190963	1
424	SE-SK 0778/04 Rev C or later	NR P&P, Interconnect, 25m long, 7 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190964	1
425	SE-SK 0778/05 Rev C or later	NR P&P, Interconnect, >25m long as specified on order, 7 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190965	1
426	SE-SK 0778/11 Rev C or later	NR P&P, Interconnect, 4m long, 7 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190761	1
427	SE-SK 0778/12 Rev C or later	NR P&P, Interconnect, 7.5m long, 7 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190762	1
428	SE-SK 0778/13 Rev C or later	NR P&P, Interconnect, 15m long, 7 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190763	1
429	SE-SK 0778/14 Rev C or later	NR P&P, Interconnect, 25m long, 7 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190764	1
430	SE-SK 0778/15 Rev C or later	NR P&P, Interconnect, >25m long as specified on order, 7 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190765	1
431	SE-SK 0783/01 Rev C or later	NR P&P, Interconnect, 4m long, 10 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190981	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 12 Description	PADS No.	Cert issue
432	SE-SK 0783/02 Rev C or later	NR P&P, Interconnect, 7.5m long, 10 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190982	1
433	SE-SK 0783/03 Rev C or later	NR P&P, Interconnect, 15m long, 10 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190983	1
434	SE-SK 0783/04 Rev C or later	NR P&P, Interconnect, 25m long, 10 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190984	1
435	SE-SK 0783/05 Rev C or later	NR P&P, Interconnect, >25m long as specified on order, 10 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190985	1
436	SE-SK 0783/11 Rev C or later	NR P&P, Interconnect, 4m long, 10 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190781	1
437	SE-SK 0783/12 Rev C or later	NR P&P, Interconnect, 7.5m long, 10 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190782	1
438	SE-SK 0783/13 Rev C or later	NR P&P, Interconnect, 15m long, 10 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190783	1
439	SE-SK 0783/14 Rev C or later	NR P&P, Interconnect, 25m long, 10 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190784	1
440	SE-SK 0783/15 Rev C or later	NR P&P, Interconnect, >25m long as specified on order, 10 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/190785	1
441	SE-SK 1104/01 Rev B or later	NR P&P, Lead, 2m long, 0.9mm 2 Pair AzLM Axle Counter XPS Cable, with MIL5015 Plug (F) and Free End	006/194000	1
442	SE-SK 1104/02 Rev B or later	NR P&P, Lead, 4m long, 0.9mm 2 Pair AzLM Axle Counter XPS Cable, with MIL5015 Plug (F) and Free End	006/194001	1
443	SE-SK 1104/03 Rev B or later	NR P&P, Lead, 8m long, 0.9mm 2 Pair AzLM Axle Counter XPS Cable, with MIL5015 Plug (F) and Free End	006/194002	1
444	SE-SK 1104/04 Rev B or later	NR P&P, Lead, 15.5m long, 0.9mm 2 Pair AzLM Axle Counter XPS Cable, with MIL5015 Plug (F) and Free End	006/194003	1
445	SE-SK 1104/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 0.9mm 2 Pair AzLM Axle Counter XPS Cable, with MIL5015 Plug (F) and Free End	006/194004	1
446	SE-SK 1104/11 Rev B or later	NR P&P, Lead, 2m long, 0.9mm 2 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Plug (F) and Free End	006/194005	1
447	SE-SK 1104/12 Rev B or later	NR P&P, Lead, 4m long, 0.9mm 2 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Plug (F) and Free End	006/194006	1
448	SE-SK 1104/13 Rev B or later	NR P&P, Lead, 8m long, 0.9mm 2 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Plug (F) and Free End	006/194007	1
449	SE-SK 1104/14 Rev B or later	NR P&P, Lead, 15.5m long, 0.9mm 2 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Plug (F) and Free End	006/194008	1
450	SE-SK 1104/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 0.9mm 2 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Plug (F) and Free End	006/194009	1
451	SE-SK 1104/21 Rev B or later	NR P&P, Lead, 2m long, 0.9mm 2 Pair AzLM Axle Counter XQS Cable, with MIL5015 Plug (F) and Free End	006/194010	1
452	SE-SK 1104/22 Rev B or later	NR P&P, Lead, 4m long, 0.9mm 2 Pair AzLM Axle Counter XQS Cable, with MIL5015 Plug (F) and Free End	006/194011	1
453	SE-SK 1104/23 Rev B or later	NR P&P, Lead, 8m long, 0.9mm 2 Pair AzLM Axle Counter XQS Cable, with MIL5015 Plug (F) and Free End	006/194012	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 12 Description	PADS No.	Cert issue
454	SE-SK 1104/24 Rev B or later	NR P&P, Lead, 15.5m long, 0.9mm 2 Pair AzLM Axle Counter XQS Cable, with MIL5015 Plug (F) and Free End	006/194013	1
455	SE-SK 1104/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 0.9mm 2 Pair AzLM Axle Counter XQS Cable, with MIL5015 Plug (F) and Free End	006/194014	1
456	SE-SK 1104/31 Rev B or later	NR P&P, Lead, 2m long, 2 Pair 0.9mm 2 Pair AzLM Axle Counter XQZ Cable, with MIL5015 Plug (F) and Free End	006/194015	1
457	SE-SK 1104/32 Rev B or later	NR P&P, Lead, 4m long, 2 Pair 0.9mm 2 Pair AzLM Axle Counter XQZ Cable, with MIL5015 Plug (F) and Free End	006/194016	1
458	SE-SK 1104/33 Rev B or later	NR P&P, Lead, 8m long, 2 Pair 0.9mm 2 Pair AzLM Axle Counter XQZ Cable, with MIL5015 Plug (F) and Free End	006/194017	1
459	SE-SK 1104/34 Rev B or later	NR P&P, Lead, 15.5m long, 2 Pair 0.9mm 2 Pair AzLM Axle Counter XQZ Cable, with MIL5015 Plug (F) and Free End	006/194018	1
460	SE-SK 1104/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 2 Pair 0.9mm 2 Pair AzLM Axle Counter XQZ Cable, with MIL5015 Plug (F) and Free End	006/194019	1
461	SE-SK 1112/01 Rev B or later	NR P&P, Lead, 2m long, 1.4mm 2 Pair AzLM Axle Counter XPS Cable, with MIL5015 Plug (F) and Free End	006/194120	1
462	SE-SK 1112/02 Rev B or later	NR P&P, Lead, 4m long, 1.4mm 2 Pair AzLM Axle Counter XPS Cable, with MIL5015 Plug (F) and Free End	006/194121	1
463	SE-SK 1112/03 Rev B or later	NR P&P, Lead, 8m long, 1.4mm 2 Pair AzLM Axle Counter XPS Cable, with MIL5015 Plug (F) and Free End	006/194122	1
464	SE-SK 1112/04 Rev B or later	NR P&P, Lead, 15.5m long, 1.4mm 2 Pair AzLM Axle Counter XPS Cable, with MIL5015 Plug (F) and Free End	006/194123	1
465	SE-SK 1112/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 1.4mm 2 Pair AzLM Axle Counter XPS Cable, with MIL5015 Plug (F) and Free End	006/194124	1
466	SE-SK 1112/11 Rev B or later	NR P&P, Lead, 2m long, 1.4mm 2 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Plug (F) and Free End	006/194125	1
467	SE-SK 1112/12 Rev B or later	NR P&P, Lead, 4m long, 1.4mm 2 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Plug (F) and Free End	006/194126	1
468	SE-SK 1112/13 Rev B or later	NR P&P, Lead, 8m long, 1.4mm 2 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Plug (F) and Free End	006/194127	1
469	SE-SK 1112/14 Rev B or later	NR P&P, Lead, 15.5m long, 1.4mm 2 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Plug (F) and Free End	006/194128	1
470	SE-SK 1112/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 1.4mm 2 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Plug (F) and Free End	006/194129	1
471	SE-SK 1112/21 Rev B or later	NR P&P, Lead, 2m long, 1.4mm 2 Pair AzLM Axle Counter XQS Cable, with MIL5015 Plug (F) and Free End	006/194130	1
472	SE-SK 1112/22 Rev B or later	NR P&P, Lead, 4m long, 1.4mm 2 Pair AzLM Axle Counter XQS Cable, with MIL5015 Plug (F) and Free End	006/194131	1
473	SE-SK 1112/23 Rev B or later	NR P&P, Lead, 8m long, 1.4mm 2 Pair AzLM Axle Counter XQS Cable, with MIL5015 Plug (F) and Free End	006/194132	1
474	SE-SK 1112/24 Rev B or later	NR P&P, Lead, 15.5m long, 1.4mm 2 Pair AzLM Axle Counter XQS Cable, with MIL5015 Plug (F) and Free End	006/194133	1
475	SE-SK 1112/25 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 1.4mm 2 Pair AzLM Axle Counter XQS Cable, with MIL5015 Plug (F) and Free End	006/194134	1
476	SE-SK 1112/31 Rev B or later	NR P&P, Lead, 2m long, 2 Pair 1.4mm 2 Pair AzLM Axle Counter XQZ Cable, with MIL5015 Plug (F) and Free End	006/194135	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 12 Description	PADS No.	Cert issue
477	SE-SK 1112/32 Rev B or later	NR P&P, Lead, 4m long, 2 Pair 1.4mm 2 Pair AzLM Axle Counter XQZ Cable, with MIL5015 Plug (F) and Free End	006/194136	1
478	SE-SK 1112/33 Rev B or later	NR P&P, Lead, 8m long, 2 Pair 1.4mm 2 Pair AzLM Axle Counter XQZ Cable, with MIL5015 Plug (F) and Free End	006/194137	1
479	SE-SK 1112/34 Rev B or later	NR P&P, Lead, 15.5m long, 2 Pair 1.4mm 2 Pair AzLM Axle Counter XQZ Cable, with MIL5015 Plug (F) and Free End	006/194138	1
480	SE-SK 1112/35 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 2 Pair 1.4mm 2 Pair AzLM Axle Counter XQZ Cable, with MIL5015 Plug (F) and Free End	006/194139	1
481	SE-SK 1120/01 Rev B or later	NR P&P, Lead, 2m long, 0.9mm 10 Pair AzLM Axle Counter XPS Cable, with MIL5015 Plug (F) and Free End	006/194080	1
482	SE-SK 1120/02 Rev B or later	NR P&P, Lead, 4m long, 0.9mm 10 Pair AzLM Axle Counter XPS Cable, with MIL5015 Plug (F) and Free End	006/194081	1
483	SE-SK 1120/03 Rev B or later	NR P&P, Lead, 8m long, 0.9mm 10 Pair AzLM Axle Counter XPS Cable, with MIL5015 Plug (F) and Free End	006/194082	1
484	SE-SK 1120/04 Rev B or later	NR P&P, Lead, 15.5m long, 0.9mm 10 Pair AzLM Axle Counter XPS Cable, with MIL5015 Plug (F) and Free End	006/194083	1
485	SE-SK 1120/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 0.9mm 10 Pair AzLM Axle Counter XPS Cable, with MIL5015 Plug (F) and Free End	006/194084	1
486	SE-SK 1120/11 Rev B or later	NR P&P, Lead, 2m long, 0.9mm 10 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Plug (F) and Free End	006/194085	1
487	SE-SK 1120/12 Rev B or later	NR P&P, Lead, 4m long, 0.9mm 10 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Plug (F) and Free End	006/194086	1
488	SE-SK 1120/13 Rev B or later	NR P&P, Lead, 8m long, 0.9mm 10 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Plug (F) and Free End	006/194087	1
489	SE-SK 1120/14 Rev B or later	NR P&P, Lead, 15.5m long, 0.9mm 10 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Plug (F) and Free End	006/194088	1
490	SE-SK 1120/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 0.9mm 10 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Plug (F) and Free End	006/194089	1
491	SE-SK 1128/01 Rev B or later	NR P&P, Lead, 2m long, 1.4mm 10 Pair AzLM Axle Counter XPS Cable, with MIL5015 Plug (F) and Free End	006/194200	1
492	SE-SK 1128/02 Rev B or later	NR P&P, Lead, 4m long, 1.4mm 10 Pair AzLM Axle Counter XPS Cable, with MIL5015 Plug (F) and Free End	006/194201	1
493	SE-SK 1128/03 Rev B or later	NR P&P, Lead, 8m long, 1.4mm 10 Pair AzLM Axle Counter XPS Cable, with MIL5015 Plug (F) and Free End	006/194202	1
494	SE-SK 1128/04 Rev B or later	NR P&P, Lead, 15.5m long, 1.4mm 10 Pair AzLM Axle Counter XPS Cable, with MIL5015 Plug (F) and Free End	006/194203	1
495	SE-SK 1128/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 1.4mm 10 Pair AzLM Axle Counter XPS Cable, with MIL5015 Plug (F) and Free End	006/194204	1
496	SE-SK 1128/11 Rev B or later	NR P&P, Lead, 2m long, 1.4mm 10 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Plug (F) and Free End	006/194205	1
497	SE-SK 1128/12 Rev B or later	NR P&P, Lead, 4m long, 1.4mm 10 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Plug (F) and Free End	006/194206	1
498	SE-SK 1128/13 Rev B or later	NR P&P, Lead, 8m long, 1.4mm 10 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Plug (F) and Free End	006/194207	1
499	SE-SK 1128/14 Rev B or later	NR P&P, Lead, 15.5m long, 1.4mm 10 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Plug (F) and Free End	006/194208	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ileccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 12 Description	PADS No.	Cert issue
500	SE-SK 1128/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 1.4mm 10 Pair AzLM Axle Counter XPZ Cable, with MIL5015 Plug (F) and Free End	006/194209	1
501	SE-SK 0681/01 Rev C or later	NR P&P, Lead, 2m long, 1 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and Free End	006/191901	1
502	SE-SK 0681/02 Rev C or later	NR P&P, Lead, 4m long, 1 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and Free End	006/191902	1
503	SE-SK 0681/03 Rev C or later	NR P&P, Lead, 8m long, 1 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and Free End	006/191903	1
504	SE-SK 0681/04 Rev C or later	NR P&P, Lead, 15.5m long, 1 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and Free End	006/191904	1
505	SE-SK 0681/05 Rev C or later	NR P&P, Lead, >15.5m long as specified on order, 1 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and Free End	006/191905	1
506	SE-SK 0681/11 Rev C or later	NR P&P, Lead, 2m long, 1 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Plug (F) and Free End	006/191196	1
507	SE-SK 0681/12 Rev C or later	NR P&P, Lead, 4m long, 1 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Plug (F) and Free End	006/191197	1
508	SE-SK 0681/13 Rev C or later	NR P&P, Lead, 8m long, 1 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Plug (F) and Free End	006/191198	1
509	SE-SK 0681/14 Rev C or later	NR P&P, Lead, 15.5m long, 1 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Plug (F) and Free End	006/191199	1
510	SE-SK 0681/15 Rev C or later	NR P&P, Lead, >15.5m long as specified on order, 1 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with MIL5015 Plug (F) and Free End	006/191200	1
511	SE-SK 0769/01 Rev C or later	NR P&P, Lead, 2m long, 3 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and Free End	006/191926	1
512	SE-SK 0769/02 Rev C or later	NR P&P, Lead, 4m long, 3 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and Free End	006/191927	1
513	SE-SK 0769/03 Rev C or later	NR P&P, Lead, 8m long, 3 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and Free End	006/191928	1
514	SE-SK 0769/04 Rev C or later	NR P&P, Lead, 15.5m long, 3 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and Free End	006/191929	1
515	SE-SK 0769/05 Rev C or later	NR P&P, Lead, >15.5m long as specified on order, 3 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and Free End	006/191930	1
516	SE-SK 0769/11 Rev C or later	NR P&P, Lead, 2m long, 3 x 0.9mm Star Quad ZHLS DB LH 416.0115 cable, with MIL5015 Plug (F) and Free End	006/191726	1
517	SE-SK 0769/12 Rev C or later	NR P&P, Lead, 4m long, 3 x 0.9mm Star Quad ZHLS DB LH 416.0115 cable, with MIL5015 Plug (F) and Free End	006/191727	1
518	SE-SK 0769/13 Rev C or later	NR P&P, Lead, 8m long, 3 x 0.9mm Star Quad ZHLS DB LH 416.0115 cable, with MIL5015 Plug (F) and Free End	006/191728	1
519	SE-SK 0769/14 Rev C or later	NR P&P, Lead, 15.5m long, 3 x 0.9mm Star Quad ZHLS DB LH 416.0115 cable, with MIL5015 Plug (F) and Free End	006/191729	1
520	SE-SK 0769/15 Rev C or later	NR P&P, Lead, >15.5m long as specified on order, 3 x 0.9mm Star Quad ZHLS DB LH 416.0115 cable, with MIL5015 Plug (F) and Free End	006/191730	1
521	SE-SK 0775/01 Rev B or later	NR P&P, Lead, 2m long, 5 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and Free End	006/191941	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 12 Description	PADS No.	Cert issue
522	SE-SK 0775/02 Rev B or later	NR P&P, Lead, 4m long, 5 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and Free End	006/191942	1
523	SE-SK 0775/03 Rev B or later	NR P&P, Lead, 8m long, 5 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and Free End	006/191943	1
524	SE-SK 0775/04 Rev B or later	NR P&P, Lead, 15.5m long, 5 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and Free End	006/191944	1
525	SE-SK 0775/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 5 x 0.9mm Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and Free End	006/191945	1
526	SE-SK 0775/11 Rev B or later	NR P&P, Lead, 2m long, 5 x 0.9mm ZHLS Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and Free End	006/191746	1
527	SE-SK 0775/12 Rev B or later	NR P&P, Lead, 4m long, 5 x 0.9mm ZHLS Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and Free End	006/191747	1
528	SE-SK 0775/13 Rev B or later	NR P&P, Lead, 8m long, 5 x 0.9mm ZHLS Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and Free End	006/191748	1
529	SE-SK 0775/14 Rev B or later	NR P&P, Lead, 15.5m long, 5 x 0.9mm ZHLS Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and Free End	006/191749	1
530	SE-SK 0775/15 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, 5 x 0.9mm ZHLS Star Quad DB LH 416.0115 cable, with MIL5015 Plug (F) and Free End	006/191750	1
531	SE-SK 0781/01 Rev C or later	NR P&P, Lead, 2m long, 7 x 0.9mm Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191971	1
532	SE-SK 0781/02 Rev C or later	NR P&P, Lead, 4m long, 7 x 0.9mm Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191972	1
533	SE-SK 0781/03 Rev C or later	NR P&P, Lead, 8m long, 7 x 0.9mm Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191973	1
534	SE-SK 0781/04 Rev C or later	NR P&P, Lead, 15.5m long, 7 x 0.9mm Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191974	1
535	SE-SK 0781/05 Rev C or later	NR P&P, Lead, >15.5m long as specified on order, 7 x 0.9mm Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191975	1
536	SE-SK 0781/11 Rev C or later	NR P&P, Lead, 2m long, 7 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with Free End and MIL5015 Plug (M)	006/191766	1
537	SE-SK 0781/12 Rev C or later	NR P&P, Lead, 4m long, 7 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with Free End and MIL5015 Plug (M)	006/191767	1
538	SE-SK 0781/13 Rev C or later	NR P&P, Lead, 8m long, 7 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with Free End and MIL5015 Plug (M)	006/191768	1
539	SE-SK 0781/14 Rev C or later	NR P&P, Lead, 15.5m long, 7 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with Free End and MIL5015 Plug (M)	006/191769	1
540	SE-SK 0781/15 Rev C or later	NR P&P, Lead, >15.5m long as specified on order, 7 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with Free End and MIL5015 Plug (M)	006/191770	1
541	SE-SK 0786/01 Rev C or later	NR P&P, Lead, 2m long, 10 x 0.9mm Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191991	1
542	SE-SK 0786/02 Rev C or later	NR P&P, Lead, 4m long, 10 x 0.9mm Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191992	1
543	SE-SK 0786/03 Rev C or later	NR P&P, Lead, 8m long, 10 x 0.9mm Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191993	1

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 12 Description	PADS No.	Cert issue
544	SE-SK 0786/04 Rev C or later	NR P&P, Lead, 15.5m long, 10 x 0.9mm Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191994	1
545	SE-SK 0786/05 Rev C or later	NR P&P, Lead, >15.5m long as specified on order, 10 x 0.9mm Star Quad DB LH 416.0115 cable, with Free End and MIL5015 Plug (M)	006/191995	1
546	SE-SK 0786/11 Rev C or later	NR P&P, Lead, 2m long, 10 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with Free End and MIL5015 Plug (M)	006/191786	1
547	SE-SK 0786/12 Rev C or later	NR P&P, Lead, 4m long, 10 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with Free End and MIL5015 Plug (M)	006/191787	1
548	SE-SK 0786/13 Rev C or later	NR P&P, Lead, 8m long, 10 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with Free End and MIL5015 Plug (M)	006/191788	1
549	SE-SK 0786/14 Rev C or later	NR P&P, Lead, 15.5m long, 10 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with Free End and MIL5015 Plug (M)	006/191789	1
550	SE-SK 0786/15 Rev C or later	NR P&P, Lead, >15.5m long as specified on order, 10 x 0.9mm Star Quad DB LH 416.0115 ZHLS cable, with Free End and MIL5015 Plug (M)	006/191790	1

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilecsys Rail Limited

Issue : 2
Valid From : 17/12/2021

**Table 13 Interconnects and Leads
TDEU System**

Ref	Network Rail Part No.	TABLE 13 Description	PADS No.	Cert issue
1	SE-SK 0637/35 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, E2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188725	1
2	SE-SK 0653/35 Rev B or later	NR P&P, Interconnect, >25m long as specified on order, E2 2.5sqmm 10-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M)	006/188780	1
3	ilecsys part no. 180801-855	NR P&P, Interconnect, length as specified on order, E2 2.5sqmm 4-core cable, with MIL5015 Plug (F 90°) and MIL5015 Rear Panel Mount Receptacle (M)	0006/120009	1
4	ilecsys part no.180801-856	NR P&P, Interconnect, length as specified on order, E2 2.5sqmm 10-core cable, with MIL5015 Plug (F 90°) and MIL5015 Rear Panel Mount Receptacle (M)	0006/120010	1
5	SE-SK 0934/05 Rev B or later	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F 90°) to Free End.	006/191655	1
6	ilecsys part no.190116-2816	NR P&P, Lead, >15.5m long as specified on order, C2 2.5sqmm 10-core cable, with MIL5015 Plug (F 90°) to Free End.	0006/120011	1

**Table 14 Interconnects and Leads
RCPL Detection**

Ref	Network Rail Part No.	TABLE 14 Description	PADS No.	Cert issue
1	190430-3371	NR P&P, Lead, 400mm long, C2 2.5sqmm 4-core cable, with pre-stripped Free End cores terminated on 2BA black PIDG crimps and MIL5015 Receptacle (M), generally in accordance with SE-SK 0643 – yellow sleeve	0006/120012	1
2	190430-3370	NR P&P, Lead, 400mm long, C2 2.5sqmm 4-core cable, with pre-stripped Free End cores terminated on 2BA black PIDG crimps and MIL5015 Receptacle (F), generally in accordance with SE-SK 0644 – black sheath	0006/120013	1
3	190522-3443	NR P&P, Interconnect, 2m long, C2 2.5sqmm 4-core cable, with MIL5015 Plug (F) and MIL5015 Plug (M) , generally in accordance with SE-SK 0637	0006/120014	1

Table 15 Interconnects for Unistar HR POE system

Ref	Network Rail Part No.	TABLE 14 Description	PADS No.	Cert issue
-----	-----------------------	----------------------	----------	------------

Please contact prodacc@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilecsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Ref	Network Rail Part No.	TABLE 14 Description	PADS No.	Cert issue
1	Ilecsys part number 210914-7721	NR P&P, Interconnect, 16m long, C2 2.5sqmm 4-core cable, with pre-stripped Free End cores terminated on Harting Han K 8 / 24 insert and Glenair MIL5015 20-4 female contact insert	TBC	2
2	Ilecsys Part number: 210914-7720	NR P&P, Interconnect, 16m long, C2 2.5sqmm 7-core cable, with pre-stripped Free End cores terminated on Harting Han K 8 / 24 insert and Glenair MIL5015 24-2 female contact insert	TBC	2
3	N/A	Cable Kit formed of 2 x Ref 1 and 2 x Ref 2 in addition to existing approved 16c 2.5mm MIL5015 M-F Cable for diss-box to Unistar Power Pack – For Uddingston Jn Application	0086/021048	2

Assessed Documentation

Table A Network Rail Configuration Documents

Ref	Network Rail Reference	Title	Doc Date	Cert issue
All the SE-SK Drawings listed in Tables 1 to 14 inclusive				1

Table B Network Rail Process Documents

Ref	Network Rail Reference	Doc. Rev.	Title	Doc Date	Cert issue
1	51897-PH7-GP4-FPS-001-Part-N4	1	Product Approval Compliance Report 3 (PACR) PA05/07026 – for Trial Release Version T1	30/12/2018	1
2	Network Rail Audit - 1849 - iLecsys Rail	-	Supplier Quality Assurance (SQA) Team Audit of Ilecsys Rail	25/01/2019	1

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilecsys Rail Limited

Issue : 2
Valid From : 17/12/2021

Certificate History

Issue	Date	Issue History
1	19/06/2019	First accepted for National use.
2	17/12/2021	Updated to include Unistar HR POE Interconnect cables.

Contact Details

Manufacturer

Peter Dickson
Engineering Manager
Ilecsys Rail Ltd.

pjd@ilecsys.co.uk

Lead Reviewer

Gurdeep Virdee
Principal Engineer, CCS TA
Network Rail

Gurdeep.virdee@networkrail.co.uk

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilceys Rail Limited

Issue : 2
Valid From : 17/12/2021

General Terms & Conditions

1) General

- 1) This certificate can only be amended by Network Rail Product Acceptance, the Professional Head or nominated delegate. Any alterations made by a other persons will invalidate the entire certificate.
- 2) Failure to abide by the requirements in this Certificate of Acceptance may invalidate the certificate, thereby restricting the right to operate the product and / or limiting the future supply and deployment of the product on the infrastructure.
- 3) Upon the review date this certificate and the product it relates to is invalid and not accepted for use. Manufacturers are to make an application for a review prior to the review date via the NR sponsoring applicant.

2) Manufacturer

The Manufacturer shall:

- 1) Ensure that all products supplied comply with the standards defined in the Acceptance Requirements or otherwise documented as part of the assessment, including meeting the reliability requirements included in the Network Rail Design for Reliability Standard (DFR) NR-L2-RSE-0005 and in any deed of warranty for the relevant certificate number.
- 2) Notify Network Rail Product Acceptance:
 - a. Within 48 hours, of any deficiencies affecting the quality, functionality or safety integrity of the product (including corrective action undertaken or proposed).
 - b. Of any intended change to the accepted product; changes include:
 - i. a change to the product configuration (to the actual product or its application);
 - ii. a variation to or addition of manufacturing locations or processes;
 - iii. a change in the name or ownership of the manufacturing company;
 - iv. any changes to the ability or intention to support with technical services, spares or repairs.
- 3) The Manufacturer shall provide Network Rail Product Acceptance or National Supply Chain (NSC) at least 12 (twelve) months notice of its intention to discontinue supply or to provide such notice as is reasonable if such discontinuance is outside its control and will offer the opportunity of a Last Time Buy to Network Rail together with date for last order placement and supply of the parts affected. The introduction of proposed alternative products shall be communicated to Network Rail Product Acceptance.
- 4) Provide further copies of operating and maintenance manuals to purchasers / users of the product as necessary (including certificates of conformance, calibration etc).
- 5) Provide further copies of training manuals and an appropriate level of training to purchasers or users of the product as necessary.
- 6) Where applicable, specialist technical support, repairs and servicing of the product shall be carried out by the Original Equipment Manufacturer (OEM) or authorised agent only.
- 7) Network Rail may request information from the manufacturer to prove product compliance with clauses 1 and 2 above and reserve the right to suspend and/or withdraw any application where information is not forthcoming within a reasonable timeframe.
- 8) In accordance with Network Rail's Quality Assurance Policy Statement, where the specification and/or Product Acceptance Certificates specify quality assurance classifications for the products, the manufacturer shall comply with the specified level of quality assurance for each product and allow Network Rail access to carry out its quality assurance checks.
- 9) The manufacturer shall give Network Rail's representatives access at all reasonable times to its premises and allow them to inspect its quality systems and production methods and, if requested, to inspect, examine and test the products both during and after their manufacture and the materials being used in their manufacture.

3) Conditions of Use

Specifiers, installers, operators, maintainers, etc. using the product shall:

- 1) Comply with the certificate conditions. If a condition is not understood guidance must be sought from Network Rail Product Acceptance.
- 2) Check that the application of use complies with the relevant certificate's scope of acceptance.
- 3) Report any defect if it is a design or manufacturing fault likely to affect performance and/or the safe operation of the railway in writing to Network Rail Product Acceptance.
- 4) Inform Network Rail Product Acceptance in writing of a change to the product configuration (or to the actual product or its application).
- 5) Operate, maintain and service the product in accordance with Network Rail standards and Operation and Maintenance manuals as appropriate.
- 6) Be appropriately trained and authorised for the installation, maintenance and use of the product.
- 7) Only send products for repair or reconditioning to the Original Equipment Manufacturer (OEM) or authorised agent.
- 8) Users are to be aware that Product Acceptance is not a substitute for design approval.

Certificate of Acceptance

PA05/07151

Manufacturer:
Ilccsys Rail Limited

Issue : 2
Valid From : 17/12/2021

4) Compliance

Railways and Other Guided Systems (ROGS) Regulations

1) Where the product is to be used in areas where Network Rail is not the Infrastructure Manager (e.g. leased stations), the sponsor shall additionally obtain formal consent from the Infrastructure Manager for the locality where the equipment is to be installed. This may include a requirement for additional safety verification. The decision of that Infrastructure Manager is binding, and cannot be overridden by Network Rail except by the escalation processes established in the ROGS regulations

2) As required in Railway Group Standard RIS-8270-RST, at each use of this product the project or group responsible for installation and commissioning shall be required to demonstrate compatibility with:

- a. All rail vehicle types that have access rights over the area affected by the change
- b. Infrastructure managed by others
- c. Neighbours.

Railway Interoperability Regulations

3) For interoperable constituents of systems the project or group responsible for installation and commissioning shall be required to demonstrate compliance with the relevant Technical Specifications for Interoperability (TSI) where appropriate.

4) An authorisation from the national safety authority (i.e. the Railway Safety Directorate of the Office of Rail and Road) is required before the equipment is to be used in revenue earning service.

5) Supply Chain Arrangements

1) Certificates of acceptance do not imply any particular quantity of supply nor any exclusivity of supply.

2) Products may be purchased by Network Rail or its agents, suppliers or contractors.

3) Manufacturers should note that it is not necessary to enter into any exclusive supply arrangements with resellers or other suppliers.